



Eighty-Seventh

Annual Report of the Registrar-General for Scotland

1941

Crown Copyright Reserved

EDINBURGH

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE

To be purchased directly from H.M. STATIONERY OFFICE at the following addresses :

13a Castle Street, Edinburgh 2 ; York House, Kingsway, London, W.C. 2 ;

39/41 King Street, Manchester 2 ; 1 St. Andrew's Crescent, Cardiff ;

80 Chichester Street, Belfast ;

or through any bookseller

1944

Price 4s. 0d. net

CONTENTS.

<i>REPORT.</i>	PAGE
Introductory Letter, ...	iv
General Summary, ...	v
Population Estimates, ...	v
Births, ...	vii
Marriages, ...	x
Deaths, ...	xii
Age and Sex, ...	xv
Causes of Death, ..	xviii
<i>APPENDIX I.</i>	
Seventy-seventh Annual Report on Vaccination (1940), ...	xxxvi
<i>APPENDIX II.</i>	
Additional Marriage Statistics for Year 1940, ...	xxxvii
<i>APPENDIX III.</i>	
Weather Report for Year 1941, ...	xl
<i>APPENDIX IV.</i>	
Re-registration of Births, ...	xlix
Entries in Adopted Children Register, ...	xlix
Searches and Extracts in General Registry Office, ...	xlix
<i>APPENDIX V.</i>	
Alteration of Boundaries of Burghs, Registration Districts, etc., which became effective during 1941, ...	li
<i>APPENDIX VI.</i>	
Registration of Still-births, 1941, ...	lii
<i>APPENDIX VII.</i>	
International Classification of Causes of Death, according to Fifth International Revision (1938), as adapted for use in Scotland, ...	lxx

APPENDED TABLES.

BIRTHS, DEATHS, AND MARRIAGES, 1941.

Table 1. Scotland, 1855 to 1941. Numbers, ...	lxxxix
„ 2. Do. Rates, ...	lxxxix
„ 3. Scotland, 1931 to 1941. Quarterly Numbers and Rates, ...	lxxxix
„ 4. Rates:—Counties and Large Burghs, ...	lxxxix
„ 5. Rates, Illegit. Births, Still-births, Infant. Mortality:—Small Burghs, ...	lxxxix
„ 6. Do. do. do. Landward Areas, ...	lxxxix
„ 7. Birth-rates, Married and Unmarried Women, Counties and Large Burghs	lxxxix

(For Births, Deaths and Marriages by Calendar Months, see Table 34.)

MARRIAGES, 1940.

Table 8. Method of Celebration, 1855-1940, ...	xc
„ 9. Regular, Irregular and Civil Marriages, ...	xcii
„ 10. Church of Celebration, ...	xciii
„ 11. Civil Condition and Method of Signature ...	xciv
„ 12. Ages at Marriage, Counties and Large Burghs:—Men, ...	xcvi
„ 13. Do. Do. Women, ...	xcviii
AGES IN COMBINATION AT MARRIAGE:—	
„ 14. Men and Women, ...	c
„ 15. Bachelors and Spinsters, ...	ci
„ 16. Bachelors and Widows, ...	cii
„ 17. Widowers and Spinsters, ...	ciii
„ 18. Widowers and Widows, ...	civ
„ 18A. Divorced Men and Women (all Conditions), ...	cv
„ 18B. Men (all Conditions) and Divorced Women, ...	cvi

DEATHS, 1941.

Table 19. Numbers in Age-Groups:—Large Burghs, Small Burghs, Landward Areas, ...	cvii
„ 20. Numbers at each Year of Age by Condition as to Marriage, ...	cviii
Short List of Causes of Death:—	
„ 21. Numbers and Rates (Civilian) by Sex and Age-group, ...	cx
„ 22. Do. —Counties and Large Burghs, ...	cxiii
„ 23. Deaths by Cause and by Age-Group, Scotland, 1932-1941—Numbers, ...	cxiv
„ 24. Do. do. do. —Rates, ...	cxv
„ 25. Principal Epidemic and certain other Causes, 1855-1941—Numbers, ...	cxvi
„ 26. Do. do. do. —Rates, ...	cxvii
„ 27. Maternal Death-rates—Counties and Large Burghs, ...	cxviii
„ 28. Malignant Disease by Sex, Age and Organ affected, ...	cxix
„ 29. Suicide by Sex and Method, ...	cxxii
„ 30. Poisons, Accidental and Suicidal. Deaths under Anæsthetics, ...	cxxiii
Deaths under One Year of Age.	
„ 31. Selected Causes—by Sex, Legitimacy and Age (Days, Weeks, &c.), ...	cxxiv
„ 32. Do. by Month of Registration of Death, ...	cxxv
„ 33. Counties and Large Burghs, by Age (Days, Weeks, &c.), with Rates, ...	cxxvi

OTHER TABLES.

Table 34. Meteorology, Births, Deaths, &c., by Month of Registration, ...	cxxviii
„ 35. Weekly Meteorology and Death-rates, ...	cxxviii
„ 36. Vaccinations in Scotland, 1930-1940, ...	cxxix
„ 37. Deaths from Small-pox in Scotland, 1855-1940, with Vaccination particulars, 1864-1940, ...	cxxix

ABSTRACTS.

PAGE

General Registration Summary—Births, Deaths, and Marriages in the Counties and Large Burghs in 1941, with Vaccination particulars for 1940, ...	2-3
---	-----

CAUSES OF DEATH.

Detailed List (1938 Revision).	
Scotland—Sex and Age, ...	4
Public Health Districts (Counties and Large Burghs,)—Both Sexes, ...	26
Scotland, by Month of Registration—Both Sexes, ...	46
Short List—Counties, Large Burghs and Unallocated Deaths (Service Deaths and Civilian War Casualties), by Sex and Age, ...	54

STATISTICS OF BURGHs AND COUNTY AREAS (Short List and Age).

In County of Aberdeen, ...	112	In County of Kirkcudbright, ...	127
Do. Angus, ...	113	Do. Lanark, ...	127
Do. Argyll, ...	114	Do. Midlothian, ...	129
Do. Ayr, ...	115	Do. Moray, ...	129
Do. Banff, ...	117	Do. Nairn, ...	130
Do. Berwick, ...	118	Do. Orkney, ...	131
Do. Bute, ...	119	Do. Peebles, ...	131
Do. Caithness, ...	119	Do. Perth, ...	131
Do. Clackmannan, ...	119	Do. Renfrew, ...	133
Do. Dunbarton, ...	120	Do. Ross and Cromarty, ...	133
Do. Dumfries, ...	121	Do. Roxburgh, ...	134
Do. East Lothian, ...	122	Do. Selkirk, ...	135
Do. Fife, ...	123	Do. Stirling, ...	135
Do. Inverness, ...	125	Do. Sutherland, ...	136
Do. Kincardine, ...	126	Do. West Lothian, ...	136
Do. Kinross, ...	127	Do. Wigtown, ...	137
		Do. Zetland, ...	137

METEOROLOGICAL ABSTRACTS, ...	138
-------------------------------	-----

REPORT

ON THE

VITAL STATISTICS of SCOTLAND for the YEAR 1941.

GENERAL REGISTRY OFFICE OF BIRTHS, &c.,

NEW REGISTER HOUSE,

EDINBURGH, 23rd December 1943.

SIR,

In compliance with the requirements of the 7th Section of the Registration of Births, Deaths and Marriages (Scotland) Act, 1854, 17 & 18 Vict., c. 80, I beg to submit, for transmission to the Secretary of State, with a view to its being laid before Parliament, a Report on the Vital Statistics of Scotland for the year 1941.

In addition to the usual Appendices dealing respectively with (1) Vaccination, (2) Marriages, (3) the Weather, and (4) Still-births (prepared by Dr. Peter L. McKinlay), there is also included an Appendix on the changes of nomenclature which have been made as a result of the 1938 revision of the International List of Causes of Death.

I am, Sir,

Your obedient Servant,

J. G. KYD,

Registrar-General.

THE SECRETARY,

DEPARTMENT OF HEALTH FOR SCOTLAND.

REPORT.

SUMMARY.

THE vital statistics of the year 1941 do not yield any outstanding facts. There has been an arrestment in the downward trend in the number of births which has been manifest for many years, but this increase in the number of births registered in the year must be related to the record number of marriages which took place in the previous year, and it is too early to judge whether the downward trend has been stopped. The total number of births registered in 1941 was 89,743, which is 3,340 greater than those registered in the previous year, but the total number is considerably less than the average number of births each year previous to 1933. The number of illegitimate births was 5,904, which is 813 greater than in the previous year. Not only is the number of illegitimate births greater than it was in the previous year, but the proportion which such births bear to the total births is greater than it has been since 1934.

The crude death-rate of 14·7 per thousand is slightly less than the high rate reached in the previous year, but it is considerably higher than in any other year since 1929.

The mortality among children under one year of age shows an excess over that for the preceding eight years, and the figure for maternal mortality, which was 4·9 per thousand births, is the highest figure reached since 1936. The maternal mortality-rate has shown a downward tendency during the past decade, and it is disquieting to observe the rise in the rate for the year 1941.

Dealing with specific causes of death, the death-rate from influenza was less than half of that in the previous year, and only three times in the last ten years has the number of deaths recorded for this disease been lower. Whooping-cough showed a marked excess over the previous year, while deaths from diphtheria were somewhat less. Deaths from measles were less than half of those for 1940, and with two exceptions this is the lowest number ever recorded in Scotland. Deaths from tuberculosis continue to show the upward trend which has been evident since 1938. There does not appear to be any definite change in the mortality-rate from malignant diseases in 1941 compared with that in 1940. Although the crude death-rate from this disease is increasing, it would appear that the increase is largely due to the ageing population, and that when allowance is made for this the death-rate has been fairly steady during the last ten years.

POPULATION.

The civilian population of Scotland in the year 1941 is estimated at 4,819,400. This represents a mean of the quarterly estimates and not, as is

TABLE A.—Population of Scotland and its Groups of Public Health Districts in 1941.

GROUP OF DISTRICTS.	Census 1931 (Resident).			Census 1921 (Enumerated).			Estimated Mean Population 1941 (Civilians).		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
Large Burghs	2,663,292	1,264,156	1,399,136	2,581,038	1,237,971	1,343,067	2,543,300	1,122,600	1,420,700
Small Burghs	731,924	340,045	391,879	776,821	357,197	419,624	2,276,100*	1,038,600	1,237,500
Landward	1,447,764	721,322	726,442	1,524,638	752,474	772,164			
SCOTLAND	4,842,980	2,325,523	2,517,457	4,882,497	2,347,642	2,534,855	4,819,400	2,161,200	2,658,200

* Reliable estimates for Small Burghs and Landward Areas separately are not available for 1941.

more usual, the population as at June 30. Owing to the considerable and somewhat irregular changes in the population in the course of the year, of which enlistment in the Forces is an important factor, a mean population has for the purpose in view certain advantages over one calculated for any one point. No information as to the number of members of the Forces (including Dominion and Allied) actually stationed in Scotland is available, but for the purpose of calculating birth- and marriage-rates the numbers enlisting in Scotland have been included in the populations used. This estimate, however, must be regarded as only an approximation, since no information is available as to numbers now serving in Scotland. Quite apart from enlistments in the Forces, there was during the year considerable redistribution of local populations, partly due to local labour readjustments and partly due to further evacuations following on enemy action, particularly in the Clydeside area. Births and deaths amongst the evacuated populations were, as far as possible, allotted to the place of former residence, except where a more or less permanent residence had been taken up in another area. Population estimates are based on the numbers as ascertained at the taking of the National Register on 29th September 1939, which included civilians only, modified for changes (including enlistments) known to have taken place since that date. As removals are known centrally only where a change of National Registration area is involved, i.e. for large burghs and counties exclusive of large burghs, it has not been found possible to make separate estimates for individual small burghs or landward areas of counties with sufficient accuracy to justify their publication or use. As the death-rate is generally accepted as an index of the health of the local community, it has been considered inadvisable to load the death-rate with deaths directly attributable to war conditions, and local death statistics therefore do not include any deaths of persons serving in H.M. or Allied Forces nor do they include civilian deaths from enemy action. The exclusion, both from the deaths and from the estimated population, of members of the Forces has had the effect of slightly raising the resulting death-rate, owing to the exclusion from the calculation of selected young lives among whom deaths are normally comparatively few. (See also page xii.)

The mean civilian population for the year is estimated at 4,819,400, of whom 2,161,200 were males and 2,658,200 females, which shows a decrease of only about 22,000 compared with the estimate for 1940. During the period

TABLE B (1).—Birth-rate in Scotland, per 1000 Women aged 15-44, 1861-1931.

YEAR.	Births per 1000 Women aged 15-44.			Legitimate Births per 1000 Married Women aged under 45.		
	Rate.	Percentage of Rate for Preceding Period.	Percentage of Rate for 1860-62.	Rate.	Percentage of Rate for Preceding Period.	Percentage of Rate for 1860-62.
1860-62	144.6	...	100	316.0	...	100
1870-72	149.4	103.3	103.3	319.4	101.1	101.1
1880-82	145.8	97.6	100.8	311.5	97.5	98.6
1890-92	132.5	90.9	91.6	296.4	95.2	93.8
1900-02	121.9	92.0	84.3	271.8	91.7	86.0
1910-12	107.3	88.0	74.2	233.2	85.8	73.8
1920-22	105.1	97.9	72.7	226.7	97.2	71.7
1930-32	80.1	76.2	55.4	169.0	74.5	53.5

July 1940 to June 1941 there was an excess of births over deaths amounting to 13,501 and a small amount of migration overseas in each direction. During the latter part of 1940 there was a considerable movement of population from England owing to war conditions there, and this movement tended to neutralise the effect of the constant loss to the civilian population through enlistment, both male and female.

BIRTHS.

The number of living children whose births were registered in Scotland during the year 1941 was 89,743, of whom 46,151 were males and 43,592 females, as compared with 86,403 births (both sexes) in 1940. (Still-births are specially dealt with in Appendix VI.) The sex ratio among live-born children was thus 1,059 males per thousand females. This ratio is 9 more than in 1940 and 8 more than the average.* In 1939, however, it was 1,060. During the years 1915 to 1919 the ratio averaged 1,053, ranging from 1,064 in 1919 to 1,045 in 1918. (*Tables 1 and 2.*)

The birth-rate for the year was 17·50 per thousand, being 0·37 above that for 1940 but 0·06 below the average. For many years prior to 1933 the birth-rate showed a steady decline, but in the years 1933 to 1938 this decline was interrupted and the birth-rate moved between comparatively narrow limits, but in 1939 and 1940 each year showed a decided fall. This decline was largely recovered in 1941. Compared with the average the birth-rate in 1940 as measured by the quarterly rates had tended to decline in the course of the year and this downward tendency continued for the first two quarters of 1941, but in the third and fourth quarters the rate was higher than the average. (*Table 3.*)

The birth-rate for the year was 17·70 in the large burghs and 17·26 in the counties.† In the previous year these rates were 17·80 and 16·33. The

* For the purpose of this Report the averages quoted, except where otherwise specified, are for the five years 1936–1940.

† Except where otherwise specified, when rates for large burghs are quoted with those for counties, the latter area is “exclusive of large burghs.”

TABLE B (2).—Birth-rate in Scotland and its Groups of Public Health Districts in 1941.

GROUPS OF DISTRICTS.	Live Births.					Birth-rate per 1000 of Estimated Population.			Illegitimate Births per 100 Live Births.
	Total.	Legitimate.		Illegitimate.		Total.	Legitimate	Illegitimate.	
		Males.	Females.	Males.	Females.				
Large Burghs .	48,344	23,330	21,995	1,572	1,447	17·70	16·60	1·11	6·24
Small Burghs .	13,992	6,753	6,316	441	482	17·26	16·06	1·20	6·97
Landward .	27,407	13,077	12,368	978	984				
SCOTLAND .	89,743	43,160	40,679	2,991	2,913	17·50	16·35	1·15	6·58

	Still-births.			Still-birth Rate per 1000 Births (including Still-births).		
	Total.	Legitimate.	Illegitimate.	Total.	Legitimate.	Illegitimate.
Large Burghs .	2,115	1,925	190	41·9	40·7	59·2
Small Burghs .	542	508	34	37·3	37·4	35·5
Landward .	1,041	957	84	36·6	36·2	41·1
SCOTLAND .	3,698	3,390	308	39·6	38·9	49·6

increase in the birth-rate in the counties may be partly due to the evacuation of young married women from the large burghs, which will tend to increase the birth-rate in the counties, even if an allowance is made in the population estimate. In the case of births and deaths, but not of marriages, all local rates quoted in this Report have been corrected for transfer to place of usual residence, if in Scotland, but war conditions have made it very difficult to specify which is the real usual residence, and local rates should be accepted with some caution. (*Table 4.*)

As already indicated, population estimates for small burghs and for landward areas of counties are not available, and the only local birth-rates published are for entire counties (inclusive of large burghs), large burghs and county areas, exclusive of large burghs, and these will be found in *Table 4*. In large burghs the birth-rate ranged from 24·6 in Port-Glasgow, 22·0 in Coatbridge and 21·7 in Hamilton to 15·1 in Kirkcaldy, 15·0 in Edinburgh and 14·1 in Rutherglen. In the county areas this rate ranged from 21·0 in Caithness, 20·2 in Wigtown and 20·0 in Nairn to 13·4 in Peebles, 12·6 in Roxburgh and 12·1 in Selkirk. (*Table 4.*)

The monthly birth-rate ranged from 18·8 in May, 18·3 in June and 18·0 in October to 17·2 in August, 16·1 in December and 15·5 in November. Except in February, in April and in May the birth-rate was higher in each month than in the corresponding month of the previous year, the excess being specially marked in the period August to November when the average rate of increase was 1·2 per thousand. (*Table 34.*)

In *Table 7* will be found for each of the 57 Public Health Areas the birth-rate per thousand females aged 15–44 and the legitimate birth-rate per thousand married females aged under 45. *Table B (1)* shows these rates for Scotland for each triennial period from 1861 to 1931. From the latter table it will be seen that there is little difference in the fall by either standard compared with the decline in the crude birth-rate. The rate of decline by each standard is increasing, although this is not so evident between 1911 and 1931. Similar rates are shown below for each year since 1931, but these rates, being dependent on age estimates, do not have the authority of rates based on observations round a Census date. They are as follows:—

				Crude Birth- rate per 1000 Population.	Births per 1000 Women aged 15–44.	Legitimate births per 1000 Married Women aged under 45.
1931	19·0	79·8	168·3
1932	18·6	78·4	164·7
1933	17·6	74·5	155·5
1934	18·0	76·5	158·0
1935	17·8	74·9	154·2
1936	17·9	75·1	153·7
1937	17·6	73·7	150·0
1938	17·7	74·0	149·4
1939	17·4	72·1	142·7
1940	17·1	71·4	136·6
1941	17·5	73·5	138·1

The rate of decline since 1931 as shown in the first two columns is generally similar but is almost doubled in the third column, and the proportionate increase from 1940 to 1941 is not so great in that column as in the first two. Although generally speaking the third column is the best of the three as an index of fertility, it is imperfect unless allowance is made for the fact that an increase in the number of marriages will generally tend to increase in the numbers of married women at the younger and therefore most fertile ages. When such an allowance, based on the fertilities observed in 1939, is made,

it is found that, compared with 1939, the birth-rate per thousand married women declined by about 5 per cent. in 1940 and by about 6 per cent. in 1941.

In Table 7 will be found the local variations in the legitimate birth-rate according to column (3), which for local comparisons is more satisfactory because of local variations in the numbers of young married women. While the total for Scotland is based on the numbers as recorded at the taking of the National Register in 1939, with an allowance for the various factors (marriages, deaths, migration, &c.) which have taken place since that date, the local distribution of married women in 1939 was considerably affected by evacuation, and no exact information is available as to numbers of married women who have returned to their homes since the date of National Registration. The 1931 local distribution has therefore been retained, with an allowance for local changes in total population, and the local numbers have been adjusted to agree with the new estimate for Scotland of the number of married women of the specified ages. In the large burghs the legitimate birth-rate per 1,000 married women aged under 45 ranged from 192·7 in Port-Glasgow, 170·9 in Coatbridge, 160·1 in Hamilton and 152·2 in Airdrie to 117·7 in Falkirk, 115·6 in Dunfermline, 115·5 in Rutherglen and 114·4 in Kirkcaldy. In the counties it ranged from 204·9 in Sutherland, 195·4 in Caithness, 193·8 in Nairn, 185·5 in Ross and Cromarty and 178·7 in Inverness to 119·1 in Peebles, 114·7 in Berwick, 109·7 in Roxburgh and 100·1 in Selkirk. It will be observed that the five counties with the highest rates are all in the North of Scotland and that the four with the lowest rates are all in the South-east of Scotland. In the large burghs as a whole this fertility rate was 133·4 while in the counties it was 144·0. In 1940 these rates were 133·8 and 140·3 respectively. (Table 7.)

The total number of women giving birth to living children during the year was 88,659, of whom 87,592 or 98·80 per cent. gave birth to single children, 1,050 or 1·18 per cent. to twin children and 17 or 0·02 per cent. to triplet children. These births refer to living children only, and cases of single birth include those of twin births in which only one of the children was born alive. In Appendix VI will be found an analysis of still-births registered in Scotland in 1941 in accordance with the provisions of the Still-Births (Scotland) Act, 1938, and this analysis includes further particulars regarding multiple births, whether living or still. The percentage of mothers who gave birth to two or more living children is 0·03 below that for 1940 and 0·09 below that for 1939, which was, however, the highest such rate which had been recorded in Scotland for several years. But this rate for 1941 is equal to the lowest recorded

TABLE C.—Birth-rate per 1000 Women aged 15–44, 1941.

GROUPS OF DISTRICTS.	Estimated Number of Women aged 15–44.	Births.	Birth-rate per 1000 of Population.		Birth-rate per 1000 Women aged 15–44.	
		Number.	Rate.	Relative Quantity, Scotland being = 100.	Rate.	Relative Quantity, Scotland being = 100.
Large Burghs . . .	682,800	48,344	17·70	101·1	70·8	96·3
Small Burghs . . .	538,600	41,399	17·26	98·6	76·9	104·6
Landward . . .						
SCOTLAND . . .	1,221,400	89,743	17·50	100·0	73·5	100·0

since 1906. From 1855 until about 1895 this rate tended to decrease, but it increased in the following 20 or 25 years. During the past 20 years the tendency has been for this rate to decline, although the rate for 1941 is still higher than in almost every year from 1876 to 1900, there having been only two years in that period in which it was even as high. (*Tables 1 and 2.*)

Illegitimate Births.—These numbered 5,904 (living children only) and constituted 6·58 per cent. of the total living births as against 5,091 and 5·89 in 1940, the latter being the lowest number and rate ever recorded for Scotland. Almost the whole of this increase occurred during the second half of the year, the increase being rather more marked in the third quarter than in the fourth. Compared with the average the rate is 0·46 higher. In the large burghs it was 6·24 and in the counties 6·97. Relating these births to the estimated number of unmarried women and widows aged 15–44 the rate for Scotland was 9·6 per thousand, for the large burghs 8·8 and for the counties 10·6. (*Tables 1, 2, 4 and 7.*)

International Birth-rates.—Owing to present circumstances these are available for only a very few countries, but the following have been observed:—

BIRTH-RATES PER 1000 POPULATION, 1941.

Canada	22·2	United States of America	18·9
Tasmania	21·7	Scotland	17·9
Northern Ireland	20·8	England and Wales (pro-	
Queensland	20·9	visional)	14·2
Eire	19·0		

MARRIAGES.

Marriages registered in Scotland during the year numbered 47,716, which is 5,806 less than that for the previous year, which, however, was the largest number ever recorded in Scotland. The marriage-rate was 9·30 per thousand, being 1·30 less than in 1940 but 1·65 above the pre-war average (1934–38). From 1931 to 1938 there was a practically uninterrupted increase each year in the Scottish marriage-rate, but this increase was intensified on the outbreak of war in September 1939. From that date until the end of 1940 the quarterly marriage-rate only once fell below 10 per thousand but rates were lower in 1941, the highest quarterly marriage-rate being 10·1 in the third quarter, as compared with 12·3 in the third quarter of 1940 and 12·4 in the third quarter of 1939. The monthly marriage-rate in 1941 ranged from 12·4 in June, 11·8 in July, 11·3 in December and 11·2 in April to 7·7 in March, 7·5 in February, 7·3 in November and 5·6 in May. Only in February and in May did the rate in 1941 exceed the corresponding rate for 1940. The July marriage-rate was 11·8 as against 16·0 in 1940 and 13·6 in 1939. (*Tables 1, 2 and 34.*)

The marriage-rate in the large burghs was 10·98 per thousand and in the counties 7·39. As already indicated these numbers are not corrected in any way by transfer to place of usual residence. The higher rate in the large burghs is to some extent due to the tendency to resort to these areas for the purpose of celebrating the marriage. This tendency was specially noticeable in former years in the case of irregular marriages by declaration. (*Table 4.*)

Civil Marriages.—The Marriage (Scotland) Act, 1939, which came into operation on 1st July 1940, abolished irregular marriages by declaration, including what was popularly known as the “Gretna Green marriage” and “marriage before the Sheriff.” It instituted a new form of civil marriage,

to be contracted in the office and presence of certain specially-authorised Registrars after publication of notice. The total number of marriages in Scotland during the year 1941 was 47,716. Of these, 42,290 were solemnised by a minister of religion, 42,000 being preceded by proclamation of banns or publication of notice and 290 being authorised by licence granted by the Sheriff in circumstances of emergency under a special provision of the new Act. Of the remainder, 5,419 were civil marriages, of which 4,493 were preceded by publication of notice and 926 by Sheriff's licence. In addition to these marriages 6 were registered on production of a decree of declarator of the Court of Session and one on the authority of a Sheriff's warrant (delayed registration). Civil marriages constituted 11·4 per cent. of all marriages registered in Scotland, this percentage being 15·1 for the large burghs and 5·0 for the counties.

The following are numbers of marriages registered in 1941 for large burghs and counties respectively:—

	Scotland.	Large Burghs.	Counties (exclusive of Large Burghs).
All Marriages	47,716	29,987	17,729
Solemnised by a minister of religion:—			
Preceded by Banns or Publication of Notice	42,000	25,249	16,751
Authorised by Sheriff's Licence	290	210	80
Irregular Marriages:—*			
Registered by Sheriff's Warrant	1	1	—
Decree of Declarator (Court of Session)	6	2	4
Civil Marriages:—			
Preceded by Publication of Notice	4,493	3,655	838
Authorised by Sheriff's Licence	926	870	56

* Marriage contracted on or before June 30, 1940.

Marriage-rates for various countries, so far as available, are as follows:—

MARRIAGE-RATES PER 1000 POPULATION, 1941.

United States of America	12·6	England and Wales	9·3
Canada	10·6	(provisional)	
Queensland	9·6	Northern Ireland	9·3
Scotland	9·5	Tasmania	9·0
		Eire	5·1

TABLE D.—Marriages in Scotland and its Groups of Public Health Districts in 1941.

GROUPS OF DISTRICTS.	Marriages.	Marriage-rate per 1000 of Population.	
	Number.	Rate.	Relative Quantity, Scotland being = 100.
Large Burghs	29,987	10·98	118·1
Small Burghs	8,246	7·39	79·5
Landward	9,483		
SCOTLAND	47,716	9·30	100·0

Divorce.—By decrees pronounced in Scotland during the year 763 marriages were terminated, 758 by divorce and 5 by decrees of nullity. Of the former, 68 were of marriages registered outwith Scotland and of the latter 1 was so registered. During the ten years 1925-1934 divorces (including decrees of nullity) in Scotland averaged 488 per annum, but they gradually increased to 788 in 1938 and to 879 in 1939, being the first full year in which the Divorce (Scotland) Act, 1938, was in operation. They declined to 740 in 1940 and have now increased slightly to 763 in 1941. As will be seen from Table E, the average annual number of divorces in Scotland in 1855-1864 was only 17, but since then the numbers have shown a steady increase, this being specially marked during and following the war of 1914-1918 and again in the past six years or thereby.

DEATHS.

Total deaths registered during the year 1941 numbered 72,558. The civilian death-rate was 14·74 per thousand of the estimated civilian population.* As this crude rate is based on a population from which there has been withdrawn a considerable number of men of ages in which mortality is normally low, the resulting death-rates are not strictly comparable with those for former years. The rate for 1940 was also on a civilian basis, but strict comparability is impaired by the fact that the withdrawal of population in 1941 was greater than in 1940. Compared with the rate for 1940, mortality is 0·12 lower, but it is 1·21 above the average. Among males the death-rate was 16·75 per thousand and among females 13·11. The former is 0·16 higher than in 1940 and is 2·30 above the average. The latter is 0·29 less than in 1940 but is 0·41 above the average. An excess over the average (both sexes) was found in every quarter except the fourth, being specially marked in the first and second quarters. For the second year in succession the weather in the early months of the year was exceptionally severe. The death-rate is the highest recorded in any year since 1922 with the single exception of 1940. (*Tables 1 and 2.*)

The effect of the withdrawal of men (and to a much smaller extent of women) of military age from the population is partly eliminated when the death-rate is standardised according to the composite population (totalling nearly 220 millions) as selected by the International Statistical Institute from various countries of Europe according to the Census nearest to 1900. Death-rates so standardised for Scotland are appended, but it must be pointed out that those for the years 1932 to 1939 are based on age estimates and therefore do not have the authority of rates based on ascertained Census populations, and that, while the rates for 1940 and 1941 correct for absence of men of military age, it is assumed that such persons were subject to ordinary rates of mortality, whereas they were selected lives and therefore, apart from war conditions, probably had rates of mortality lower than those in the same age-groups of the remaining civilian population. It follows,

* All death-rates are based on civilian deaths and civilian population.

TABLE E.—Number of Divorces in Scotland, 1855-1941, including Decrees of Nullity of Marriage.

<i>Years.</i>	<i>Annual Average.</i>	<i>Years.</i>	<i>Annual Number.</i>
1855-64	= 17	1935	= 498
1865-74	= 14	1936	= 642
1875-84	= 60	1937	= 649
1885-94	= 100	1938	= 788
1895-1904	= 159	1939	= 879
1905-14	= 222	1940	= 740
1915-24	= 458	1941	= 763
1925-34	= 488		

therefore, that the civilian death-rates, even when standardised for age and sex, may to a small extent overstate the death-rate strictly applicable to the entire population, including service population. Standardised rates are appended herewith:—

DEATH-RATES FOR SCOTLAND PER 1,000 POPULATION.

					Crude Death-rate.	Standardised Rate. International 1900.
1931	13·26	12·45
1932	13·53	12·65
1933	13·20	12·22
1934	12·92	11·98
1935	13·19	11·99
1936	13·44	12·14
1937	13·85	12·33
1938	12·61	11·13
1939	12·87	11·10
1940	14·86	12·46
1941	14·74	12·38

From these rates it will be seen that while the crude death-rate increased by 11 per cent. between 1931 and 1941 the standardised rate for 1941 was actually less than in 1931, despite the heavy increase in the number of deaths during 1941 due to civilian war casualties, black-out accidents and the severity of the weather in the early months of the year. If the death-rates are standardised for each sex separately to the 1900 standard population (both sexes) it is found that, for males, the standardised death-rate was 14·32 in 1940 and 14·02 in 1941 as against 13·74 in 1931, whereas the standardised female death-rate was 10·78 in 1940 and 10·71 in 1941 as against 11·28 in 1931. Thus despite the heavy handicaps already mentioned, the standardised female death-rate for 1941 is distinctly lower than in 1931. From 1931 to 1938 the standardised male death-rate never exceeded the female by more than 26 per cent., but this excess was 30 per cent. in 1939, 33 per cent. in 1940 and 31 per cent. in 1941. This increase is probably due partly to heavier civilian male mortality from violent causes and partly to the influence of the selective factor already mentioned.

LOCAL DEATH-RATES (STANDARDISED).

For local death-rates the standardising factor used is not the International standard but the age distribution of Scotland as a whole in 1931. The effect of this standardisation therefore is simply to adjust the death-rate to allow for differences between the local age and sex distribution in 1931 and that for Scotland in the same year. As the populations evacuated at the outbreak of war had to a very large extent returned to their usual residence in the months following, the age distribution as ascertained from the National Register was considered unsuitable as a standardising factor, and the 1931 standardising factor has been retained. But the situation was again altered by the evacuation from certain Clydeside towns in the course of 1941. For these towns, therefore, no standardised death-rate is published in this Report, as any such rate would probably be misleading. In the large burghs the crude death-rate in 1941 was 15·07 per thousand and in the counties it was 13·53, but the influence of urbanisation is more evident from the standardised rate, which is 16·08 in the large burghs and 12·58 in the counties. This shows an excess mortality of 28 per cent. in the large burghs, as against an excess of 31 per cent. in the previous year and about 20 per cent. in the years immediately preceding the outbreak of war. This does not necessarily indicate any

worsening of health conditions in the large towns as compared with the counties but may be due to at least two factors, neither of which is capable of accurate assessment—(1) that a pre-war usual residence in a large burgh is still being specified at registration of death although removal has been allowed for in the population estimate, and (2) that owing to evacuation the age and sex distribution may in certain cases differ considerably from that found in 1931. It is therefore necessary to repeat the warning already given (see page viii) as to the caution to be observed in accepting local rates. (*Table 4.*)

In the large burghs individually the published standardised death-rate ranged from 16·4 in Paisley, 15·8 in Hamilton and 15·6 in Coatbridge and in Rutherglen to 12·8 in Perth, in Dunfermline and in Inverness and 12·4 in Kirkcaldy. In the counties it ranged from 14·3 in Lanark, 13·6 in Berwick and 13·4 in Caithness and in West Lothian to 10·6 in Kinross, 10·5 in Orkney and 10·1 in Peebles. As already indicated no population estimates or rates are available for small burghs or for county landward areas. (*Table 4.*)

The monthly death-rates show marked variations when compared with those for the previous year. In 1940, doubtless largely on account of the very severe weather conditions, the death-rate was very high in January and in February, but fell by about one-third in the month of March and thereafter showed in general only a moderate excess over the corresponding rates for 1939. In the first two months of 1941 the weather was again of a very severe character and the death-rates were again high (19·7 in January and 18·6 in February) but considerably below the corresponding rates in 1940 (25·5 and 23·4). But in the following months the death-rate remained persistently high. Thus in March the death-rate (19·6) was higher than in February and practically the same as in January, while it declined only slowly in succeeding months. In practically every month from April to September the rate was higher than in the corresponding month of any of the preceding five years, the only exceptions being that the rate in July was slightly lower than in 1940 and the rate in August was the same as in that year. For the last three months of the year the rate was below the average. It may be added that this excess during the summer months is only partly accounted for by the civilian deaths from war operations. (*Table 34.*)

The following table gives the crude death-rates for a limited number of countries, so far as available, but it should be pointed out that in some cases

TABLE F.—Deaths in Scotland and its Groups of Public Health Districts in 1941.

GROUPS OF DISTRICTS.	Deaths.		Civilian death-rate per 1000 of Population.	
	Registered Number.	Corrected for Transfers.	Corrected for Transfers.	Corrected for Transfers and Adjusted for Age and Sex Distribution, 1931.
Large Burghs	43,202	38,336	15·07	16·08
Small Burghs	10,031	11,030	} 13·53	12·58
Landward	19,325	19,770		
Unallocated	—	3,422	—	—
SCOTLAND	72,558	72,558*	14·74	—

* Civilian deaths numbered 71,041.

these rates would be considerably modified if standardised for age and sex distribution.

DEATH-RATES PER 1000 POPULATION, 1941.

Northern Ireland	15·2	Tasmania	10·8
Scotland	14·7*	United States of America	10·6
Eire	14·6	Canada	10·0
England and Wales (pro- visional)	12·9	Queensland	9·3

* Civilian.

Age and Sex.—The death-rates in Scotland by separate sex and age groups show generally the differences usually found, viz., a rapid decline from the high rates in infancy to a minimum in age-group 10–14, with a gradual increase thereafter. In every age-group except 1–4 the male death-rate is higher than the female. Table G (1) shows the civilian population estimates on which these rates have been calculated. They are based on the numbers as ascertained at the taking of the National Register, with allowances for enlistments, births, deaths, migration, &c. since that date. In Table G (2) there are shown the *civilian* death-rates by age and sex for 1940 and 1941, with rates (*total* population and *total* deaths) for preceding years and groups of years back to 1911–1915. From this table it will be seen that the death-rates in the various age-periods followed in general the lines found in the rates for the previous year. In practically every case the death-rate at ages under 65 was higher than in 1939, and markedly so in the case of males between 15 and 35 (possibly partly due to the influence of the selective factor already mentioned), but it was also quite strongly marked at younger ages in each sex. Comparing 1941 with 1940 there is also still an increase at ages 15–35 but at other ages there is no very significant change. The changes since 1939 are not modified in any special way even if an allowance is made for the increase in the death-rate from violent causes. Compared with 1939 the male civilian death-rate from violent causes has increased by about 60 per cent. while the female rate is doubled, but this is almost entirely accounted for by the increase in the number of civilian war casualties, which were fairly proportionately distributed among the various age-groups. In the older age-groups the number of deaths (from all causes) was rather lower, both among males and among females, than in the previous year, when numbers were high in the first quarter of the year. Deaths in the various age-groups are summarised for large burghs, for small burghs and for landward areas of counties in Table 19, but as no reliable estimates are available for the age distribution of the population in local areas no death-rates are shown. (*Tables 21, 23 and 24.*)

TABLE G (1).—Estimated Civilian Population of Scotland, by Age and Sex, 1941.

Age.	Both Sexes.	Males.	Females.	Age.	Both Sexes.	Males.	Females.
0	84,000	42,800	41,200	45–54	569,100	254,600	314,500
1–4	334,700	170,800	163,900	55–64	476,700	219,300	257,400
5–9	410,200	208,100	202,100	65–74	318,500	146,300	172,200
10–14	419,700	211,200	208,500	75 and over	124,500	47,500	77,000
15–24	712,000	286,400	425,600				
25–34	689,500	271,700	417,800	All Ages	4,819,400	2,161,200	2,658,200
35–44	680,500	302,500	378,000				

Infantile Mortality.—Deaths of children aged under one year numbered 7,426, and as live births numbered 89,743 the infantile mortality-rate for the year was 82·7 per thousand live births, that for males being 93·3 and for females 71·6. Compared with the previous year the rate for both sexes combined is 4·4 more, that for males being 3·0 more and that for females 5·9 more. The rate for both sexes combined is 6·9 above the average. It is the highest rate recorded for Scotland since 1932. For the first quarter of the year, when, as in the previous year, the weather was of a severe character, the rate (109) was the highest for any first quarter since 1932 except that for the first quarter of 1940 (112), for the second quarter the rate (84) was the highest second quarter rate since 1924, for the third quarter it was above the average of recent years, but that for the fourth quarter was rather below the average. As is usually the case, this rate was greatest in the large burghs, 94 per thousand, as against 69 both in the small burghs and in the landward areas. In 1940 the corresponding rates were 86, 66 and 70 respectively. The rise in the rate has therefore occurred principally in the large burghs. In individual large burghs the rate ranged from 120 in Dum-barton and in Port-Glasgow and 116 in Paisley to 65 in Perth, 55 in Kirkcaldy and 48 in Falkirk. In the counties this rate ranged from 89 in Kincardine, 86 in Nairn and 84 in Lanark to 35 in Bute, 33 in Peebles and 31 in Zetland. (*Tables 1, 2 and 4.*)

In Table 34 will be found the infantile mortality rates by calendar months. These took a somewhat unusual course in the year under review, as may be gathered from the preceding paragraph. For the first two months of the year, when the weather was severe, the rates were decidedly below those for the corresponding months of the previous year although differing but little from those for 1939. But for each of the seven following months the rates were higher than in 1940 and, for the most part, higher still than in 1939. In March 1941 this rate was 137, in April 102, in May 79 and in June 72. Monthly infantile mortality-rates have been published in these Reports only since 1931, but no previous rates higher than those for 1941 have been observed for any month from March to June with the exception of that for May 1932, which was 86, as compared with 79 in May 1941. The lowest monthly rates were 64 in October, 63 in August and in September and 62 in July. (*Table 34.*)

TABLE G (2).—Age-group Death-rates per 1000 of Population from 1911 to 1941

YEARS.	MALES.												FEMALES.											
	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	
1911-15	140·0	18·5	3·7	2·4	4·1	5·6	8·8	16·2	33·5	67·4	162·7	..	111·2	17·5	3·7	2·6	3·8	5·5	8·3	12·9	26·4	54·3	147·0	
1916-20	110·8	15·5	3·6	2·4	4·5	6·2	8·5	16·2	34·3	69·1	170·2	..	85·4	14·7	3·6	2·7	4·3	6·0	7·8	12·6	25·9	49·8	149·5	
1921-25	109·1	15·1	2·9	1·9	3·2	4·6	6·9	12·0	26·8	61·9	144·5	280·7	82·6	13·7	2·7	1·9	3·2	4·5	6·3	10·1	21·5	49·2	118·7	
1926-30	103·8	11·8	2·7	1·9	3·1	4·2	7·0	11·9	25·9	62·4	143·2	303·8	79·0	10·2	2·4	1·7	2·9	4·1	5·9	10·0	20·6	48·4	118·6	
1931-35	96·2	9·3	2·6	1·6	2·9	3·8	6·3	11·8	24·3	59·7	140·7	289·8	74·1	8·3	2·2	1·5	2·8	3·7	5·2	9·1	19·4	47·0	117·4	
1936-40	90·7	6·8	2·2	1·5	2·8	3·5	6·0	12·4	25·4	60·9	147·2	349·9	69·0	6·1	1·9	1·2	2·6	3·2	4·6	8·7	18·8	47·5	116·9	
1931	100·5	10·1	2·6	1·7	3·0	3·9	6·3	11·6	24·5	60·4	140·8	293·8	74·4	9·5	2·3	1·4	2·9	3·7	5·3	9·2	19·5	47·0	118·6	
1932	100·4	10·6	2·7	1·6	3·0	3·8	6·6	11·6	24·1	60·1	142·1	273·7	80·0	9·7	2·3	1·7	2·9	4·0	5·5	9·4	19·8	47·7	119·7	
1933	94·1	8·5	2·4	1·7	3·0	4·0	6·4	12·2	24·9	59·8	139·4	290·5	73·6	7·4	2·1	1·5	2·8	3·7	5·3	9·1	19·4	47·8	117·9	
1934	93·5	9·8	2·9	1·6	2·8	3·8	6·1	11·6	24·0	57·3	135·7	275·7	78·0	8·3	2·5	1·5	2·8	3·6	5·0	8·9	19·2	45·0	110·9	
1935	92·3	7·2	2·4	1·7	2·7	3·5	6·1	11·8	24·2	61·0	145·5	314·5	69·6	6·4	2·0	1·4	2·7	3·4	5·1	9·0	19·3	47·4	119·9	
1936	98·6	7·9	2·4	1·5	2·8	3·5	6·1	12·6	24·6	61·2	145·4	318·6	75·6	7·3	1·9	1·2	2·6	3·2	4·9	9·2	18·9	47·8	117·4	
1937	96·2	7·2	2·2	1·5	2·8	3·8	6·3	12·8	25·8	63·0	150·3	351·2	73·5	6·6	1·9	1·2	2·7	3·4	4·9	9·1	19·5	50·0	121·2	
1938	81·6	7·0	1·9	1·4	2·5	3·2	5·6	11·6	23·8	57·0	137·7	319·9	65·7	6·2	1·9	1·3	2·5	3·0	4·4	8·3	18·2	45·2	108·6	
1939	82·1	4·8	1·9	1·4	2·5	3·2	5·6	12·0	25·2	59·5	146·1	356·2	61·5	4·1	1·7	1·1	2·3	3·0	4·3	8·5	17·8	45·6	114·9	
1940*	95·0	7·0	2·4	1·5	3·3	4·1	6·6	13·2	27·8	63·6	156·1	408·7	68·8	6·4	2·1	1·3	2·7	3·3	4·6	8·5	19·7	48·6	122·3	
1941*	100·5	6·5	2·5	1·7	3·7	4·9	6·8	13·3	26·6	58·4	161·0	..	75·8	6·6	2·0	1·6	3·2	3·5	4·6	8·5	18·0	45·3	133·1	

* Civilians only.

Among legitimate children the infantile mortality-rate was 80 per thousand, this rate being 90 in the large burghs and 67 in the counties. Compared with the previous year the rate for Scotland is 4 more, that for the large burghs being 7 more and that for the counties 1 more. The rate among illegitimate children was 129 for Scotland, as compared with 120 in 1940 and 96 in 1939. In 1941 it was 149 for the large burghs and 107 for the counties. There has, therefore, been a considerable increase in the illegitimate infantile mortality since the latest pre-war year, and the date of increase was almost identical in large burghs and in counties. In Table 33 will be found the rates for every large burgh and for every county, but as some of these rates are founded on comparatively small numbers they should be accepted with caution. Exclusive of all areas in which the number of illegitimate births registered was less than 50, the highest rates in the large burghs were 230 in Paisley, 177 in Glasgow, 161 in Perth, 148 in Dundee and 147 in Greenock. In the counties the highest rates were 177 in Dunbarton, 146 in Ayr and 140 in Renfrew. In these selected areas, burgh or county, the only rates below 90 were 87 in Argyll, 62 in Banff, 61 in Stirling, 48 in Kirkeudbright and in Caithness and 37 in East Lothian. Further details regarding infant deaths, by calendar month of occurrence and by cause of death, will be found in Tables 31 and 32. (*Table 33.*)

Rates for certain countries are included in the following table:—

INFANTILE MORTALITY PER 1000 BIRTHS, 1941.

Scotland	83	England and Wales	58
Northern Ireland	77	Tasmania	49
Eire	74	United States of America	47
Canada	60	Queensland	39

Neo-Natal Mortality.—Deaths at ages under one month in 1941 numbered 3,584, this representing a rate of 39.9 per thousand live births. A table is appended showing this mortality since 1931.

NEO-NATAL MORTALITY PER 1000 BIRTHS.

	Deaths under 1 year.			Deaths under 1 month.		
	Total.	Legitimate.	Illegitimate.	Total.	Legitimate.	Illegitimate.
1931-35 (average)	80.8	36.8
1936	82.3	79.7	119.8	37.6	36.4	55.2
1937	80.3	77.6	121.6	33.3	36.9	58.7
1938	69.5	67.0	109.0	35.0	33.8	53.4
1939	63.5	66.8	95.7	36.6	35.7	51.2
1940	78.3	75.7	119.8	37.3	36.2	54.0
1936-40 (average)	75.8	73.3	113.3	36.9	35.8	54.5
1941	82.7	79.5	128.6	39.9	38.5	61.0

For the entire period 1931 to 1940 these deaths under one month represent a mortality of 36.9 per thousand live births, and this rate is practically identical for the periods 1931 to 1935 and 1936 to 1940. In the ten years it has moved between the very narrow limits of 38.5 in 1935 and 35.0 in 1938. These deaths, therefore, represent what appears to have been for those years

a very constant factor in infantile mortality rates. It is a significant fact that the death-rate for the first month of life is normally almost as great as for the following eleven months, and that in Scotland it is approximately equal to the rates which have been recorded in recent years for all deaths under one year in several countries such as the Netherlands, Australia and New Zealand. This neo-natal rate in Scotland for 1941 was 39.9, which is 3.0 above the average and higher than in any year since 1931.

Since 1936 infantile deaths have been, for certain purposes, separately classified according to legitimacy and this separate classification is shown in the table. The general excess of approximately 50 per cent. of the illegitimate rate over the legitimate is fairly maintained both in the neo-natal group and among the infants aged one month and over, but the excess is slightly more marked in 1941 than in 1936-1940. The causes of death in the neo-natal group will be found in Table 31.

Centenarians.—Sixteen deaths of reputed centenarians were registered during 1941, five being males and eleven females. These numbers are exactly the same as in 1940. The age was verified as being at least 100 years in the case of four males and of six females, as against three and seven in 1940. In four cases no proof of the age could be found and in two cases such evidence as was available was rather against the claim. The three males whose ages were verified were aged 100, 100 and 101 respectively, while of the six females whose ages were found to be at least 100, four were aged 100, one was aged 101 and one was aged 102. Since 1910, when this series of special investigations was commenced, 436 deaths have been registered as those of centenarians, 76 being of males and 360 of females. The age has been verified as being at least 100 years in 233 cases (31 males and 202 females), in 79 the evidence was rather against the claim, while in 124 cases no satisfactory evidence of age could be found. In the last 20 years or thereby the age has been verified in about 60 per cent. of the cases reported, the greatest age so verified being one of 109 years and 14 days in 1936. The greatest number registered in any one year was 19 in 1918.

CAUSES OF DEATH.

The International List of Causes of Death, which has been used, in a slightly modified form, in this series of Reports since 1911, was revised at the International Conference held at Paris in October 1938 and the List as revised at that date is used for all purposes for the first time in this Report. In certain countries the new list came into operation in 1940 and a special Appendix (VII) to the Report for that year dealt with the principal alterations involved in the change-over. This Appendix included a special tabulation, both by long list and by short list, of the deaths in Scotland according to the 1938 revision, with the corresponding figures according to the 1929 revision. Another important change now included with the new classification was that in the case of joint causes of death the cause selected for classification in Scotland is now generally that specified by the certifier as the primary cause, rather than the cause as determined by a system of selective rules such as has, with considerable local variations, been followed in most countries for many years. The effect of these changes was described at some length in the Report for 1940 and need not be repeated here. It was found that with some diseases, such as diabetes and chronic nephritis, to which a high preference was formerly given, this had the result of reducing the number of deaths attributed to them, in the case of diabetes by 20 per cent. and of chronic nephritis by 13 per cent. On the other hand there was an increase amounting to 6 per cent. in the number attributed to cerebral hæmorrhage.

and allied conditions where a preference had previously been given to any specified accompanying disease (heart, kidney, &c.) which might be considered to be the original cause of the cerebral condition. Certain other causes to which a low preference had previously been given, generally diseases with a low case mortality or of a nature not very clearly defined, showed an increase under the system of certifier's preference. Deaths from diseases of the coronary arteries, including angina pectoris, which have been increasing so steadily in recent years, showed an increase of 6 per cent. by the new system compared with the old. Other differences were of a minor character or referred to diseases of less frequent occurrence.

The principal changes in classification of causes were a re-grouping of the epidemic diseases according to the nature of the infecting organism, the inclusion of locomotor ataxia, of general paralysis of the insane and of aneurysm of the aorta with diseases due to spirochaetes, including syphilis, and a more detailed classification of deaths of pregnancy, childbirth and the puerperal state. Greater detail will be found in the Report for 1940.

In Appendix VII there will be found the two lists, 1929 revision and 1938 revision, side by side.

Of the 72,558 deaths registered in 1941, 72,340 or 99·7 per cent. were certified as to cause by a registered medical practitioner, by an officer of the Forces or other similarly authorised person, or by Procurator-Fiscal's report, and 218 or 0·3 per cent. were uncertified. The number of deaths uncertified declined almost continuously year after year until 1939, when they numbered 172, but in 1940 they increased to 223 and in 1941 they numbered 218. In previous years it has been observed that the greater part of these uncertified causes occurred in the counties of Ross and Cromarty and Inverness, and this is still the case, but numbers elsewhere have increased. In 1939 uncertified deaths in these two counties numbered 132 against 40 in the rest of Scotland. In 1940 these numbers were 140 and 83 respectively and in 1941 they were 141 and 77 respectively. There has therefore been little change in this respect during the year. There were 72 cases of uncertified deaths in Inverness County, 69 in Ross and Cromarty, 18 in Argyll, 14 in Zetland and 11 in Sutherland. There were 13 cases in the large burghs (9 in Glasgow) as against 7 in 1940. (*Pages 2-3.*)

The cause of death was specified in 71,368 cases or 98·4 per cent. of the total deaths, while in 1,190 or 1·6 per cent. it was either ill-defined or was not specified. Of the latter, 1,159 were certified as due to sudden death, syncope, heart failure or other ill-defined cause, while in 31 cases no cause was specified. In 1939 and in 1940 the percentage ill-defined or of unspecified cause was 1·3.

TABLE H.—Deaths from Uncertified Causes, 1881-1941.

Year.	Uncertified Causes.	Percentage of Uncertified to Total.	Year.	Uncertified Causes.	Percentage of Uncertified to Total.
1881-1890 . .	6061	8·2	1934 . .	225	0·4
1891-1900 . .	3239	4·1	1935 . .	230	0·4
1901-1910 . .	1839	2·4	1936 . .	213	0·3
1911-1920 . .	1239	1·7	1937 . .	199	0·3
1921-1930 . .	499	0·8	1938 . .	181	0·3
1931-1940 . .	235	0·4	1939 . .	172	0·3
1931 . .	333	0·5	1940 . .	223	0·3
1932 . .	303	0·5	1941 . .	218	0·3
1933 . .	272	0·4			

Principal Epidemic Diseases.—Since 1931 this group has included all diseases in Nos. 1 to 18 of the International Revision of 1929, being rather more comprehensive than the list previously in use, but the considerable rearrangement of headings of the infectious and parasitic diseases has made this combination of causes difficult to collect and a reversion has been made which is more nearly akin to the list in use before 1931. The new list consists of typhoid fever, paratyphoid fever, cerebro-spinal fever, scarlet fever, whooping-cough, diphtheria, influenza and measles. This means the omission of dysentery, erysipelas, acute poliomyelitis and lethargic encephalitis, which appeared in the list now superseded. The new list continues to include influenza (first included in 1931) but does not include diarrhoea under two years, which was excluded in 1931. It also no longer includes diseases such as smallpox and typhus fever, which in recent years have been of very infrequent occurrence as widespread epidemics. Deaths in the group as now constituted numbered 2,426, the equivalent annual civilian death-rate being 50 per 100,000 as against 72 in 1940 and an average of 56 for the five preceding years. The rise and fall of this rate is generally dependent on the rate from *influenza*, which in the preceding ten years ranged as widely as from 54 per 100,000 in 1937 to 8 in 1938. In 1941 deaths from influenza numbered 705 (1,086 fewer than in 1940).* Only twice in the last ten years has the number been lower. The highest number since 1929 was 2,693 in 1937. In only 133 cases was influenza the sole cause named in the certificate. In 249 cases the accompanying cause was pneumonia, while in 154 cases some other respiratory complication was present, generally bronchitis. In February deaths from influenza, with or without complications, numbered 210, in March 153 and in January 115. They declined to a minimum of 6 in September, but increased thereafter towards the end of the year. The civilian death-rate from influenza in 1941 was 15 per 100,000.† Deaths from *whooping-cough* numbered 720 (523 more), this being the largest number recorded since 1933 when it was 762. The death-rate was 15 as against an average of 8. These deaths occurred mainly in January to May, when they averaged over 100 per month. From *diphtheria* 517 deaths were registered (159 fewer), the rate being 11 (3 fewer). This number, although less than in 1940, is greater than in any other year since 1934. Deaths from *cerebro-spinal fever* numbered 332 as against 482 in 1940, the latter being the highest number recorded in Scotland since 1907. In 1941 the numbers, after a marked excess in the first five months of the year, especially in February, March and April, remained at a fairly constant level during the remainder of the year, but in the previous year the numbers, after an excess in February to April, declined steadily thereafter with only a slight rise in the last quarter. Deaths from *measles* numbered 103, being 159 fewer than in 1940 and 208 below the average. With two exceptions (15 in 1939 and 36 in 1933) this is the lowest number ever recorded in Scotland. About two-thirds of the deaths occurred in the first quarter. Deaths from *scarlet fever* numbered 26, being 9 fewer than the record low number registered in 1940. There has been no break in the continuous decline in the number of deaths from this cause since 1934, when it was 345. Deaths from *typhoid fever* numbered 7 and from *paratyphoid fevers* 16, as compared with 14 and 13 in 1940. (Tables 21–26, page 46.)

Tuberculosis.—Deaths from all forms of tuberculosis numbered 4,175, being 196 more than in 1940 and 517 above the average. The equivalent

* In this section of the Report comparisons within brackets are, except where otherwise stated, with the corresponding number for the previous year, modified in accordance with the present system of classification in the case of deaths from joint causes. (See page xvii of 1940 Report.)

† Except where otherwise specified, all death-rates in the section dealing with causes of death are civilian death-rates per 100,000 of the civilian population,

annual civilian death-rate is 85 per 100,000, being 4 above that for the previous year and 11 above the five years' average. This is the highest rate recorded in Scotland since 1931, when it was 87. In the intervening years the rate declined to a minimum of 69 in 1938 but there has been an increase in every year since that date. When the monthly registrations are compared with those for the previous year it is found that deaths in January and in February are fewer than in 1940 but that thereafter there is an increase in every month until September, the increases ranging from 91 in March and 73 in June to 17 in September. October and November together showed a decrease of 38 but there was an increase of 33 in December. The male death-rate was 96 (1 above) and the female 75 (5 above). Death-rates by sex in each age-group from respiratory and from other forms of tuberculosis will be found in Table 21. The male death-rate from respiratory tuberculosis (73) is 1 less than in 1940 while the female (55) is 3 more. For 1940 it was found that the increase in rates compared with 1939 was marked between 15 and 55 and especially between 15 and 35, and these increases have generally been maintained in 1941. The female death-rate (all ages) has increased from 47 in 1939 and 52 in 1940 to 55 in 1941. In the age-group 15–24 this rate has increased from 102 in 1939 and 111 in 1940 to 134 in 1941. In the age-group 25–34 the rate (96) is practically the same as in 1940 (97) but is rather higher than in 1939 (83). Although the numbers concerned are much smaller, there are signs of increase in deaths (both sexes) under five years. In the Report for 1940 the possible influence of the selective factor in increasing death-rates at ages affected by enlistment in the Forces was pointed out, and the same considerations apply to the rates for 1941. From tuberculosis of other organs the male death-rate was 23 (21 in 1940 and 17 in 1939) and the female rate was 20 (18 in 1940 and 15 in 1939). As in the case of respiratory tuberculosis the greater part of the increase has occurred in the years of childhood and of early adult age.

Mortality from all forms of tuberculosis was 110 in the large burghs and 57 in the counties, exclusive of large burghs. These rates show a slight advance on those for 1940 (107 and 53 respectively). In the individual large burghs this rate ranged from 148 in Greenock, 145 in Glasgow, 139 in Hamilton and 137 in Clydebank to 43 in Dunfermline, 41 in Perth and 39 in Kirkcaldy. In the counties this rate ranged from 126 in Zetland, 121 in Sutherland and 110 in Caithness to 33 in Kincardine and in Kirkeudbright, 32 in Berwick and 26 in Kinross. (*Tables 4, 21–26.*)

Other Infective and Parasitic Diseases.—Deaths from syphilitic and parasyphilitic diseases, now grouped together, numbered 262 and included 28 from locomotor ataxia (17 fewer than in 1940), 74 from general paralysis of the insane (34 fewer), 76 from aneurysm of the aorta (10 fewer) and 84 from syphilis, congenital or undefined (26 more). Deaths from the entire group are 35 fewer than in 1940. (*Page 6.*) Details of these deaths since 1855 are shown in Table J (1), the figures previously shown in Tables 25 and 26 being no longer appropriate.

Other deaths in this group included 20 from erysipelas. This number has been declining rapidly for several years, having been 204 in 1934, 109 in 1937 and 38 in 1940. Deaths from septicaemia numbered 104. They are 19 more than in 1940 but are rather below the average. Deaths from dysentery numbered 48, being 8 more than in 1940 and 12 above the average. Those from acute poliomyelitis and polioencephalitis numbered 24, being 12 more than in 1940. In 1936 also deaths numbered 24, but from 1937 to 1940 the average was 12. Deaths from lethargic encephalitis numbered 104, of which only 10 were specified as acute. Corresponding numbers for 1940 were 91 and 7. The combined number is 13 above the average. (*Pages 4–7.*)

Malignant Disease.—Deaths from this group of diseases numbered 8,436 and are equal to a civilian death-rate of 174 per 100,000. This rate is 5 above that for 1940 (revised) and 15 above the mean of the rates for the five years 1935–1939. But this increase is certainly partly explained by (1) the gradual ageing of the population and (2) the withdrawal from the civilian population to the Forces of men and women at an age at which mortality from cancer is low. This means that the civilian population left is of an age with an increased proportion at the ages in which the mortality from cancer is high, and this is reflected in the crude death-rate. When the death-rate is standardised according to the age constitution of the population of Scotland in 1931 it is found to be the same as in 1940 (149). As an example of the effect of this withdrawal on males and on females respectively it may be pointed out that while the crude death-rate among males increased from 156 in 1939 to 184 in 1941 the female rate increased only from 165 to 166. The crude and standardised rates since 1931 are as follows:—

DEATH-RATE PER 100,000 OF POPULATION FROM MALIGNANT DISEASE.

Year.	Crude.	Standardised to Scotland 1931.	Effect of Standardisation.
1931	148	148	—
1932	153	151	— 2
1933	153	151	— 2
1934	153	149	— 4
1935	157	152	— 5
1936	159	151	— 8
1937	157	147	—10
1938	162	151	—11
1939	161	148	—13
1940	170	149	—21
1941	174	149	—25

It will be observed that although the crude rate has increased by 26 since 1931, the standardised rate has increased by only 1, indicating that any increase in the crude rate is apparently due to the increased proportion of population at the higher ages, in which the death-rate from malignant disease is greater, and to the withdrawals to the Forces.

In fully half of the Scottish deaths from cancer the site was in some part of the digestive system, this including the stomach, intestine, rectum, liver and œsophagus. These deaths in all numbered 4,874 (2,525 males and 2,349

TABLE J (1).—Deaths from Syphilitic and Para-syphilitic Diseases, 1855-1941.

	Total.	Syphilis.	General Paralysis of the Insane.	Locomotor Ataxia (Tabes Dorsalis).	Aneurysm of Aorta.
1855-1860	—	87	—	—	—
1861-1870	—	157	—	—	—
1871-1880	—	210	—	—	—
1881-1890	—	237	—	—	—
1891-1900	—	203	—	—	—
1901-1910	—	218	220	70	—
1911-1920	—	202	248	76	—
1921-1930	—	141	191	71	—
1931-1940	—	88	116	56	—
1940	299	61	108	44	86
1941	262	84	74	28	76

females) and are 207 more than in the previous year, this being the largest increase for some years past. The respiratory system accounted for 713 deaths (511 males and 202 females), being 42 more than in the previous year. These were shown as an independent group for the first time in 1931, and in every year since then, with one exception, they have shown an increase, the number having doubled in the ten years. Some part at least of this increase is probably due to change in diagnosis. The lung, bronchus or pleura was specified in the case of 412 males and of 159 females as against 117 and 72 in 1931. The larynx was specified in the case of 62 males and 22 females and the mediastinum in the case of 37 males and 21 females. Deaths from cancer of the buccal cavity numbered 453 (357 of males and 96 of females). In 1940 they numbered 412. Although the number for 1941 is the highest for at least 20 years, in recent years these deaths have shown no very distinct trend. From 1932 to 1935 they ranged only from 392 to 414 per annum. Cancer of the breast accounted for 731 deaths, of which 3 were of males. For the preceding ten years these deaths show an increase generally comparable with those from all forms of cancer, although 776 were registered in 1938. Deaths from cancer of the uterus numbered 522 as against 513 in 1940. These deaths have shown a steady increase. Cancer of other female genital organs accounted for 205 deaths, being practically the same as in 1939 and 1940. Deaths from cancer of male genital organs numbered 256 as against 275 in the previous year. Those from cancer of the urinary system numbered 264 (165 of males and 99 of females), those of brain and nervous system 62 (30 of males and 32 of females), those of the skin 101 (42 of males and 59 of females), while those of other or unspecified organs numbered 255 (134 of males and 121 of females). In the previous year those from cancer of the urinary system numbered 235. The increase in the number of deaths from cancer of the brain and nervous system (62 as against 11 in 1940) is partly due to the inclusion of gliomata (9 among males and 5 among females) with malignant tumours and partly also to more detailed information from certifiers. (*Table 28.*)

Diabetes.—Owing to a change in the system of classification of deaths where more than one cause of death is specified, deaths registered in 1941 are not in every case strictly comparable with those for years immediately preceding. This is a cause in which the new system of classification, to which reference has been made on page xviii, has made a notable change in the numbers concerned. A dual system of classification used for the deaths registered in 1940 showed that the result of the change in the case of deaths from diabetes was to reduce the numbers previously ascribed to diabetes by about 20 per cent. In the case of deaths at ages under 55 this reduction was only 12 per cent., but in the case of those at ages over 55 it was 22 per cent. Deaths from diabetes in 1940 were exceptionally numerous, especially in the first quarter of the year, when weather conditions were very severe, but adjustment to allow for the new classification reduced the number from 918 to 731 (revised number). Compared with the latter the number registered in 1941 was 675 or 56 fewer. This decline is predominantly among females and especially among those aged over 55. Compared with the average (adjusted for changed classification) for the five years preceding 1940 (1935–39) the totals for males and for females show a slight decline. Decreases are generally at the higher ages. (*Tables 21 and 23.*)

Other General Diseases.—In addition to the foregoing there were 121 deaths from acute rheumatism and 173 from chronic rheumatism. The last-named disease is one to which more deaths are now classified, as formerly it was rarely selected even when specified as the primary cause. The adjusted

number for 1940 was 223, but this was considerably above the average, even when allowance is made for change of classification. Deaths from exophthalmic goitre numbered 72 (9 fewer than in 1940) and from other diseases of the thyroid and parathyroid 59 (2 more). Deaths from pernicious anæmia numbered 382 (63 more) and from other forms of anæmia 129 (60 more). Deaths from leukæmia and aleukæmia numbered 137 as against 103 in 1940. The diseases summarised under Nos. 26, 32, 38, 44*a*, *c*, *d*, 66 and 71 are shown in detail in Table J (2). (Pages 9–11.)

Diseases of the Nervous System.—Deaths from this group of diseases are not quite comparable with those published for previous years, partly because of the transfer of general paralysis of the insane and of tabes dorsalis to general diseases (diseases due to spirochætes) and partly because of a higher preference being now given to cerebral hæmorrhage and allied conditions, when specified as the primary cause. In former years a preference was frequently given to another disease which might be considered to have

TABLE J (2).—The Causes of Death shown in the International Headings Nos. 26, 32, 38, 44*a*, *c*, *d*, 66 and 71, on pages 5 to 10, consisted of the following (age in brackets):—

<i>No. 26.—Other bacterial diseases (incl. No. 25).</i>	<i>Males.</i>	<i>Females.</i>	<i>Total.</i>
Gonococcal infections	(8 mos., 8 mos., 59, 67)	(28)	5
	4	1	5
<i>No. 32.—Other spirochætal diseases (incl. No. 31).</i>			
Spirochaetosis ictero-hæmorrhagica	(16, 18, 37, 53, 62, 72)	...	6
Vincent's angina	(33, 46, 48)	(13, 33, 64)	6
	9	3	12
<i>No. 38.—Other diseases due to viruses (incl. No. 34).</i>			
Herpes zoster	(71)	(71, 82, 82)	4
Chickenpox	(1)	...	1
German measles	(4 mos.)	...	1
	3	3	6
<i>No. 42.—Diseases due to helminths (incl. Nos. 40 and 41).</i>			
Hydatid cyst of liver	(48, 65)	...	2
	2	...	2
<i>No. 44<i>d</i>.—Other infective or parasitic diseases (incl. <i>a</i>, <i>c</i>).</i>			
Infective parotitis	(81)	1
	...	1	1
<i>No. 66.—Other general diseases (incl. No. 60).</i>			
Pink disease	(6 mos., 6 mos., 7 mos., 2)	(5 mos., 8 mos., 1)	7
Hæmochromatosis	(44, 55, 55, 58)	...	4
Diabetes insipidus	(64, 65, 67)	(32)	4
Sprue	(44, 67)	...	2
Acidosis	(2)	(4 days, 3)	3
Celiac disease	(4)	(1)	2
Cyclical vomiting	(55)	1
Steatorrhœa	(6)	...	1
	16	8	24
<i>No. 71.—Other vitamin deficiency diseases (incl. Nos. 67, 68, 69).</i>			
Scurvy	(8 mos., 46, 76)	3
Beri-beri	(22, 40)	...	2
Pellagra	(48, 69)	2
	2	5	7

been primarily responsible for the condition. The entire group includes 8,840 deaths as compared with an adjusted total of 9,096 in 1940. In the Report for 1940 it was pointed out that this number had been steadily decreasing from 1932 to 1938, but that since the latter year there had been a substantial increase. This increase has apparently now been checked. Fully three-fourths of this total is made up of deaths from cerebral hæmorrhage, embolism, thrombosis and softening, and this group numbered 6,928 deaths as against 7,168 in 1940. Deaths ascribed to cerebral embolism or thrombosis, which have been increasing for several years, numbered 2,139 as against 2,149 in 1940, while those from cerebral hæmorrhage and apoplexy have declined from 4,835 to 4,611. Deaths from meningitis (not cerebro-spinal nor tuberculous) numbered 204 (184 in 1940), from cerebral abscess and other forms of encephalitis 85 (89 in 1940). An increase in the number of deaths from infantile convulsions was noted in 1940, when deaths (adjusted) numbered 233. They have further increased to 285 in 1941. (*Pages 12 and 13.*)

Diseases of the Circulatory System.—Deaths in this group of diseases numbered 17,528 as against 17,864 in 1940. With the exception of 1938 this is the first year in which deaths in this group have declined during the past ten years, the steady increase up to 1940 being mainly in deaths from heart disease, which constitute fully 90 per cent. of the total in the group. These deaths from heart disease numbered 16,200 as compared with 16,326 in 1940, being only the second time in 10 years in which there has been a decline in the annual number of deaths from this cause. Deaths from all forms of myocarditis, acute or chronic, numbered 9,967 as compared with 10,062 in 1940. They include 4,231 from chronic myocarditis and other forms of myocardial degeneration, 2,884 from myocarditis of unspecified nature, 2,524 from cardio-vascular degeneration and only 172 from acute myocarditis. Deaths from acute endocarditis numbered 122 and those from all other forms of valvular heart disease 2,258, these being rather fewer than in the previous year. On the other hand, deaths from diseases of the coronary arteries, including angina pectoris, numbered 2,803, representing a slight increase as compared with the previous year (2,780). These deaths, which in 1931 numbered only 823, have increased in every year since that date. Deaths of males in 1941 numbered 1,748 and those of females 1,055. This ratio of males to females, which is 3 to 1 at ages under 55, gradually diminishes to 2 to 1 at 55–64, 3 to 2 at 65–74 and approximate equality at ages over 75. Deaths from other or undefined forms of heart disease numbered 1,050 as compared with 1,015 in 1940. Apart from this slight increase such deaths tend to decrease. Many of these changes from year to year are probably due to more exact diagnosis. Other deaths in this group include 795 from arterio-sclerosis (867 in 1940), 215 from gangrene, 143 from high blood pressure (not otherwise specified) and 24 from aneurysm (heart and aorta excepted). (*Table 23, pages 14 and 15.*)

Diseases of the Respiratory System.—As in 1940, the weather in the first three months of 1941 was of a very severe character. (See Appendix III.) It was the coldest first quarter since 1895 and snowstorms were exceptionally heavy. In the first three months snow fell in some parts of Scotland on all but 4 days in January and February combined and on 24 days in March. This may account for the fact that deaths from diseases of the respiratory system, although considerably fewer than in 1940, were more numerous than in 1938 and 1939. Deaths from diseases of the respiratory system, excluding those associated with influenza and tuberculosis, numbered 7,681, being 1,867 fewer than in 1940. Approximately half of these deaths were registered in the first quarter of the year. In the Report for 1940 the

fact that, for the first time in any recent year, deaths from pneumonia were fewer than those from bronchitis was commented upon. This position has not been maintained. Deaths from pneumonia (3,573) were 571 fewer than in 1940, whereas those from bronchitis (3,092) were fewer by 1,150. But although the position of deaths from pneumonia, when compared with those for bronchitis, was not so favourable as in 1940, the former, while 624 more than in 1939, are fewer than in any other year for which comparable figures are available and are almost exactly half of the number in the unfavourable year 1929. They are about 40 per cent. below the average for 1921–30. Compared with the numbers for 1940 the decline in male deaths is greater than among females. The proportionate decline was greatest among children aged 1 to 4 years, and compared with 1939 four-fifths of the increase was among children under 5. Deaths from bronchitis numbered 3,092 as compared with 4,242 in 1940, but in 1938 and 1939 the numbers were considerably less. Fully half of the deaths in 1941 occurred in the first quarter of the year. The number of deaths from pneumonia and from bronchitis is not appreciably affected if, as in Tables 25 and 26, there are added those in which influenza was associated with these causes. The large excess of the death-rate from tuberculosis (all forms) in the large burghs over that in the counties has already been noted (page xxi). As was the case in 1940 there has been a similar excess in the deaths from the respiratory group in the large burghs, the rate being 189 as against 125 in the counties. The crude death-rate (all causes) in the large burghs in 1941 was 1,507 per 100,000 as against 1,353 in the counties, but if deaths from tuberculosis and from diseases of the respiratory system (not tubercular nor malignant) are deducted, the respective death-rates are reduced to 1,208 and 1,171, an excess in the large burghs of only 37. In 1940 a similar deduction reduced the two rates to 1,222 and 1,180, an excess of only 42. (*Tables 21–26.*)

Diseases of the Digestive System.—Deaths in this group, exclusive of those from malignant disease or from tuberculosis, numbered 3,536 as against 3,393 in 1940. The steady decline observed between 1936 and 1940 has therefore been checked, but it was pointed out in the Report for last year that probably a considerable part of this decline was due to changes in diagnosis. The increase in 1941 is principally due to a sharp rise in the number of deaths from diarrhoea and enteritis and ulceration of intestines. Deaths from diarrhoea under two years of age numbered 836 (683 in 1940), with 234 at two years and over (208), while deaths from ulceration of intestines numbered 84 (62). In Glasgow deaths from diarrhoea under two numbered 336 out of a total for Scotland of 836. For Scotland as a whole they were fairly evenly distributed throughout the months of the year, never falling below 50 in any month and attaining a maximum of 106 in October, 92 in September and 81 in December, which is an unusual distribution of deaths from infantile diarrhoea even for recent years, when the former excess in the later summer months has almost passed away. The other most prominent feature of the deaths in this group is the fall in the number from appendicitis, 258 as against 311 in 1940, 387 in 1939 and 430 in 1938. In 1932 they numbered as many as 509. From 1921 to 1935 these deaths kept almost steadily between the limits of 450 and 500 deaths per annum, being only twice above and twice below that limit. The decline since that period is therefore rather remarkable. Other deaths in this group include 746 from ulceration of the stomach and duodenum. In 1940 these deaths numbered 755, this being the largest number registered for many years. As this increase is associated with a much larger decrease (over a period of years) from undefined diseases of the stomach, the increase in deaths from gastric and duodenal ulceration may be at least in part due to more precise diagnosis. Deaths from hernia and

intestinal obstruction numbered 508 (439 in 1940), those from all diseases of the liver numbered 472 (481), including 145 from cirrhosis of the liver (163), 90 from biliary calculi (75) and 193 from cholecystitis and other diseases of the liver and gall bladder (191). (*Page 16.*)

Diseases of the Genito-Urinary System.—These collectively number 2,498 (2613 in 1940). They show comparatively little variation from year to year. Deaths from diseases of the kidney number 1,598. In former years under the older system of classification of joint causes of death a high preference was given to chronic nephritis, but if the certifier's preference had been in operation in 1940 the number of deaths ascribed to kidney disease would have been 1,784 instead of the published figure of 1,950. But even compared with the revised figure the number for 1941 (1,598) is less by 186. Deaths from urinary calculus and conditions affecting the bladder and urethra numbered 218 (same as in 1940), from diseases of the male reproductive organs 604 (544 in 1940) and from diseases of the female reproductive organs 78 (67 in 1940). Deaths from diseases of the male reproductive organs show a marked tendency to increase. They averaged only 323 in 1921–30, but exceeded 400 in 1934, 500 in 1940 and 600 in 1941. (*Page 18.*)

Diseases of Pregnancy and Childbirth.—In 1940 the number of deaths in this group was reported to be the smallest on record, but unfortunately the deaths in 1941 show a decided increase, numbering 439 as against 384 in 1940. 158 of the deaths were due to sepsis as against 129 in the previous year. For the first time deaths from puerperal embolism, thrombosis, &c. (37 in 1941), have been included in the sepsis group, but the number quoted above for 1940 has been correspondingly adjusted. The death-rate from all causes included in this group was 4·89 per thousand live births, that from sepsis being 1·76 and that from other causes 3·13. The rates (per thousand live births) from 1931 onwards are shown below.

Year.			All Puerperal Causes.	Puerperal Sepsis.*	Other Puerperal Causes.
1931	5·91	2·57	3·34
1932	6·33	3·08	3·25
1933	5·92	2·67	3·25
1934	6·20	3·13	3·07
1935	6·30	2·98	3·32
<i>Average 1931-35</i>	6·13	2·89	3·25
1936	5·56	2·52	3·04
1937	4·83	2·03	2·80
1938	4·87	2·06	2·81
1939	4·49	1·45	3·04
1940	4·39	1·54	2·85
<i>Average 1936-40</i>	4·83	1·92	2·91
1941	4·89	1·76	3·13

* Including puerperal embolism, thrombosis.

The increase (since 1940) is comparatively greatest in the age-group 25–29, where in the septic group deaths increased from 28 to 42 and in the non-septic from 57 to 77. Deaths from hæmorrhage numbered 73, of which 27 were before and 46 after childbirth, as against 17 and 48 in 1940. Deaths from the toxæmias of pregnancy (including albuminuria and eclampsia) numbered 82 (same as in 1940), while those from toxæmias following childbirth numbered

24 as against 35 in 1940. Twelve deaths were returned as due to uncontrollable vomiting (26 in 1940) and 13 to abortion not specified as septic. (Page 19.)

From all puerperal causes the rate in the large burghs was 5·0 per thousand live births, in the small burghs 4·3 and in the landward areas 5·1, as against 4·8, 3·9 and 3·9 respectively in 1940. From puerperal sepsis alone these three rates were 1·9, 1·4 and 1·7 against 1·3, 0·9 and 0·9 in 1940. In Table 27 will be found corresponding rates for each county and large burgh, but owing to the numbers involved being small these rates may not always be statistically significant. (Table 27.)

Still-births registered in Scotland numbered 3,698, and if these are included in the calculation the maternal mortality per thousand total births, live and still, is 4·70, that from puerperal sepsis being 1·69 and from other puerperal causes 3·01.

In addition to the deaths classified as due to puerperal conditions, there were 101 deaths in which it was stated that death had occurred during pregnancy or within four weeks thereafter, but in which the puerperal condition was not stated as the primary cause of death. These causes are shown in detail in Table K (1). The number in 1941 is 14 less than in 1940, in which, however, there were included 8 deaths from acute yellow atrophy of the liver associated with pregnancy and parturition, such deaths being now classified in the puerperal group. Adding these 101 deaths to those classified as due to puerperal conditions we have a total of 540 deaths in which pregnancy or parturition was present, although in the great majority of the supplementary cases the puerperal condition was not mentioned by the certifying practitioner as even a contributory cause. Included in this supplementary list are 30 deaths from heart disease, 18 from pneumonia, 15 from tuberculosis, 7 from

TABLE K (1).—Deaths associated with Pregnancy and Parturition but not classified as Puerperal, 1941.

Short List No.	CAUSE OF DEATH.	All Ages.	Ages.						
			15-19	20-24	25-29	30-34	35-39	40-44	45 and over.
01	Paratyphoid fever	1	1	-	-	-	-	-	-
14 (1)	Cerebro-spinal fever	1	-	-	-	1	-	-	-
05	Diphtheria	1	-	-	-	1	-	-	-
06	Tuberculosis of respiratory system	13	3	4	4	1	1	-	-
07	Other forms of tuberculosis	2	-	2	-	-	-	-	-
09	Syphilis	2	-	-	1	1	-	-	-
10	Influenza	1	-	-	-	1	-	-	-
15	Cancer, malignant tumours	4	1	-	2	-	-	-	1
16	Tumours, non-malignant, or not defined	2	-	-	-	-	-	2	-
18	Diabetes mellitus	1	-	-	1	-	-	-	-
20 (2)	Other general diseases, (17, 19)	4	-	-	1	2	1	-	-
21	Meningitis, Dis. of spinal cord	1	-	1	-	-	-	-	-
22	Cerebral hæmorrhage, &c.	2	-	-	1	-	-	1	-
24	Heart disease	30	2	3	5	6	11	3	-
26	Bronchitis	4	1	1	-	1	-	1	-
27	Pneumonia	18	-	2	6	2	8	-	-
28	Other respiratory diseases	3	-	1	2	-	-	-	-
32 (1)	Gastric and duodenal ulcer	1	-	-	-	-	1	-	-
29	Diarrhœa	1	-	1	-	-	-	-	-
30	Appendicitis	4	-	2	1	-	1	-	-
32 (2)	Other digestive diseases	1	-	-	-	1	-	-	-
34	Other dis. of genito-urinary system	1	-	-	-	-	-	1	-
43	Other violence	3	-	1	-	1	-	1	-
	All causes	101	8	18	24	18	23	9	1

diseases (other than pneumonia) of the respiratory system and 4 each from cancer and from appendicitis.

Table K (2) shows the mortality rates by age groups from all puerperal causes combined, from puerperal sepsis and from other puerperal causes. Owing to war conditions the ages of all mothers of children born in Scotland in 1941 have not yet been classified, the latest figures available being those for 1940, and these, with the corresponding number of mothers of still-born children for the same year, have been used to estimate the ages of mothers giving birth to children in 1941. The maternal mortality rates show a steady increase with advancing age of mother. Thus it advanced from 1·46 per thousand mothers at ages under 20 and 2·66 at age 20–24, to 7·51 at age 35–39 and 14·05 at age 40–44. No maternal death was registered in 1941 at any age over 45 (4 in 1940). When compared with those for 1940 the death-rates showed a decline at ages under 25, but increases in each age group over that age, slight between 30 and 35 but marked between 25 and 30 (4·08 as against 3·05). For puerperal sepsis alone the maternal mortality was markedly higher in every age group except under 20, in which only one death from sepsis was registered in 1941.

Diseases of Skin and Cellular Tissue.—These deaths numbered 234, being 35 more than in 1940. They include 120 from cellulitis and acute abscess. (Page 21.)

Diseases of the Organs of Locomotion.—These accounted for 109 deaths, being 14 fewer than in 1940. Of them 57 were ascribed to osteomyelitis or periostitis. (Page 21.)

TABLE K (2).—Deaths from Puerperal Causes per 1000 Confinements (including Still-births) in Scotland according to age of Mother.

	Age of Mother.							
	All ages.	Under 20	20–24	25–29	30–34	35–39	40–44	45–49
<i>1941.</i>								
All puerperal causes	4·70	1·46	2·66	4·08	5·30	7·51	14·05	—
Puerperal sepsis	1·69	0·21	0·95	1·44	1·91	3·30	3·78	—
Other puerperal causes	3·01	1·25	1·71	2·64	3·39	4·21	10·27	—
<i>1940.</i>								
All puerperal causes	4·26	1·99	2·83	3·05	5·31	6·83	10·86	16·39
Puerperal sepsis	1·11	0·44	0·68	0·86	1·26	2·34	2·00	—
Other puerperal causes	3·15	1·55	2·15	2·19	4·05	4·49	8·86	16·39
<i>1935–39.</i>								
All puerperal causes	5·23	3·87	3·43	4·16	5·59	8·73	12·23	12·13*
Puerperal sepsis	1·83	1·71	1·37	1·43	1·97	3·07	2·91	—
Post-abortive sepsis	0·39	0·34	0·18	0·33	0·51	0·66	0·76	—
Sepsis (not post-abortive) . . .	1·44	1·37	1·19	1·10	1·46	2·41	2·15	—
Other puerperal causes	3·40	2·16	2·06	2·73	3·62	5·66	9·32	—
Abortion, non-septic	0·17	0·04	0·07	0·10	0·25	0·28	0·70	—
Toxæmias, other acc. of preg. .	0·53	0·34	0·37	0·50	0·61	0·71	1·11	—
Placenta prævia	0·21	0·04	0·07	0·11	0·21	0·60	0·82	—
Accidental hæmorrhage	0·20	—	0·06	0·11	0·32	0·38	0·87	—
Other puerperal hæmorrhage . .	0·42	0·04	0·23	0·39	0·53	0·62	1·05	—
Puerperal albuminuria	0·79	1·25	0·72	0·66	0·61	1·05	1·81	—
Puerp. phleg. alba dolens, emb. .	0·39	0·09	0·14	0·27	0·40	0·95	1·11	—
Other accidents of childbirth . .	0·61	0·30	0·31	0·51	0·64	1·03	1·75	—
Oth. or unspec. puerp. conditions	0·07	0·04	0·09	0·08	0·04	0·03	0·12	—

* Numbers for individual causes are too small for calculation of significant rates.

Malformations.—Deaths in this group numbered 709 as against 590 in 1940. These deaths have increased considerably in recent years. Between 1921 and 1930 they averaged slightly over 500 per annum, between 1931 and 1935 this average increased to 537 and between 1936 and 1940 to 600, but the number for 1941 is much the largest recorded in these twenty years. The equivalent annual death-rate per thousand births is 7·9 for 1941 as compared with 6·8 in 1940. Of these deaths 69 were due to hydrocephalus (60 in 1940), 192 to spina bifida or meningocele (144), 209 to malformation of heart (193) and 239 to other malformations (193). (Page 20.)

In this group of causes the numbers are naturally dependent on the number of births in the period immediately preceding, and there is appended herewith a table showing for each of the principal headings, and also for certain Diseases of Early Infancy (see below), the numbers for the past ten years per 1000 births registered in the corresponding period.

	1931-35	1936-40	1941
Congenital Malformations	6·01	6·87	7·90
Hydrocephalus	0·66	0·70	0·77
Spina Bifida, Meningocele	1·65	1·89	2·14
Congenital Heart Disease	1·98	2·26	2·33
Other Congenital Defects	1·73	2·02	2·66
Diseases of Early Infancy	32·50	30·61	32·61
Debility	9·02	7·09	6·66
Premature Birth	18·23	16·79	17·92
Injury at Birth	2·19	3·22	3·91
Asphyxia at Birth	3·07	3·50	2·08
Other specified causes }			2·04
Total	38·51	37·48	40·51

These rates will still further illustrate the changes to which attention has been drawn in the preceding paragraph.

Diseases of Early Infancy.—Deaths from these causes collectively numbered 2,927 as compared with 2,674 in 1940, this increase being to some

TABLE L.—Deaths from Congenital Malformations in 1941.

	Both Sexes.	Males.	Females.	Under 1 day.	1-6 days.	1 week.	2 weeks.	3 and 4 weeks.	1-2 months.	3-5 months.	6-8 months.	9-11 months.	1-4 years.	5-9 years.	10-14 years.	15-24 years.	25 years and over.
Congenital Hydrocephalus	69	39	30	12	12	2	1	2	10	8	7	3	8	1	2	..	1
Spina Bifida, Meningocele	192	90	102	20	32	30	20	25	35	10	8	4	5	1	2
Congenital Heart Disease	209	117	92	23	49	16	11	12	26	26	8	8	8	7	2	5	8
Congenital Pyloric Stenosis	46	36	10	3	2	3	34	3	1
Other Congenital Defects	193	106	87	28	42	18	13	3	21	15	6	..	8	4	2	3	30
TOTAL	709	388	321	83	135	69	47	45	126	62	29	15	29	12	6	9	42

extent accounted for by the increase in the number of births (see preceding paragraph). Deaths from congenital debility numbered 598 (591 in 1940), from premature birth 1,608 (1,424), from injury at birth 351 (314) and from asphyxia at birth or atelectasis 187 (163). In the Report for 1939 attention was called to the increase in the number of deaths from injury at birth. This increase still continues. (*Pages 22 and 23.*)

Senility.—Deaths from this cause numbered 2,315 as against 2,534 in 1940. These numbers tend to decline with increasing accuracy of certification, and with one exception (2,304 in 1938) this is the smallest number on record in Scotland.

Violence.—Deaths from violent causes numbered 6,627 as compared with 4,220 in 1940, which was the largest number of deaths from violent causes ever recorded in Scotland. Excluding all service deaths, the equivalent annual civilian death-rate was 115 per 100,000 as compared with 77 in 1940. For this increase civilian deaths due to war operations were mainly responsible. These numbered 1,905 as compared with 196 in 1940. If civilian deaths from war operations are excluded the civilian death-rate from violent causes was 75 as compared with 72 in 1940. About one-half of this increase is due to an increase in deaths from road accidents. Deaths from war operations included those of 747 persons on service, of whom one was a woman, and of 1,905 civilians, of whom 1,043 were males and 862 were females. The service deaths included not only those of men on service from wounds received in action, but deaths resulting from air accidents on service and from other service operations. Civilian deaths were very largely the result of air raid casualties, but also included deaths of civilians from drowning when believed to be due to enemy action (the number of such deaths being probably incomplete) and accidental deaths for which defence measures were responsible. The civilian death-rate from war operations was 40 per 100,000, that for males being 48 and that for females being 32. The female death-rate shows very little variation throughout the age groups, using 20-year groups between 25 and 65, with one group for ages over 65. The male death-rate under age 15 is the same as the female death-rate for those ages. At later ages it is higher, being 59 at age 25–44. In addition to these deaths there were 22 cases, 8 of males and 14 of females, all except three of persons aged over 45, in which death was said to have been accelerated by shock due to air raids, but such deaths have been classified to the accompanying condition, among which are heart disease in 12 cases and pneumonia in 4. Deaths from road transport accidents numbered 1,150 (1,025 in 1940), this being much the largest number ever recorded in Scotland. Deaths from accidental drowning numbered 436 (460 in 1940), but it is possible that, had all the circumstances been known, some of these deaths might more properly have been classified to war operations. Deaths from accidental burns numbered 236, to which there may be added 29 deaths from conflagrations. The corresponding numbers in 1940 were 213 and 32 respectively. Deaths from accidental mechanical suffocation numbered 131 (130 in 1940). 104 of these deaths were of children of under one year. Deaths from accidents in mines and quarries numbered 130 (129 in 1940) and those from accidents with machinery 42 (31 in 1940). Deaths attributed to weather agencies numbered 19 (2 due to exposure to heat and all others to exposure to cold) (31 in 1940), to electricity (lightning excepted) 14 (14 in 1940) and to accidents with firearms 23 (14 in 1940). Deaths from homicide numbered 22 (19 in 1940). (*Tables 23–26, pages 21–23.*)

Suicide.—These numbered 405 as compared with 400 in 1940. It is the

smallest number recorded in any year, except 1940, since 1925. Of these 405 cases 266 were of males and 139 of females as against 258 and 142 in 1940. The number of these deaths by poisoning (189), although still the most numerous class, were considerably fewer than in 1940 (240). Of the 189 deaths due to suicidal poisoning 132 were due to coal gas poisoning, 33 to lysol and allied preparations and 24 to other forms, as against 163, 56 and 21 in 1940. The number of deaths from gas poisoning is the smallest for many years. On the other hand, deaths by gunshot wounds (81) were much more numerous than in 1940 (39). Deaths by hanging numbered 43 (38 in 1940), by drowning 32 (36), by precipitation 28 (13), by cuts and stabs 24 (27) and by other means 8 (7). (*Table 29.*)

Transport.—As already indicated, deaths from accidents in connection with road transport numbered 1,150 as compared with 1,025 in 1940, 911 in 1939 and 668 in 1938. Accidental deaths in connection with motor vehicles numbered 1,023 (888 in 1940), from tramway accidents 67 (94), from cycle accidents 39 and from other forms of road transport, including horse-drawn vehicles, 21. Deaths from railway accidents numbered 106 (98 in 1940), from accidents connected with water transport (drowning excepted) 60 (40 in 1940) and from air transport accidents 61 as against 11 in 1940. The increase in the last named is entirely accounted for by three accidents, each of which involved a heavy loss of life. (*Table M and page 23.*)

In the Report for 1939 it was shown that the great increase in the number of deaths from accidents with motor vehicles which occurred in that year was associated with the date of the outbreak of war, the number having doubled in the last four months of the year when "black-out" conditions prevailed, and a similar increase was found in the number of deaths attributed to accidental falls and other crushing accidents, many of which were no doubt also associated with the "black-out." If the same four calendar months be taken it is found that deaths from motor accidents, which numbered 452 in these months in 1939, declined to 434 in 1940 and to 402 in 1941. Comparing the number for 1941 with the average of the three years immediately preceding the outbreak of war (1936-38) it is found that deaths from accidents with motor vehicles have increased by 74 per cent., the increase for males being 78 per cent. and for females 59. Among males the numerical increase is marked at ages over 45 (316 in 1941 as against an average of 138) and among females at ages over 65 (55 against 26), while generally rates of increase at earlier ages are below those found for all ages combined. (*Table 21, page 52.*)

TABLE M.—Supplementary Table of Road Transport Deaths, 1941.

ACCIDENTS ASSOCIATED WITH		All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	Not stated.
Motor vehicles	M.	803	..	48	77	36	130	112	84	79	98	95	39	5	..
	F.	220	..	26	39	16	17	15	16	17	19	34	18	3	..
Tramways	M.	55	1	7	12	17	10	5	3	..
	F.	12	..	1	2	3	3	3
Cycles	M.	33	2	2	8	2	7	3	7	2
	F.	6	1	1	1	1	2
Other road transport	M.	18	1	1	1	2	1	7	1	3	1
	F.	3	1	1	1
TOTAL	M.	909	1	49	80	38	138	117	99	101	123	110	45	8	..
	F.	241	..	27	40	17	18	15	16	20	24	40	21	3	..

Deaths from all forms of poisoning (not suicidal) numbered 97 and included 3 from food poisoning, 76 from accidental absorption of poisonous gases and 18 by other forms of acute accidental poisoning. Deaths from coal gas poisoning, excluding those understood to be probably suicidal, numbered 70 as against 55 in 1940 and 35 in 1939. A full list of the poisons used will be found in Table 30. In addition to these deaths there were 156 in which death occurred during or after the administration of an anæsthetic for therapeutic purposes, and in which the anæsthetic may or may not have been a contributory cause. In 31 cases the anæsthetic specified was nitrous oxide and ether, in 26 it was ether alone, in 19 ethyl chloride and ether, in 15 it was chloroform alone and in 15 it was chloroform and ether, while in 10 it was nitrous oxide alone. Ether was specified, either alone or in combination, in 97 cases, nitrous oxide in 46 cases, chloroform in 36 cases and ethyl chloride in 28 cases. (Table 30).

Relative Frequency of Causes of Death.—Table O shows in order of frequency the causes of death to which were ascribed at least 1 per cent. of all deaths in 1941, together with the corresponding figures for the previous year. This list includes 77·74 per cent. of the total number of deaths registered. As usual, heart disease, cancer and cerebral hæmorrhage and allied conditions retain the first three places, with violence following next, thus displacing bronchitis, which in 1940 rose from eighth place to fourth but has now reverted to eighth. This is followed by tuberculosis and by diseases of early infancy, which have thus displaced pneumonia, the last named reverting to the same position as it occupied in 1939.

Infant Deaths.—Table P (1) shows for recent years the infantile mortality by sex at various periods of the first year of life. As previously indicated (page xvi) the mortality among male children was 93·3 per thousand births and among female children it was 71·6 as against 90·3 and 65·7 in 1940. The excess of the male rate was rather marked at 3–5 months, when the female rate was rather low. Compared with 1940 the male death-rates were generally higher at ages under six months but at 6–11 months the 1941 rate was lower. The female rates are higher up to three months and over six months but the rate at 3–5 months is fractionally lower. The long-term comparison with the average for 1922–25 shows comparatively little change under six months but indicates rates approximately half of those for the earlier period at ages over six months.

Causes of Death.—In Table 31 will be found an analysis of deaths at age periods under one year according to the cause of death. Of the 7,426 children who died before attaining the age of one year, 1,168 did not survive one day and 1,148 others did not survive one week. Almost one half of the total

TABLE N.—Accidents with Motor, Tramways and other Road Transport Vehicles, 1921–1941.

<i>Average No. per annum.</i>				<i>No. per annum.</i>			
<i>Motor Vehicles.</i>	<i>Tramway Vehicles.</i>	<i>Other Road Transport (incl. Cycles).</i>		<i>Motor Vehicles.</i>	<i>Tramway Vehicles.</i>	<i>Other Road Transport (incl. Cycles).</i>	
1921–25 . .	238	17	38	1934 . .	662	20	49
1926–30 . .	559	17	39	1935 . .	555	24	59
1931–35 . .	631	24	49	1936 . .	564	26	63
1936–40 . .	692	46	53	1937 . .	608	20	65
	<i>No. per annum.</i>			1938 . .	593	22	53
1931 . .	627	29	34	1939 . .	805	66	40
1932 . .	648	30	60	1940 . .	888	94	43
1933 . .	662	18	41	1941 . .	1023	67	60

did not survive one month. The increases in the number of deaths from congenital malformations, from premature birth and from injury at birth have already been referred to (see page xxx). Other notable increases in infant deaths are from whooping-cough (383 in 1941 and 108 in 1940), from diarrhoea (see also page xxvi) (774 and 619), and from convulsions (250 and 189), with which may be mentioned a minor increase in deaths from tubercular meningitis (49 and 41). On the other hand deaths from measles numbered only 37 as against 97 in 1940, while deaths from cerebro-spinal fever numbered 78 (95 in 1940) and deaths from pneumonia 1,268 (1,394 in 1940).

Month of Registration.—Table 32 shows a classification of infant deaths by selected causes according to month of registration. The numbers in individual months ranged from 1,049 in March, 764 in April, 699 in February and 687 in January to 477 in July, 474 in August and 473 in September. The excess mortality in the first three months of the year was largely due to deaths from diseases of the respiratory system. Almost half of the deaths for the entire year were registered in these months, but in 1940 almost half of these deaths were registered in January and in February. In 1941 almost one-fourth of the 1,268 infantile deaths from pneumonia were registered in

TABLE O.—Relative Frequency of Causes of Death.

<i>Causes of Death.</i>	1941.		1940.	
	<i>Number.</i>	<i>Per cent. of Total.</i>	<i>Number.</i>	<i>Per cent. of Total.</i>
Heart disease	16,200	22·33	16,503	22·68
Cancer	8,436	11·63	8,260	11·35
Cerebral hæmorrhage, &c.	7,334	10·11	7,160	9·84
Violence	6,627	9·13	4,251	5·84
Tuberculosis (all forms)	4,175	5·76	4,003	5·50
Congenital debility, &c.	3,636	5·01	3241	4·45
Pneumonia	3,573	4·92	4,240	5·83
Bronchitis	3,092	4·26	4,317	5·93
All nephritis	1,431	1·97	1,742	2·39
Diarrhoea (all ages)	1,154	1·59	946	1·30
Gastric and duodenal ulcer	746	1·03	761	1·05
	56,404	77·74	55,424	76·16

TABLE P (1).—Deaths under One Year per 1000 Births in Scotland, 1922–1941.

YEAR.	MALES.						FEMALES					
	Under 1 year.	Under 1 week.	1 week and under 1 month.	1 month and under 3 months.	3 months and under 6 months.	6 months and under 12 months.	Under 1 year.	Under 1 week.	1 week and under 1 month.	1 month and under 3 months.	3 months and under 6 months.	6 months and under 12 months.
1922–25	103·7	42·6		16·0	16·6	28·5	80·0	32·7		11·8	12·6	23·0
1926–30	96·0	41·1		14·9	16·5	23·5	74·4	31·8		10·6	12·1	19·9
1931	93·2	27·5	12·6	13·9	15·9	23·3	69·9	21·7	9·6	9·9	10·4	18·4
1932	94·6	26·8	13·4	15·4	17·0	22·1	77·3	20·7	11·1	12·3	13·8	19·4
1933	89·3	28·8	12·0	14·8	14·2	19·5	72·4	23·5	10·9	10·0	11·4	16·7
1934	86·9	27·7	12·2	14·3	14·0	18·7	68·0	21·6	10·8	9·5	11·1	15·0
1935	86·9	28·8	14·6	13·2	18·6	16·7	66·2	20·7	12·8	9·1	10·1	13·6
1931–35	90·3	27·9	13·0	14·3	15·0	20·1	70·8	21·6	11·0	10·2	11·4	16·6
1936	92·2	28·4	14·1	15·9	15·2	18·7	71·9	21·3	11·2	10·7	13·0	15·8
1937	89·6	28·2	14·2	15·0	16·2	16·0	70·5	22·0	12·0	10·8	11·5	14·2
1938	76·6	26·6	11·4	13·4	12·2	13·0	62·1	21·9	10·0	8·9	9·1	12·1
1939	77·4	29·7	12·4	12·1	11·7	11·6	59·1	22·8	8·0	8·8	9·7	9·8
1940	90·3	29·5	13·1	15·0	15·7	17·0	65·7	21·2	10·4	10·5	11·8	11·8
1936–40	85·2	28·5	13·0	14·3	14·2	15·3	65·9	21·8	10·3	9·9	11·0	12·8
1941	93·3	29·0	16·0	17·4	17·0	14·0	71·6	22·5	12·2	12·6	10·9	13·4

March, from bronchitis 75 deaths were registered in March and 46 in April as against 57 in the whole of the following six months. Of the 774 deaths from diarrhoea 98 occurred in October and 85 in September. (*Tables 31 and 32*).

Deaths of Illegitimate Children.—These have been classified separately since 1936 and differences in rates (all causes) have already been referred to on page xvii. Speaking generally, the excess death-rate among illegitimate children is fairly well spread over the various causes, but the excess is specially marked in deaths from syphilis, from congenital debility and from digestive diseases, this being in accordance with the experience of recent years. On the other hand, while it is probably of no significance that in 1941, out of 92 infantile deaths from tuberculosis, only one was that of an illegitimate child, in the five years 1936-40 the infantile death-rate among illegitimate children from tuberculosis and from the acutely infectious diseases specified in the table was comparatively little above the rate for all children from these causes, and this also applies to the death-rate from congenital malformations. (*Table 31*.)

In Table 33 will be found infant deaths classified by ages under one year for each large burgh and county, with equivalent rates per thousand births. Some of these rates, being based on comparatively small numbers, may not be statistically significant. (*Table 33*.)

Children under Five Years.—Deaths from certain causes are shown in Table P (2). Excluding deaths of children under one year (already dealt with), deaths at ages 1 to 4 inclusive numbered 2,186 as compared with 2,182 in 1940. The death-rate (see Table 24) was 6·5 per thousand estimated population as compared with 6·7 in 1940. In 1939 this rate was 4·5, but with that single exception the death-rate in 1941 was the lowest on record for Scotland. Deaths from measles and from diphtheria showed a considerable decline compared with 1940, but were more than counterbalanced by an increase in deaths from whooping-cough. Deaths from tuberculosis numbered 296 as against 259 in 1940 and those from meningitis (not tubercular or cerebro-spinal) 49 against 33, but those from pneumonia numbered 305 against 494. Other changes were of minor importance.

TABLE P (2).—Number of Deaths from Selected Causes among Children aged under Five Years in 1941.

Deaths from	Total aged under 5 years.	Under 1 year.	Total aged 1-4 years.	1 year.	2 years.	3 years.	4 years.
Scarlet fever	16	2	14	4	1	5	4
Whooping-cough	693	383	310	196	64	35	15
Diphtheria	281	16	265	33	54	93	85
Erysipelas	3	3
Tubercular meningitis	228	49	179	70	41	45	23
Abdominal tuberculosis	27	8	19	9	6	3	1
Other tuberculous diseases	133	35	98	43	30	14	11
Measles	85	37	48	31	9	2	6
Meningitis (not tuberculous)	108	59	49	31	7	5	6
Convulsions	285	250	35	22	8	3	2
Bronchitis	311	265	46	31	8	4	3
Pneumonia (all forms)	1,573	1,268	305	192	64	31	18
Digestive diseases	1,027	873	154	83	31	20	20
Congenital causes	3,567	3,538	29	17	4	4	4
Other causes	1,275	640	635	196	167	145	127
TOTAL	9,612	7,426	2,186	958	494	409	325

APPENDIX I.

SEVENTY-SEVENTH ANNUAL REPORT ON THE VACCINATION OF CHILDREN IN SCOTLAND (1940).

This report deals with the vaccination of children born in Scotland during the year 1940 who in the ordinary course should have been vaccinated during that year or during the first half of the year 1941.

Children whose births were shown in the Vaccination Returns numbered 86,399, of whom 5,334 died before vaccination, and it is the 81,065 survivors who more especially are accounted for here. (*Table 36.*)

Children certified as either successfully vaccinated or as insusceptible on account of previous uncertified vaccination numbered 38,265 or 47·20 per cent. of the survivors, and those certified as insusceptible for other reasons numbered 1,129 or 1·39 per cent., while 41,671 or 51·40 per cent. were reported as not vaccinated or as unaccounted for, the great majority of these being cases in which statutory declarations of Conscientious Objection on the part of the parents were lodged. (*Table 36.*)

Vaccinated children numbered 38,265, of whom 163 were certified as having been vaccinated on a previous occasion, although no certificate had been received. The percentage successfully vaccinated is 47·20 per cent., being 3·97 more than in the previous year, and 4·99 more than in 1938. This is the highest percentage registered since 1932 (49·02). In the counties, burghs included, this percentage ranged from 76·3 in Peebles, 76·2 in Aberdeen and 75·4 in Kincardine to 28·7 in Caithness, 22·0 in Orkney and 8·4 in Zetland. In 16 counties less than half of the children surviving were successfully vaccinated. In the large burghs the percentage ranged from 82·3 in Aberdeen, 64·9 in Perth and 61·9 in Edinburgh to 25·8 in Kirkcaldy, 24·9 in Clydebank and 20·0 in Greenock. In Glasgow this percentage was 47·0 and in Dundee 29·6. (*Table 36 and pages 2 and 3.*)

Certificates of Constitutional Insusceptibility.—These numbered 1,129 (17 fewer than in the previous year), the percentage of survivors being 1·39. This percentage exceeded 2 in the counties of Sutherland, Moray, Perth and Kinross and also in Perth, in Rutherglen and in Arbroath. (*Pages 2 and 3.*)

Declarations of Conscientious Objection.—Certificates to this effect were lodged in 35,184 cases, representing 43·40 per cent. of survivors. This percentage is the lowest recorded since 1932 (43·15). In 1939 it was 48·42 and in 1938 it was 50·54, that representing the highest ever recorded. In the counties (burghs included) it ranged from 90·2 in Zetland, 73·4 in Orkney, 62·2 in West Lothian and 61·2 in Caithness to 17·1 in Aberdeen, 16·0 in Peebles and 14·3 in Kincardine. In the large burghs it ranged from 72·6 in Greenock, 67·3 in Dundee, 65·6 in Dumbarton and 64·8 in Hamilton to 31·4 in Edinburgh, 30·4 in Stirling, 26·2 in Perth and 12·3 in Aberdeen. These counties and burghs tend to occupy substantially the same positions year after year. (*Table 36 and pages 2 and 3.*)

Certificates of Postponement granted on medical grounds numbered 1,815 or 2·24 per cent. of the survivors. This is the highest percentage so recorded since 1929 (2·50).

Unaccounted for.—In 4,672 cases (5·76 per cent. of the survivors) children were reported as having removed from the district or being otherwise unaccounted for. This percentage is the highest since 1914. In 1939 the number of such cases was 4,007 and in 1938 it was 3,335. (*Table 36.*)

APPENDIX II.

ADDITIONAL STATISTICS REGARDING MARRIAGES REGISTERED
IN SCOTLAND DURING THE YEAR 1940.

A preliminary statement regarding the marriages registered in Scotland during the year 1940 was incorporated in the Eighty-Sixth Annual Report of the Registrar-General dealing with the detailed statistics of the registered births and deaths of that year, but as full details of the registered marriages were not available at the time when the report was prepared the statement was necessarily restricted and dealt only with the number of marriages registered in 1940 and the marriage-rates. It is now supplemented by this detailed report on these marriages, including a statistical account of the method of proclamation, the church of celebration, the ages and conjugal conditions of those marrying and the method of signing the marriage schedules, by writing or by mark.

In the Eighty-Sixth Annual Report it was stated that the number of marriages registered in Scotland in 1940 was 53,597, but after complete examination of the registers the corrected number is found to be 53,522, the marriage-rate being 10·61 per thousand as against 9·23 in 1939. The increase which followed the outbreak of war in the autumn of 1939 has thus continued. (Table 8.)

Regular, Irregular and Civil Marriages.—The Marriage (Scotland) Act, 1939, which came into operation on 1st July 1940, made an important change in the marriage law of Scotland. It abolished irregular marriages by declaration, including what was often known as the “ Gretna Green marriage,” and “ marriage before the Sheriff,” and instituted a new form of civil marriage to be contracted in the office and presence of certain specially-authorized Registrars after publication of notice. Consequently each type of marriage is found in the Marriage Registers for 1940, the older form of

TABLE Q.—Regular Marriages in Scotland in 1940, following Proclamation of Banns, Publication of Notice at Registrar's Office, or Licence granted by Sheriff.

Church of Celebration.	Number.					Percentage of Total for each Church, &c.				Per- centage of Total Regular Mar- riages.
	Total.	Banns.	Publi- cation of Notice	Banns and Publi- cation.	Licence granted by Sheriff.	Banns.	Publi- cation of Notice.	Banns and Publi- cation.	Licence granted by Sheriff.	
Church of Scotland	33,756	31,221	1,928	559	57	92·5	5·7	1·6	0·2	71·6
United Free Church	476	349	113	13	1	73·3	23·7	2·7	0·2	1·0
Free	381	229	133	12	2	60·1	36·2	3·1	0·5	0·8
Roman Catholic	7,230	2,119	4,909	180	22	29·3	67·9	2·5	0·3	15·3
Scottish Episcopal	1,715	1,298	362	39	16	75·7	21·1	2·3	0·9	3·6
Congregational	1,371	1,039	296	32	4	75·8	21·6	2·3	0·3	2·9
Baptist	666	492	161	13	-	73·9	24·2	1·9	-	1·4
Methodist	564	391	159	11	3	69·3	28·2	2·0	0·5	1·2
Jews	97	10	86	1	-	10·3	88·7	1·0	-	0·2
All other Regular Marriages	926	504	390	32	-	54·4	42·1	3·5	-	2·0
Total Regular Marriages	47,182	37,652	8,542	883	105	79·8	18·1	1·9	0·2	100·0

marriage being confined to those which took place prior to 1st July, although in some cases registration may have taken place on or after that date.

Of the 53,522 marriages registered, 47,182 or 88·2 per cent. were regular, i.e. solemnised by a minister of religion after proclamation of banns, publication of notice or Sheriff's licence, 3,809 or 7·1 per cent. were irregular, while 2,531 or 4·7 per cent. were civil marriages in terms of the new Act. In the previous year irregular marriages constituted 16·6 per cent. of the total, but in 1940 the irregular and civil marriages combined constituted only 11·85 per cent. This is considerably below the percentage of irregular marriages to total marriages for the most recent years. This percentage increased steadily until the war of 1914–1918, when it rose considerably, but thereafter there was a certain decline until 1935, when the percentage was 11·48. In the years immediately following it rose to 14·16 in 1938 and to 16·58 in 1939. In the large burghs the percentage in 1940 of these marriages without a religious ceremony was 16·3 against 23·3 in 1939, while in the counties the percentage was 3·7 both in 1940 and in 1939. Those for 1940 are, of course, based on a year in which each of the two methods was in operation for six months. This percentage ranged in the large burghs from 34·7 in Dunfermline, 21·8 in Edinburgh, 19·0 in Glasgow and 17·1 in Inverness to 2·7 in Airdrie, 2·2 in Coatbridge, 1·9 in Rutherglen and 0·5 in Port-Glasgow. In the counties (burghs included) it was 19·2 in Midlothian, 15·9 in Dumfries and 15·0 in Lanark. Of the 3,809 irregular marriages, 11 were registered on production of Extract Decree of Declarator and the remainder by Warrant of the Sheriff. Of the 2,531 civil marriages registered, 2,221 were preceded by publication of notice at the Registrar's office, while 310 were authorised by the Sheriff under a provision of the new Act whereby publication of notice may be dispensed with in certain circumstances of emergency. (*Tables R, 8 and 9.*)

Method of Publication.—Of the regular marriages registered, 37,652 (79·8 per cent.) were solemnised after proclamation of banns in respect of both parties, 8,542 (18·1 per cent.) after publication of notice in respect of both parties, 883 (1·9 per cent.) after proclamation of banns for one and publication of notice for the other party, while 105 (0·2 per cent.) were authorised by the Sheriff under the provisions of the new Act, as indicated above.

TABLE R.—Regular and Irregular Marriages in 1940.

	Number.			Percentage of Total Marriages.		
	SCOTLAND.	Large Burghs.	Other Districts.	SCOTLAND.	Large Burghs.	Other Districts.
Regular Marriages.						
Church of Scotland	33,756	19,346	14,410	63·1	55·6	76·9
United Free Church	476	302	174	0·9	0·9	0·9
Free Church	381	210	171	0·7	0·6	0·9
Roman Catholic Ch.	7,230	5,280	1,950	13·5	15·2	10·4
Scottish Episcopal Ch.	1,715	1,228	487	3·2	3·5	2·6
Congregational Ch.	1,371	1,051	320	2·6	3·0	1·7
Baptist Church	666	466	200	1·2	1·3	1·1
Methodist Church	564	476	88	1·1	1·4	0·5
Jews.	97	89	8	0·2	0·3	0·0
All other Regular Marriages	926	686	240	1·7	2·0	1·3
Irregular Marriages	3,809	3,601	208	7·1	10·4	1·1
Civil Marriages	2,531	2,042	489	4·7	5·9	2·6
Total Marriages	53,522	34,777	18,745	100·0	100·0	100·0

Marriages after banns constituted 74·6 per cent. of the regular marriages in the large burghs and 88·2 per cent. in the counties, exclusive of large burghs. For marriages after publication of notice these percentages were 23·2 and 9·8 respectively and for those after banns and publication the percentages were 1·9 and 1·8. In Zetland all regular marriages were after proclamation of banns and this was the case with 98 per cent. or more of the regular marriages in Berwick, in Caithness, in Kirkcudbright and in Sutherland.

Table Q shows the frequency and denomination of those married after banns and after publication respectively. Marriage after banns was most frequent in the Church of Scotland (92·5 per cent. of all Church of Scotland marriages), in the Congregational Church (75·8), in the Scottish Episcopal Church (75·7) and in the Baptist Church (73·9), while marriage after publication of notice was relatively most frequent among the Jews (88·7 per cent.) and in the Roman Catholic Church (67·9).

Church of Celebration.—Of the 47,182 regular marriages, 33,756 or 71·6 per cent. were celebrated according to the forms of the Church of Scotland and 7,230 or 15·3 per cent. according to those of the Roman Catholic Church. Those according to the forms of the Episcopal Church numbered 1,715 (3·6 per cent.), of the Congregational Church 1,371 (2·9 per cent.), of the Baptist Church 666, of the Methodist Church 564, of the United Free Church 476, of the Free Church 381, of the Christian Brethren 220, of the Salvation Army 145 and of the Jews 97. (*Table S.*)

From Table 8 it will be seen that in recent years, apart from the increase in the number of irregular marriages, there has been little change in the proportion of marriages according to the forms of the principal Churches. As already indicated, marriages in 1940 showed a considerable increase compared with those for 1939, and as the combined irregular and civil marriages in 1940 were fewer than the irregular marriages in 1939, it follows that there was a much larger increase in the number of marriages with a religious ceremony. Thus, while the total number of marriages increased by 15·8 per cent., regular marriages increased by 22·3 per cent., Church of Scotland marriages by 21·5 per cent., Roman Catholic marriages by 26·2 per cent., Scottish Episcopal marriages by 41·5 per cent. and marriages according to other religious forms by 16·4 per cent., while irregular (including civil) marriages declined by 17·3 per cent.

TABLE S.—Marriages in Scotland in 1940 by Denominations, & c. in Order of Frequency.

1. Church of Scotland	33,756	16. Church of Christ	41
2. Roman Catholic Church	7,230	17. Foursquare Gospel Church	29
3. Scottish Episcopal "	1,715	18. Apostolic Church	26
4. Congregational "	1,371	19. Church of England	19
5. Baptist "	666	20. Reformed Presbyterian Ch.	16
6. Methodist "	564	21. Catholic Apostolic Church	16
7. United Free "	476	22. Church of God	12
8. Free "	381	23. Other Religious Forms	163
9. Christian Brethren	220		
10. Salvation Army	145	All Religious Forms	47,182
11. Jews	97	Irregular Marriages	3,809
12. Free Presbyterian Church	81	Civil Marriages	2,531
13. Unitarians	58		
14. Original Secession Church	52	All Marriages	53,522
15. Church of the Nazarene	48		

The local distribution according to the forms of the leading churches, also numbers and proportion of irregular and civil marriages, is shown in Table 10. Church of Scotland marriages constituted 63·1 per cent. of all marriages in Scotland, and this proportion exceeded 85 per cent. in Kincardine (92·3), in Berwick (87·4), and in Peebles (85·3). In Kilmarnock this percentage was 74·5, in Rutherglen 73·3, in Kirkcaldy 72·9, in Falkirk 71·9 and in Arbroath 71·0. Free Church marriages were only 0·7 per cent. of all marriages in Scotland, but in Ross and Cromarty this percentage was 29·3 and in Sutherland it was 19·4. Roman Catholic marriages constituted 13·5 per cent. of all Scottish marriages, this percentage in the counties being 23·6 in Dunbarton and in Renfrew and 20·3 in Lanark (large burghs included in each case). In Coatbridge it was 31·0, in Port-Glasgow 30·6, in Airdrie 29·6 and in Greenock 29·4. (*Table 10.*)

Conjugal Condition of those Marrying.—Of the 53,522 males marrying during the year, 50,511 or 94·4 per cent. were bachelors, 2,498 or 4·7 per cent. were widowers and 513 or 0·9 per cent. had been divorced. Of the same number of females marrying 51,670 or 96·6 per cent. were spinsters, 1,352 or 2·5 per cent. were widows and 500 or 0·9 per cent. had been divorced. The combinations of the various conjugal conditions are shown in the following table:—

	Spinsters.	Widows.	Divorced Women.	All Women.
Bachelors . . .	49,484	667	360	50,511 •
Widowers . . .	1,774	622	102	2,498
Divorced men . .	412	63	38	513
All Men . . .	51,670	1,352	500	53,522

From the above table it may be deduced that 98·0 per cent. of the bachelors married spinsters, while 1·3 per cent. married widows; that 71·0 per cent. of the widowers married spinsters, while 24·9 per cent. married widows, and that of all males who had been divorced 80·3 per cent. married spinsters, 12·3 per cent. married widows and 7·4 per cent. married women who had also been divorced. Of all spinsters marrying 95·8 per cent. married bachelors, while 3·4 per cent. married widowers; among widows 49·3 per cent. married bachelors, while 46·0 per cent. married widowers; among women who had been divorced 72·0 per cent. married bachelors, 20·4 per cent. married widowers, while 7·6 per cent. married men who had also been divorced. It will be observed that although 513 divorced men and 500 divorced women married during the year, in only 38 cases was it stated that each party had been divorced. Compared with corresponding figures for 1939 the proportion of men marrying who were bachelors shows a fairly well marked increase. (*Table 11.*)

The accompanying table shows the civil condition of those marrying as compared with those for previous years, and from this it will be seen that there is still a decline in the proportion of previously married persons who marry again, which has been commented upon in previous issues of this Report, the change being greater between 1939 and 1940 than in any recent corresponding period. Thus while between 1933 and 1939 the proportion of men previously married fell from 7·1 to 6·4, the corresponding percentages for 1939 and 1940 were 6·4 and 5·6. To a considerable extent this change may be due to the increase in the number of marriages at early ages in 1940. The percentages for the whole period of registration in Scotland are reproduced herewith:—

ALL MARRIAGES.		Percentage of Males marrying who were			Percentage of Females marrying who were			Not stated (either Spouse).
		Bachelors.	Widowers.	Divorced.*	Spinsters.	Widows.	Divorced.*	
1855-1860	100.0	84.3	11.2	...	90.1	5.4	...	4.5
1861-1870	100.0	87.3	11.5	...	93.6	5.2	...	1.2
1871-1880	100.0	87.8	12.0	...	93.5	6.3	...	0.2
1881-1890	100.0	88.6	11.4	...	94.2	5.8	...	0.0
1891-1900	100.0	90.1	9.9	...	94.6	5.3	...	0.0
1901-1910	100.0	91.4	8.5	...	95.0	4.9	...	0.0
1911-1920	100.0	91.7	8.3	...	93.4	6.6	...	0.0
1921-1930	100.0	92.6	7.4	...	95.2	4.8	...	0.0
1931-1940	100.0	93.4	5.9	0.7	96.3	3.0	0.7	0.0
1931	100.0	92.9	7.1	...	96.4	3.6	...	0.0
1932	100.0	93.5	6.5	...	96.6	3.4	...	0.0
1933	100.0	92.9	6.5	0.6	96.1	3.2	0.7	0.0
1934	100.0	93.1	6.3	0.6	96.1	3.3	0.6	0.0
1935	100.0	93.4	5.9	0.7	96.6	2.8	0.6	0.0
1936	100.0	93.4	5.9	0.7	96.3	2.9	0.8	0.0
1937	100.0	93.2	5.9	0.9	96.1	3.0	0.9	0.0
1938	100.0	93.4	5.6	1.0	96.0	3.0	1.0	0.0
1939	100.0	93.6	5.4	1.0	96.2	2.8	1.0	0.0
1940	100.0	94.4	4.7	0.9	96.6	2.5	0.9	0.0

* Previous to 1933 classified as Bachelors and Spinsters respectively.

From this table it will be seen that the only major interruption to the general decline since 1871-1880 occurred during the period 1911-1920, when there were many young widows owing to casualties among young married men in the War of 1914-1918.

Method of Signature.—Of the 107,044 persons marrying during 1940, only 68 (37 men and 31 women) signed the marriage schedule by mark. This number is 7 less than in 1939, when the smallest number up to that year was recorded. Prior to 1870 the number averaged over 7,000 per annum, but thereafter it steadily diminished. Since 1935 the annual number has always been under 100. Prior to 1880 females signing by mark exceeded males by 2 to 1, but the sex totals are now practically equal, while on several occasions, as in 1940, the number of males signing by mark has exceeded the number of females. (Table 8.)

From Table T it will be observed that the percentage who sign by mark in each age group increases at ages over 40 and rises to considerable propor-

TABLE T.—Ages of Persons Marrying who Signed by Mark in 1940.

Age Group.	Numbers.			Percentage who signed by Mark in each Age Group.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
Under 20	6	—	6	0.07	—	0.09
20-29	15	9	6	0.02	0.03	0.02
30-39	11	8	3	0.05	0.06	0.04
40-49	8	5	3	0.19	0.21	0.17
50-59	13	7	6	0.91	0.72	1.31
60 and over	15	8	7	2.16	1.55	3.91
All Ages	68	37	31	0.06	0.07	0.06

tions at ages over 60, when 1·55 per cent. of the men and 3·91 per cent. of the women who marry sign by mark. These percentages, however, are markedly smaller than in 1939 (2·26 and 6·62). It should be noted that those signing by mark include a certain number of blind persons.

From Table U it will be seen that of the 68 persons who signed by mark, 32 were married according to the forms of the Church of Scotland and 18 according to those of the Roman Catholic Church, while in the case of 8 the marriage was irregular and in one case it was a civil marriage.

Ages of those Marrying.—The average age of all men marrying in 1940 was 29·0 and of all women marrying 26·1. In 1939 the corresponding numbers were 29·3 and 26·4. In the aggregate of large burghs the average age of men marrying in 1940 was 29·1 and of women 26·3. In the counties, exclusive of large burghs, the average for males was 28·8 and for females 25·8. Compared with 1939 the differences generally conform to those found for Scotland as a whole. (*Tables 12 and 13.*)

The average ages arranged according to the conjugal condition of those marrying are set forth below in tabular form:—

Averages ages of—				Divorced	All
	Spinsters.	Widows.	Women.	Women.	Women.
Bachelors marrying . . .	27·8	38·0	33·8		28·0
Widowers marrying . . .	45·2	53·5	49·6		47·4
Divorced men marrying . . .	38·8	42·2	40·5		39·3
All men marrying . . .	28·5	45·3	37·5		29·0

Average ages of—				Divorced	All
	Bachelors.	Widowers.	Men.	Men.	Men.
Spinsters marrying . . .	25·2	35·9	31·2		25·6
Widows marrying . . .	38·8	48·3	40·7		43·3
Divorced women marrying . . .	34·0	41·6	36·0		35·7
All women marrying . . .	25·4	39·3	32·8		26·1

Compared with the corresponding ages for 1939 these ages show no great differences, but with a slight tendency towards lower ages in 1940. The average age of all men marrying has declined from 29·7 in 1938 and 29·3 in 1939 to 29·0 in 1940, while the average age of all women has declined from 26·7 in 1938 and 26·4 in 1939 to 26·1 in 1940.

TABLE U.—Church, &c., of Celebration of Persons Marrying who Signed by Mark in 1940.

Church, &c.	Entries in which Mark was used by			Persons using Mark.		
	Man only.	Woman only.	Both.	Men.	Women.	Total.
Church of Scotland . . .	14	10	4	18	14	32
Roman Catholic Church . . .	5	5	4	9	9	18
Episcopal	2	2	2
Other Religious Forms . . .	3	2	1	4	3	7
Irregular Marriages . . .	4	2	1	5	3	8
Civil Marriages . . .	1	1	..	1
TOTAL . . .	27	21	10	37	31	68

PERCENTAGE DISTRIBUTION OF MARRIAGES BY AGE-GROUPS IN 1939 AND IN 1940 COMPARED WITH 1938.

Age Group.	Males.			Females.		
	1938.	1939.	1940.	1938.	1939.	1940.
Under 20 .	2.1	2.7	2.6	12.6	13.7	13.2
20-24 . .	25.9	27.0	28.9	36.7	36.6	39.5
25-29 . .	36.9	36.8	36.8	28.2	28.5	27.1
30-34 . .	18.6	18.2	17.2	12.4	11.6	11.0
35-39 . .	7.7	7.3	7.2	5.0	4.9	4.8
40-44 . .	3.2	3.0	2.9	2.3	2.2	2.1
45-49 . .	2.0	1.8	1.6	1.3	1.2	1.1
50 and over .	3.6	3.2	2.8	1.5	1.3	1.2
All Ages . .	100.0	100.0	100.0	100.0	100.0	100.0

The lowering of the average age is probably associated with the increase in the number of marriages which took place immediately before and after the outbreak of war. Comparing the ages at marriage in 1940 with those for 1938, the latest completely pre-war year, it is found that among males, while the increase at ages under 19 is less than 10 per cent., it rises to 108 per cent. at age 19 and to 140 per cent. at age 20, thereafter falling to 46 per cent. at 21-24, to 35 per cent. at 25-34, to 29 per cent. at 35-44 and to 9 per cent. at ages 45 and over. Among females the percentage of increase at ages under 19 was 19, at age 19 it was 81, at age 20 it was 110, at 21-24 it was 37, at 25-34 it was 30 and at 35-44 it was also 30, while even at ages 45 and over it was 13. These percentages indicate that, while the increase was largely at the younger ages, it was more widely spread over the various ages than might have been expected.

An endeavour has been made to measure the age distribution of marriages which may be assumed to have been due to war conditions. These may be taken as represented, approximately, by the excess of marriages at each age period in 1939 and in 1940 over those for 1938. This excess may be judged from the following table:—

Age.	Males Married.			Females Married.		
	1938. Per cent. of Total. (All ages.)	Excess in 1939 and in 1940 over number in 1938.		1938. Per cent. of Total. (All ages.)	Excess in 1939 and in 1940 over number in 1938.	
		No.	Percent. of Total.		No.	Percent. of Total.
16	0.0	2	0.0	0.6	52	0.2
17	0.1	-2	0.0	2.0	328	1.5
18	0.7	61	0.3	4.7	516	2.3
19	1.3	928	4.1	5.3	2,779	12.5
20	2.2	1,648	7.4	5.9	3,201	14.3
21-24	23.7	6,230	27.9	30.8	6,447	28.9
25-29	36.9	8,106	36.3	28.2	5,869	26.3
30-34	18.6	3,215	14.4	12.4	1,643	7.3
35-39	7.7	1,262	5.7	5.0	937	4.2
40-44	3.2	522	2.3	2.3	351	1.6
45-49	2.0	201	0.9	1.3	164	0.7
50 and over	3.6	153	0.7	1.5	39	0.2
	100.0	22,326	100.0	100.0	22,326	100.0

This excess over 1938 in the number of persons married in 1939 and 1940 amounted to 22,326. In this group the average age among males was 27·4 in 1939 and 27·1 in 1940, while among females it was 25·0 in 1939 and 24·7 in 1940. In 1939 and 1940 combined the average age of males in the excess marriage group was less than in 1938 (all marriages) by 2·5 years, while among females it was less by 1·9. Taken in another way the table shows that while in 1938 28·0 per cent. of the men married were aged under 25, among the excess marriages in 1939 and 1940 the percentage was 39·7. The corresponding percentages for females were 49·3 and 59·7. Whether measured by the average age or by the proportion under 25 years, therefore, the reduction in age at marriage has been rather greater among males than among females. The percentage to the total at all ages is actually less than in 1938 among the excess marriages at ages under 19 both for males and for females, but is distinctly higher at 19 and 20 and (males only) in age-group 21–24. In the age-group 25–29 and in all succeeding age-groups it is lower for each sex.

The average age of men at marriage in the counties, large burghs included, ranged from 33·1 in Sutherland, 32·6 in Ross and Cromarty and 31·8 in Inverness to 27·9 in East Lothian, 27·8 in Clackmannan and 27·4 in Kinross. In the case of women this average age ranged from 28·6 in Ross and Cromarty and 28·1 in Inverness and in Sutherland to 25·2 in Clackmannan and in East Lothian and 25·0 in Kinross. In the large burghs the average age of men ranged from 31·1 in Inverness, 29·6 in Perth and 29·4 in Aberdeen and in Stirling to 28·2 in Kirkcaldy, 28·0 in Greenock and 27·5 in Port-Glasgow. Among women it ranged from 28·1 in Inverness, 26·9 in Perth and 26·6 in Aberdeen to 25·3 in Hamilton, 25·2 in Arbroath and 24·7 in Port-Glasgow. While locally there is, compared with 1939, a general decrease in the average age, it is only in the areas with smaller numbers, in which the difference may not be significant, that this decline is very marked. (*Tables 12 and 13.*)

For all marriages the average excess of the bridegroom's age over that of the bride was 2·9 years, the same as in 1939. In the case of bachelors and spinsters this excess was 2·6 years (2·7 in 1939), in the case of widowers and spinsters it was 9·3 (9·8 in 1939) and in the case of widowers and widows it was 5·2 (5·8 in 1939), but in the case of bachelors and widows the age of the bride was in excess by 0·8 year (0·9 in 1939).

The youngest bridegrooms of the year were 3 aged 16 and 47 aged 17, all of whom were bachelors and married spinsters, 8 of the brides being aged 16 and 9 aged 17. The youngest brides were 250 aged 16, of whom 247 married bachelors whose ages ranged from 17 to 39, 2 married widowers aged between 25 and 35 and 1 married a man aged over 45 who had been divorced. (*Tables 14–18B.*)

The oldest men marrying were 5 over 80, of whom one married a spinster and three married widows, the bride in each case being over 60, while one married a woman who had been divorced. The oldest women marrying were four aged over 75, one being a spinster and three being widows. Three of the bridegrooms were widowers and one was a bachelor, and in every case the bridegroom was over 65. One bachelor aged 55 married a spinster of 17. The ages of bridegrooms who had been divorced ranged from 25 to over 65 and those of brides who had been divorced from 20 to over 65. (*Tables 14–18B.*)

APPENDIX III.

REPORT ON THE WEATHER IN SCOTLAND FOR THE YEAR
ENDING 31st DECEMBER 1941.*Supplied by the Meteorological Office, Edinburgh.*

Under the heading of " Meteorological Notes " a descriptive account of the weather is given in the " Quarterly Returns " for 1941 published by authority of the Registrar-General, and the notes are accompanied by statistics for some of the Principal Towns. The present report, for the whole year, is of a general character as to the text, and to it are appended tables summarizing the statistics of the various stations. (*Pages 139-143.*)

General.—The outstanding features of the year are indicated in the course of the report. The most notable were:—

1. The deficient rainfall in all districts except north-east Scotland.
2. The severe frosts in January, which, with the exception of January 1940, was the coldest month since February 1895.
3. The persistence of winds from between North and East which accompanied a prolonged cold spell lasting from January to May.
4. The very mild and dry September.

Pressure and Winds.—For the year as a whole barometric pressure was 0.04 inch above normal. The monthly pressure means were below normal in the four months February, May, July and August, and above normal in all other months. The greatest departures from normal were in February and December, when the mean pressures of 29.514 and 30.043 inches were 0.358 inch below and 0.272 inch above their respective normals. The departure from normal amounted to rather more than 0.2 inch also in September and October.

There was an unusual prevalence of easterly or north-easterly winds from January to May. Gales were fairly numerous in the first quarter of the year, but only those of February 5th and 27th-28th were of marked severity. During April and May winds rose to gale force in exposed places on 5 and 3 days respectively. The spring and summer months were mainly quiet without any severe gales. South-westerly to north-westerly winds predominated in August and that month was windier than usual. There was an excess of winds from the north-easterly quadrant in September and also in October. Many gales occurred in the latter month, the most severe being those of the 19th-20th and 29th. November, which was characterised by a marked excess of winds between north-east and south-east, had gales on 16 days. Two periods, the 10th-14th and 25th-27th, were particularly stormy. In December winds were from a westerly or south-westerly point on 21 days, or 6 more than in a normal December. Gales occurred on 18 days, being specially severe in coastal districts on the 6th-7th, 11th-15th and 20th-24th.

Noteworthy Gales.—The first severe gale of 1941 was the southerly gale on February 5th, when the wind attained a mean speed of nearly 60 miles

per hour, with gusts up to 80 miles per hour, in the Hebrides and Shetland. In another heavy gale, also from the south, on February 27th–28th, gusts exceeded 70 miles per hour in Edinburgh and off the east coast. No severe gales occurred between March and September. The first bad gale of the autumn was on October 19th–20th, when winds gusted up to 60 miles per hour in the Forth and Clyde areas and rose to 80 miles per hour in exposed parts of both the eastern and western seaboard. A northerly gale of still greater severity occurred on October 29th. In Shetland a mean hourly velocity of 60 miles per hour was registered and gusts exceeded 90 miles per hour. A severe south-easterly gale swept the eastern seaboard on November 10th–11th. Winds attained a mean velocity of 55 to 60 miles per hour in Shetland and at the Bell Rock with gusts up to 80 or 85 miles per hour. A south-westerly gale on November 25th–26th was no less severe, though in this case the greatest violence was experienced in the west where gusts of more than 90 miles per hour were registered. In a violent gale on December 6th–7th a mean hourly velocity of 60 miles per hour was registered in Lewis, while the speed in gusts reached or exceeded 90 miles per hour in that area and in Shetland. Off the east coast, and even in Edinburgh, gusts exceeded 70 miles per hour. Winds of gale force persisted in Shetland for more than 140 hours in November and more than 90 hours in December.

Temperature.—As in 1940, mean temperature for the country as a whole was slightly below normal, the net deficit being 0.5° F. Of the individual months, January to May inclusive and August had mean temperatures below normal. In the first month of the year the cold was only slightly less intense than in January 1940. With that exception, January 1941 was the coldest month since February 1895 and the coldest January since 1881. For the country as a whole the mean temperature of the month was 7.6° F. below normal. February and March were also very cold, their mean temperatures being 2.7 and 2.2° F. below their respective normals. The period January to March was the coldest first quarter of the year since 1895. The spring months, April and May, were also unusually cold. A marked change occurred about the middle of June, and with the exception of August, which was cool, mean temperatures exceeded the average in each month from June to December. Of the six relatively mild months September was outstanding with a mean temperature exceeding the normal by 4.2° F. It was the mildest September since 1895 and was actually warmer than August for the first time since 1900. December also was very mild, its mean temperature being 2.0° F. above normal. The lowest temperature of the year -6° F., was registered on January 6th at West Linton; Balmoral recorded a minimum temperature of -1° F. on January 3rd. Ground minima of -9° , -10° and -11° F. were recorded at West Linton on January 3rd, 4th and 6th respectively, and Balmoral had a ground minimum of -7° F. on the 3rd. The warmest weather occurred in the last 10 days of June and especially on June 21st, 22nd and 29th, when shade temperatures rose to 80° F. or above in many parts of Scotland. The highest temperatures recorded were 89° F. at Glenbranter on the 29th, and 86° at Ruthwell on the 21st and at Inverness on the 22nd.

Rainfall.—Over Scotland as a whole the general rainfall of the year represents 88 per cent. of normal. Apart from 1933, when the percentage was 80, it was the driest year since 1902. More than the average occurred in a strip along the east coast and more than 110 per cent. of the average over a coastal strip of Moray and Banffshire and a small area in north-east Aberdeenshire. Large areas in the western Highlands and the southern Uplands had less

than 80 per cent. At a few isolated stations in the west less than 70 per cent. of the normal was registered. Of the months January was dry over more than three-quarters of the country. The greatest deficiency occurred in those parts of the Highlands that are usually the wettest, parts of Argyll and western Inverness having barely one-tenth of the normal fall. Fort William, with a total of 0.34 inch, had its driest January in 58 years' observations. In February much of the precipitation was in the form of snow. Totals were well above average over most of Scotland. Only August and October had more rain than February. The four months March to June were all dry, especially the last named, which for low rainfall nearly equalled June 1940. Over the country as a whole there was only 47 per cent. of the normal rainfall. An absolute drought persisted from May 28th to June 12th over the greater part of Scotland. The long continued spell of relatively dry weather in the west during the first six months was exceptional; at Fort William the total of 15.07 inches was the least for any corresponding period back to 1875. In July precipitation was unusually frequent but not, as a rule, heavy. In most areas totals were about equal to normal. August, with a general rainfall representing 133 per cent. of normal, was the wettest month of the year. In this month more than 150 per cent. of average was received over much of the north of Scotland and more than 200 per cent. at Ullapool and near the Moray Firth. Nairn's total of 5.70 inches exceeded that in any previous August during the last 75 years. There was, however, a fairly large area embracing the Firths of Forth and Tay where rain in August was actually a little under the normal. During September rain was deficient in all districts and some places recorded 15 days absolute drought in the middle of the month. The general fall was 57 per cent. of normal. It was the driest September since 1933 and there have been only seven drier Septembers since 1869. October, with 123 per cent. of its normal rainfall, ranked next to August for wetness, the excess over normal being mainly due to the frequency of the rain rather than to its intensity. In November, also, there was a very large number of wet days, but the general rainfall was only slightly above normal. Aberdeen had the largest excess, its total of 5.72 inches being nearly double the normal. December had a small rainfall, the general percentage of average being 62. Although totals were small, precipitation occurred frequently, especially in the west, where some places had rain every day.

Snow.—In the severe snowstorms of the third week of January parts of Sutherland and Caithness were cut off from rail and road communication by drifts 15 feet deep. Trains were snowed up and relief gangs themselves stranded for days. Food supplies were dropped from aeroplanes to the stranded parties. The snowfalls of February 17th to 21st were heaviest in the south, where many villages were isolated by deep drifts and railway and road transport disorganised. Marchmont had 26 inches of undrifted snow and Edinburgh had 15 inches in three days—the heaviest fall in the capital this century. Sutherland and parts of Ross and Caithness again suffered severely in the storms of March 26th–27th. All roads were blocked and at Tain there was a level fall of from 2½ to 3 feet with deep drifts. It was said to be the worst storm in the district since 1879–80. A heavy fall for the west coast was 9 inches at Oban on the night of March 30th–31st. Wide-spread snow showers occurred as late as May 14th and 15th. Snow fell on 15 days in November and 19 days in December, but none of these falls was heavy.

Thunder.—Thunder was reported on 80 days, 9 fewer than in 1940. August had the greatest frequency with 18 thunderstorms. None occurred in November and only two in January.

Flooding.—Exceptionally heavy rain fell in the Lothians and Stirlingshire on May 23rd, resulting in extensive flooding with much damage to property and growing crops. In the North Pentlands the Crosswood Burn changed its course and washed away 80 feet of aqueduct belonging to the Edinburgh waterworks. A considerable number of sheep were drowned, and practically all sheep bridges on the Harperrig area were washed away. On November 26th Kingairloch had the remarkable fall of 4·92 inches of rain. The down-pour caused minor damage to roads through culverts overflowing.

Sunshine.—The year was a dull one generally, the total of bright sunshine representing only 92 per cent. of the average. The largest deficiencies were in the eastern half of the country. Two stations, Tiree and Onich, had slightly more than their respective normal amounts. Compared with average, the dullest months were April, September and November. At Aberdeen the totals for both April and November were the lowest for these respective months in the long record back to 1881. Of the other months January was sunny in the north but dull elsewhere, and this was substantially true of March also. In February south and west Scotland and scattered places on the east coast had good sunshine records. May was mainly fine, especially in the west, but there were large areas where sunshine was deficient. June was the best month in most districts, but even in that month there was a marked lack of sunshine in Orkney, Shetland, around Inverness and in south-east Scotland. July had less than its normal sunshine for the sixth successive year. Records were mostly poor in August, but reached or slightly exceeded average in the east and south. In October there was abundant sunshine in the west but totals were below average in the east. In December conditions were reversed, the good records being in east Scotland and the deficiencies in the west. Tiree had by far the best aggregate for the year with 1,508 hours sunshine. Next in order were 1,367 hours at Carnoustie, 1,322 hours at Duntuilin (Skye), 1,283 hours at Arbroath and 1,274 hours at Troon.

Fog.—Fog occurred rather frequently during the first quarter, being reported at one place or other on 29 days in January, 23 in February and 27 in March. It was also reported on 20 or more days in June, September, November and December. In June and September it was mostly of coastal type and was fairly persistent along the east coast and in the Clyde area between September 17th and 24th. Greenock had fog on 21 days in November and 11 days in December.

Aurora.—Aurora was observed on 109 nights. In March it was seen on 21 nights—the greatest frequency in any month for some years. A very fine display on March 1st was seen in all parts of Scotland. Another display of unusual brilliance occurred on September 18th. This also was seen all over Scotland, in south-west Ireland and in the south of England.

[For Statistical Tables see page 139.]

APPENDIX IV.

RE-REGISTRATION OF BIRTHS.

REGISTRATION OF BIRTHS, &C. (SCOTLAND) AMENDMENT) ACT, 1934.

This Act, which came into force on 1st January 1935, provides that the Registrar-General may authorise re-registration of the births of persons born illegitimate who have been legitimated by the subsequent marriage of their parents, and also of persons the original entry of whose birth is affected by any matter contained in the Register of Corrected Entries respecting status or paternity.

The number of re-registrations authorised in each year was as follows:—

Year.					No.
1935	1,259
1936	1,063
1937	1,048
1938	979
1939	1,069
1940	1,191
1941	716

ADOPTED CHILDREN REGISTER.

ADOPTION OF CHILDREN (SCOTLAND) ACT, 1930.

This enactment provides for the legal adoption of children in Scotland by Order of the Court, and for the registration of such adoptions in an Adopted Children Register kept at the General Registry Office, Edinburgh. This Register is open for search and extract purposes under the same conditions as are the Registers of Births, Deaths and Marriages, and an Extract from the Adopted Children Register is evidence of adoption, and also of the date of birth of the child if such date is recorded in the relative entry. The Act came into operation on 1st October 1930, and the following Table shows the number of Adoptions recorded in each year:

Year.			No.	Year.			No.
1930	3	1936	704
1931	347	1937	820
1932	492	1938	812
1933	437	1939	1,100
1934	602	1940	1,424
1935	683	1941	1,222

SEARCHES AND EXTRACTS.

The principal records preserved in the General Registry Office, Edinburgh, are the duplicate Registers of Births, Deaths and Marriages for every Registration District in Scotland, kept under the provisions of the Scottish Registration Acts, 1854–1938, and the Parochial Registers of Births and Baptisms, Proclamations of Banns and Marriages, and Deaths and Burials kept prior to 1855 in the respective parishes under the administration of the Church of Scotland. The earlier Census records in the custody of the Registrar-General, including those relating to the decennial censuses from 1841 to 1871 inclusive, have also been made available for search and extract purposes under prescribed conditions.

The following Table shows the number of searches made and extracts issued during each of the past ten years:—

YEAR.	Total Searches.	Official Searches.	Paid Searches.	Extracts.	Total Fees received.		
					£	s.	d.
1931	40,355	28,184	12,171	8,907	1,727	15	7
1932	35,188	22,608	12,580	8,930	1,751	3	4
1933	33,199	20,535	12,664	8,767	1,739	4	0
1934	32,817	19,823	12,994	8,505	1,750	0	2
1935	34,725	21,084	13,641	9,528	1,885	1	1
1936	30,734	16,341	14,393	9,192	2,057	8	10
1937	37,107	21,338	15,769	10,929	2,184	11	5
1938	39,360	22,432	16,928	12,419	2,348	17	8
1939	40,064	24,964	15,100	13,048	2,179	11	7
1940	67,233	53,355	13,878	13,044	2,099	14	2
1941	47,275	35,090	12,185	11,656	1,861	5	6

Of the 35,090 official searches made in 1941, 12,763 (including 806 searches in the Census Returns) were for the purposes of Widows, &c. Contributory Pensions Acts, 1,368 (including 118 Census searches) for those of the Old Age Pensions Acts, 14,936 for Defence Forces, and 6,023 for other public purposes. The number of Extracts shown for 1941 includes 1,479 Abbreviated Certificates of Birth issued under Section 4 of the Registration (Scotland) Amendment Act, 1934.

APPENDIX V.

ALTERATIONS OF BOUNDARIES OF BURGHES, LANDWARD AREAS OF COUNTIES, COUNTIES, CIVIL PARISHES AND REGISTRATION DISTRICTS REPORTED TO THE REGISTRAR-GENERAL AS BECOMING EFFECTIVE IN 1941.

Area.	Nature of Alteration.	Population at Census 1931.					
		Before Alteration.			After Alteration.		
		Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
BURGHES - - -	None.	—	—	—	—	—	—
LANDWARD AREAS -	None.	—	—	—	—	—	—
II. COUNTIES - -	None.	—	—	—	—	—	—
V. CIVIL PARISHES -	None.	—	—	—	—	—	—
VII. REGISTRATION DISTRICTS—							
274 Barry - -	Districts united under name of Carnoustie.	4,508	1,966	2,542	—	—	—
316 Panbride - -		1,585	679	906	—	—	—
274 Carnoustie - -	See above.	—	—	—	6,093	2,645	3,448
35 Elgin - -	Districts united under name of Elgin.	11,583	5,249	6,334	—	—	—
36 Spynie - -		537	273	264	—	—	—
35 Elgin - - -	See above.	—	—	—	12,120	5,522	6,598
45 Dron - -	Districts united under name of Dunbarney and Dron.	204	94	110	—	—	—
47 Dunbarney - -		1,085	469	616	—	—	—
47 Dunbarney & Dron	See above.	—	—	—	1,289	563	726
99 (1) Melrose -	Areas annexed to Burgh of Galashiels transferred to District of Galashiels.	4,041	1,747	2,294	3,944	1,707	2,237
(2) Langshaw		477	247	230	471	243	228
75 Galashiels - -	See above.	14,106	6,417	7,689	14,209	6,461	7,748

APPENDIX VI.

REGISTRATION OF STILL-BIRTHS.

The total number of still-births registered during the year 1941 was 3,698, and, with 89,743 live births registered during the same period, these still-births are therefore equivalent to a rate of 40 per 1000 total births, live and still. This is a slight reduction, 2 per 1000, on the rates found in each of the two years which have elapsed since the introduction of still-birth registration in Scotland.

The geographical distribution of these live and still-births, together with the rates per 1000 total births, are shown in Table S.B. (1). The rates in the aggregate of large burghs and of counties exclusive of large burghs are 41·9 and 36·8 per 1000 respectively, an urban excess of 14 per cent., which was not observed in the figures of the two previous years, when the urban and other aggregates were almost identical. The slight reduction in the general rate for the country is therefore a non-urban phenomenon. The rates for individual Local Authority areas, however, show, as previously, wide variation. Thus for large burghs rates of over 50 per 1000 are found in Falkirk (53) and Inverness (55) and of 50 in Clydebank and Dumbarton, with higher than average rates also in Ayr, Paisley, Coatbridge, Greenock and Dunfermline. The lowest rates are recorded in Arbroath (17), Airdrie (27), Aberdeen (32) and Perth (33). In counties exclusive of large burghs heavy rates are found in Roxburgh, Clackmannan, Banff and Dumfries, the lowest in Bute, Kirkcudbright, Moray, Wigtown and Berwick. As many of these extreme values, especially in counties, are based upon a small total number of births, and as there is no uniformity year by year in the areas showing these outstanding low or high values, the geography of ante-natal deaths based upon the figures for the triennium now available is considered in more detail later in correlation with deaths of live-born infants in the first year of life. The 1941 figures for the principal regional aggregates and for large burghs and counties separately in these aggregates are given below.

The rates for the Eastern and Western aggregates of the Central industrial belt of the country, as in the two previous years' records, are higher than for the predominantly rural districts of the north or south, the only difference from past experience being that the divergence between the industrial and rural aggregates is more marked than hitherto. The same type of difference is apparent in the separate figures for the burghal and the county aggregates in these regions and, on the basis of the triennial figures, it seems clear that

TABLE S.B.(A).—*Still-birth Rates per 1000 Total Births by Divisions.*

DIVISION.*	Total.	Large Burghs.	Counties (excluding Large Burghs).
Northern	32·1	33·6	31·6
East Central	38·7	39·8	37·4
West Central	43·1	44·0	41·3
Southern	35·9	38·3	35·5
SCOTLAND	39·6	41·9	36·8

* The East Central Division consists of the Counties of Fife, Clackmannan, Stirling, West Lothian, Midlothian and East Lothian, with the City of Dundee; the West Central Division consists of the Counties of Lanark, Dunbarton, Renfrew and Ayr; while the Northern Division includes all counties north and west of these two divisions, and the Southern Division all counties south and east.

the still-birth rate is influenced by factors specially pertaining to urban and industrial areas generally. Compared with e.g. the death-rates in the later part of the first year of life, however, the extent of the divergence is appreciably less. While in 1941 the large burgh figure for a given region is consistently greater than the corresponding county rate, this is not a constant finding for the two previous years.

Still-births and Neo-natal Deaths.— On account of the paucity of numbers it is not always possible to estimate any significant geographical distribution of ante-and neo- natal deaths from numbers based on the observations of a single year, but Table S.B. (1a) shows rates based on the combined numbers for the years 1939–1941, the neo-natal deaths being the number of deaths in each area at ages under one month. The table shows the rates per thousand total births, live and still, of still-births, of neo-natal deaths and of the two combined. For Scotland as a whole it is found that out of every thousand children born after the twenty-eighth week of pregnancy 78 died before birth or within one month thereafter. It has already been pointed out (see page xvii) that the neo-natal mortality represents what has been a very constant factor in the past ten years at any rate, and so far the still-birth rate in Scotland has moved within comparatively narrow limits. Similarly this table indicates that local differences in this combined rate are on the whole rather less than in the case of infantile mortality under one year. Thus while in the same three years the infantile mortality for the large burghs has been on an average about 29 per cent. higher than in the counties, the above combined rate is 81 for the large burghs and 74 for the counties. It is thus only 9 per cent. higher in the large burghs than in the counties, the still-birth rate being 5 per cent. higher and the neo-natal rate 15 per cent. higher, whereas for children aged 1 to 11 months the rate per thousand living births is 46 per cent. higher in the large burghs than in the counties. In the large burghs the combined rate (still-births and neo-natal deaths) ranged from 90 in Paisley, 88 in Inverness and 87 in Coatbridge to 71 in Edinburgh, in Kilmarnock and in Perth and 63 in Motherwell and Wishaw. It was 85 in Glasgow and 86 in Dundee. In the counties it ranged from 85 in Clackmannan, 84 in Lanark and 82 in Midlothian to 55 in Orkney, 54 in Zetland and 52 in Bute. In the Divisions the rate was highest in the West Central (82), followed by 76 in the East Central, 72 in the Southern and 70 in the Northern.

Age of Mother and Number of Previous Children.— Table S.B. (2) shows still-births classified according to age of the mother and (in the case of legitimate births) according to number of previous children born to the mother. Among legitimate births the rates increase progressively with advancing maternal age from 19 per 1000 at ages under 20 years to 68 among

TABLE S.B.(B),—*Still-births per 1000 Total Births, 1941.*

Age of Mother.	Children of all Married Mothers.	Primiparæ (first births)	Multiparæ (one or more previous births).
Under 20 . . .	19	20	15
20 — . . .	29	36	20
25 — . . .	34	45	27
30 — . . .	43	60	38
35 — . . .	57	74	53
40 and over . .	68	84	67
All Ages . . .	39	44	36

those born to mothers over 40 years. This trend is broadly similar to that indicated from past experience. Compared with the rates for 1939 and 1940 the proportion of still-births to total births shows a decline for practically every age group. (In age group 20–24 the rate for 1941 is very slightly higher than in 1939 and in 1940.) The rate among infants born to unmarried women (50 per 1000) is 28 per cent. higher than that for legitimate infants (39) and this excessive mortality is found in each individual age group of mothers, relatively most so in the younger and least in the older maternal age groups. At ages under 20 and at 20–25 years, e.g. the excess amounts to 90 and 62 per cent., whereas at 35–40 years and over 40 the illegitimate excess falls to 37 and 7 per cent. respectively.

Certification.—Of the 3,698 still-births registered the cause of death was certified in 3,554 cases by a medical practitioner and in 137 cases by a certified midwife. In six cases registration followed receipt of a Schedule of Result of Precognition by the Procurator-Fiscal and in only one case was it necessary for the informant to make the statutory declaration that the child was not born alive. The percentages certified by a medical practitioner and by a midwife were 96·1 and 3·7 respectively compared with 95·3 and 4·6 in 1940.

From the distribution of still-births by age and parity as shown in Table S.B. (2) rates specific for each factor have been calculated, and from these it would appear that both parity and age separately have a definite influence on the liability to still-birth, primiparous (first) births generally showing a considerably heavier still-birth rate than those of 2-, 3- or 4-paræ. With further increase in the number of previous children, however, the rate becomes somewhat heavier. Table S.B.(B) shows the rates for primiparæ and multiparæ (irrespective of number of previous children born) for different ages of mothers from which it will be observed that multiparæ show a lower proportion of still-born infants than primiparæ in every age period, and particularly so in the early years of reproductive life.

The rate per 1000 total births is 44 in the case of the first child, falls to 26 for the second child, rises thereafter to 30 for the third child, 56 for the sixth child and 66 in the case of the tenth child. There is an obvious similarity between these rates and those according to maternal age, and to dissociate these from one another rates are shown specific for each factor. Partly on account of paucity of numbers the rates do not show a very consistent change with increasing numbers of previous children, but when the numbers for previous children are amalgamated into groups of three (Table S.B.(C)), they

TABLE S.B.(C).—*Still-births (Legitimate) per 1000 Total Children born by Age of Mother and Number of Previous Children, 1941.*

Number of previous Children.	All Ages.	Age of Mother.					
		Under 20.	20–24.	25–29.	30–34.	35–39.	40 and over.
None	44	20	36	45	60	74	84
1-3	30	15	20	26	34	48	51
4-6	49	...	23	33	45	62	73
7-9	60	43	56	53	77
10 and over	63	69	56	68
TOTAL .	39	19	29	34	43	57	68

No rate has been calculated where the number of observations, live-births and still, is less than 50.

show up to age 35 a steady increase as the number of previous children increases after the first, but this correlation is less marked at ages over 35.

Multiple Births.—In Table S.B. (3) will be found a detailed analysis of multiple births in which at least one child was still-born. All statistics referring to multiple births published in Tables 1 and 2 of these reports include only cases of children born alive. Thus the birth of two children, one of whom was still-born, is there counted as a single birth, while a case of two living children and one still-birth is counted as a twin birth. In an earlier part of this report (see page ix) it was indicated that 1,050 mothers gave birth to living twin children and 17 to living triplets, but if still-born children are included it is found that there were 113 additional cases of the births of twins in which 1 child was still-born (the other being included as a single birth in Table 1), and 35 in which both were still-born, while in addition to the number of triplet births of living children there were 2 cases in which 2 children were live-born (included as twin births in Table 1) and 1 still-born and 1 in which all 3 children were still-born.

Adding the number of still-births to the live births it is found that the total number of children born was 93,441 (89,743 living-born and 3,698 still-born), the total number of confinements being 92,205. Of these 1,196 resulted in a twin birth and 20 in a triplet birth. Out of 2,392 twin children born 183 were still-born, a rate of 77 per 1000 twin children, contrasting with one of 40 for all children.

The total confinements according to plurality or otherwise and fate of infants are summarised as follows:—

TABLE S.B.(D).—*Multiple Births, 1941.*

Number of Children born.	Confinements.	Living-born Children.	Still-born Children.
1 living	87,479	87,479	...
1 still-born	3,510	...	3,510
2 living	1,048	2,096	...
1 living, 1 still-born	113	113	113
2 still-born	35	...	70
3 living	17	51	...
2 living, 1 still-born	2	4	2
3 still-born	1	...	3
TOTAL	92,205	89,743	3,698

Principal Causes of Still-birth.—The detailed list of causes of still-birth, shown separately for sex and for age of mother, is given in Table S.B. (4). Of the broad groups the largest numbers are in the groups difficult labour and foetal defects, which account for 29 and 23 per cent. respectively of the total. Causes ill-defined and unknown in the present figures account for approximately one-fifth of the total, a notable reduction compared with the figures for former years, when roughly one-third of all foetal deaths were incorporated in this group. Of cases of difficulties in delivery, or injury to the foetus otherwise, the most important individual causes are abnormal presentation (nearly one-third), prolapse of cord (one-fifth) and prolonged labour, which together form 70 per cent. of the whole group. Of foetal defects and anomalies of cord and placenta the most frequently recorded are anencephalus and hydrocephalus and torsion of the cord. Antepartum

hæmorrhages account for 13 per cent. of the total still-births for 1941, and of these there is a greater number attributed to accidental hæmorrhage than to placenta prævia, and the remaining 20 per cent. of hæmorrhages are from other or not stated forms. Toxæmias are responsible for a tenth of all still-births, the outstanding individual condition, eclampsia or pre-eclampsia, accounting for nearly half of the total. One-third of all these toxæmias, unfortunately, are recorded merely as toxæmia without further specification. General diseases of the mother are relatively unimportant causes of foetal death, 1 in 30 being so attributable. The only important causes specified in this group are syphilis, diseases of heart and circulatory system, chronic nephritis and diseases of the blood.

For the principal cause groups the rates per 1000 total births according to age of the mother are given in Table S.B.(E).

TABLE S.B.(E).—*Still-births per 1000 Total Births by Age and Disease Groups, 1941.*

Age of Mother.	All causes.	General diseases of Mother.	Toxæmias.	Ante-partum hæmorrhage.	Foetal defects.	Difficult labour.	Other defined causes.	Ill-defined or unknown causes.
Under 20	24	0·2	2·7	2·3	6·5	6·3	0·2	5·9
20–	31	0·9	3·7	3·1	7·3	8·5	0·4	6·6
25–	35	1·1	3·6	4·8	7·7	10·0	0·6	6·8
30–	44	1·5	4·2	5·9	9·9	13·2	1·0	8·0
35–	58	2·5	5·1	8·0	13·4	16·2	0·7	11·7
40 and over	68	2·3	6·1	10·1	12·7	18·8	1·8	16·5
All Ages	40	1·3	4·0	5·1	9·0	11·3	0·7	8·1

In all separate cause groups the rates are decidedly heavier in infants born to older than to younger mothers; in all the rate increases progressively from the earliest to the later ages, but the extent of the divergence varies. In the hæmorrhage group, e.g., the rate among the old is four times as heavy as in the youngest, and for difficult labour and ill-defined causes the rates in the later are three times as high as in the youngest age group. For foetal defects and toxæmias the rates for the oldest are about twice as heavy as for the youngest mothers. General diseases of mother naturally increase progressively, but the rates are small and uncertain.

Sex-Ratio.—The ratio of male to female still-births for general cause groups is given below:—

	1941.	1940.	1939.
General diseases of mother	1·72	1·77	1·08
Toxæmias	1·58	1·39	1·18
Ante-partum hæmorrhage	1·36	1·24	1·41
Foetal defects	0·63	0·69	0·64
Difficult labour	1·56	1·72	1·68
Ill-defined and unknown causes ...	1·28	1·28	1·27
All causes	<u>1·27</u>	<u>1·26</u>	<u>1·23</u>

For all causes there are 27 per cent. more male than female still-births, and with the usual live-birth male to female ratio of about 1·05 it is clear that

still-births are relatively more frequent in male fœtuses. In the individual cause groups the ratios vary widely, the greatest relative male excess being found for general diseases of the mother (an inconstant high ratio), toxæmias and difficulties at birth. Congenital defects, on the other hand, show a consistent excess among females. There seems no relation between age of mother and the amount of the excess male mortality, the ratios showing no general or material divergence in the different age groups.

Causes of Still-birth by Parity.—For the cause groups enumerated, the following table compares the rates for primiparæ and multiparæ.

TABLE S.B.(F).—*Still-birth rates per 1000 total Births among Married Mothers.*

	All Married Mothers.	Primiparæ.	Multiparæ.
General diseases of mother	1·3	1·6	1·2
Toxæmias	3·7	5·5	2·7
Ante-partum hæmorrhage	5·2	4·0	5·9
Fœtal defects	9·1	9·5	8·8
Difficult labour	11·2	15·0	8·9
Other defined causes	0·7	0·4	0·9
Ill defined or unknown causes	7·7	7·9	7·5

It will be observed that in the defined cause groups the multiparous rate is more favourable in all except that due to hæmorrhage. In the primiparous mothers difficulties in labour account for the highest rate.

Month of Registration.—Table S.B. (6) shows still-births classified by cause of death and month of registration. The rate from all causes varies from 47 in January and 45 in February to 35 in June and in October and 33 in August, and there is thus no evidence of any great or regular seasonal variation. Aggregating the figures for the four quarters, the rates are shown below for the main cause group:—

TABLE S.B.(G).—*Rates per 1000 Total Births.*

	All causes.	General diseases.	Toxæmias.	Ante-partum hæmorrhage.	Defects.	Difficult labour.	Ill-defined.
1st Quarter	45	1·1	4·3	5·6	10·0	11·4	12·0
2nd Quarter	39	1·4	4·3	4·9	8·2	11·9	8·0
3rd Quarter	37	1·6	3·4	5·2	8·5	10·5	6·8
4th Quarter	37	1·3	3·9	4·9	9·4	11·5	5·4

For all causes quarterly fluctuation is small, the rates in the first two being rather higher than in the last two quarters, but in individual groups seasonal variation is universal. In congenital defects there is a slight winter excess. For ill-defined causes the rates decline progressively, but this is probably artificial and due to closer scrutiny of such causes and the greater frequency of requests for further information.

Changes in cause of Foetal Death.—With only three years' figures available any great changes are not to be expected, but contrasting the numbers in 1939 and in 1941 decided changes are seen as follows:—The principal difference is in the ill-defined group where the numbers have fallen from 1,263 in 1939 to 755 in 1941. Within this group the three causes mainly affected are prematurity (286 against 160), asphyxia (341 against 157) and unknown (362 against 164). With such a difference occurring when efforts were made to improve certification of cause of still-birth, increases in other causes are likely to be due to such transfer. These are seen in such causes as syphilis (20, 32), diseases of blood (6, 20) and of heart and circulation (13, 25) and chronic nephritis (5, 14) in the general disease group, in eclampsia (97, 162) in the toxæmia group (with a fall in the "toxæmia, not stated" from 168 to 124); in increases in the foetal anomalies (712, 840), especially hydrocephalus and anencephalus, and in the difficult labours. Many of these changes can therefore be looked upon rather as essential differences from attempts to obtain improved statistics than as actual changes of incidence of the conditions specified.

Relative Importance of Still-births and of Early Infant Deaths.—Attention has been drawn in previous Reports to the numerical importance of these deaths compared with those from other causes which attract public attention. In the following table are shown the average number of deaths in 1939–1941 from ante- and post-natal causes and from certain selected diseases. The only causes which exceed the ante- and post-natal average of 7,066 are heart disease, deaths from which are twice as great, malignant disease, 17 per cent. greater, and cerebral hæmorrhage and allied causes, deaths from which are very slightly greater. All the other groups quoted are of numerically less importance than this loss of infant life.

TABLE S.B.(H).—Average number of Deaths per annum in Scotland from certain causes, 1939–1941.

Cause of Death.	Average Number per annum.	Cause of Death.	Average Number per annum.
Measles	127	Congenital Defects (under one year)—	
Scarlet fever	36	Hydrocephalus	53
Whooping-cough	438	Spina bifida, Meningocele	168
Diphtheria	529	Congenital heart disease	173
Tuberculosis, Respiratory	2,957	Other congenital defects	169
„ Other forms	944	Diseases peculiar to first year of life—	
Malignant disease	8,247	Congenital debility	566
Cerebral hæmorrhage, Apoplexy, Embolism, &c.	7,085	Premature birth	1,493
Heart disease	16,054	Injury at birth	329
Bronchitis and Pneumonia—		Other diseases peculiar to first year	339
Total	6,941	Still-births	3,776
Under 15 years	1,857		
Puerperal causes	403		
Accidental deaths—			
Motor Vehicles	905		
Other accidental deaths	2,415	TOTAL, Ante-natal and congen. causes	<u>7,066</u>

TABLE S.B. (1).—No. of Still-Births in Counties and Large Burghs of Scotland, 1941.

COUNTIES AND LARGE BURGHS.	Living Births.	Still-Births.	Still-Births per 1000 Total Births (Living and Still).	COUNTIES AND LARGE BURGHS.	Living Births.	Still-Births.	Still-Births per 1000 Total Births (Living and Still).
SCOTLAND	89,743	3,698	40	KINROSS Co.	132	5	36
LARGE BURGHS	48,344	2,115	42	KIRKCUDBRIGHT Co. . . .	619	12	19
COUNTIES (exclusive of Large Burghs). . . .	41,399	1,583	37	LANARK Co.	30,875	1,380	43
ABERDEEN Co.	5,511	170	30	Airdrie Burgh	609	17	27
Aberdeen Burgh	2,907	96	32	Coatbridge Burgh	1,024	50	47
Remainder of County . .	2,604	74	28	Glasgow Burgh	20,363	946	44
ANGUS Co.	4,454	179	39	Hamilton Burgh	879	35	38
Arbroath Burgh	341	6	17	Motherwell and Wishaw B. .	1,382	49	34
Dundee Burgh	2,850	127	43	Rutherglen Burgh	369	16	42
Remainder of County . .	1,263	46	35	Remainder of County . . .	6,249	267	41
ARGYLL Co.	1,032	34	32	MIDLOTHIAN Co.	8,541	334	38
AYR Co.	5,960	264	42	Edinburgh Burgh	6,934	267	37
Ayr Burgh	791	41	49	Remainder of County . . .	1,607	67	40
Kilmarnock Burgh	712	27	37	MORAY Co.	899	19	21
Remainder of County . .	4,457	196	42	NAIRN Co.	186	7	36
BANFF Co.	969	48	47	ORKNEY Co.	430	13	29
BERWICK Co.	366	9	24	PEEBLES Co.	214	9	40
BUTE Co.	341	6	17	PERTH Co.	2,010	65	31
CAITHNESS Co.	543	17	30	Perth Burgh	644	22	33
CLACKMANNAN Co.	628	33	50	Remainder of County . . .	1,366	43	31
DUNBARTON Co.	2,611	121	44	RENFREW Co.	5,991	283	45
Clydebank Burgh	624	33	50	Greenock Burgh	1,517	75	47
Dumbarton Burgh	441	23	50	Paisley Burgh	1,885	96	48
Remainder of County . .	1,546	65	40	Port-Glasgow Burgh	509	22	41
DUMFRIES Co.	1,550	70	43	Remainder of County . . .	2,080	90	41
Dumfries Burgh	528	21	38	ROSS AND CROMARTY Co. . .	1,019	35	33
Remainder of County . .	1,022	49	46	ROXBURGH Co.	600	36	57
EAST LOTHIAN Co.	936	35	36	SELKIRK Co.	272	9	32
FIFE Co.	4,984	195	38	STIRLING Co.	3,326	130	38
Dunfermline Burgh	695	34	47	Falkirk Burgh	606	34	53
Kirkcaldy Burgh	722	31	41	Stirling Burgh	531	19	35
Remainder of County . .	3,567	130	35	Remainder of County . . .	2,189	77	34
INVERNESS Co.	1,413	57	39	SUTHERLAND Co.	266	11	40
Inverness Burgh	481	28	55	WEST LOTHIAN Co.	1,618	68	40
Remainder of County . .	932	29	30	WIGTOWN Co.	706	16	22
KINCARDINE Co.	450	17	36	ZETLAND Co.	291	11	36

TABLE S.B. (1a).—Still-Birth Rate and Neo-Natal Death-Rate per 1000 Total Births, Live and Still, 1939-1941.

	RATES PER 1000 TOTAL BIRTHS.				RATES PER 1000 TOTAL BIRTHS.		
	Still- Births.	Neo- Natal Deaths.*	Com- bined Rates.		Still- Births.	Neo- Natal Deaths.	Com- bined Rates.
SCOTLAND . .	41	36	78				
LARGE BURGHS . .	42	39	81	Peebles	43	20	63
COUNTIES (exclusive of Large Burghs) . .	40	34	74	Perth.	37	30	67
				Renfrew	40	32	73
NORTHERN DIVISION .	37	33	70	Ross and Cromarty .	36	29	65
EAST CENTRAL do. .	41	35	76	Roxburgh	47	28	74
WEST CENTRAL do. .	43	39	82	Selkirk	30	30	59
SOUTHERN do. .	38	34	72	Stirling	40	33	73
COUNTIES —				Sutherland	47	25	72
Aberdeen	35	32	67	West Lothian . . .	42	35	77
Angus	36	32	68	Wigtown	33	33	66
Argyll	46	29	75	Zetland	37	17	54
Ayr	41	31	72				
Banff,	48	26	73	LARGE BURGHS —			
Berwick	37	37	74	Glasgow	44	40	85
Bute	20	33	52	Edinburgh	39	32	71
Caithness	37	27	64	Dundee	46	40	86
Clackmannan	46	39	85	Aberdeen	36	39	74
Dunbarton	48	34	81	Paisley	42	48	90
Dumfries	44	36	80	Greenock	41	37	78
East Lothian	37	34	71	Motherwell & Wishaw	33	29	63
Fife	39	37	76	Clydebank	38	43	81
Inverness	38	30	67	Kirkcaldy	48	34	81
Kincardine	39	39	77	Coatbridge	48	39	87
Kinross	49	27	77	Kilmarnock	35	37	71
Kirkcudbright	30	37	68	Hamilton	45	39	84
Lanark	44	40	84	Ayr	49	33	82
Midlothian	45	37	82	Falkirk	47	29	76
Moray	31	37	68	Dunfermline	42	40	81
Nairn	46	29	75	Perth	37	34	71
Orkney	29	25	55	Airdrie	42	45	86
				Rutherglen	38	37	75
				Dumfries	37	41	78
				Stirling	42	37	79
				Inverness	41	47	88
				Dumbarton	40	40	80
				Port Glasgow	36	49	85
				Arbroath	32	42	74

* Deaths under one month.

TABLE S.B. (2).—Still-Births by Age of Mother and number of Previous Children, 1941.

NUMBER OF PREVIOUS CHILDREN (PRESENT OR ANY PREVIOUS HUSBAND).	AGE OF MOTHER.									Not stated.
	All Ages.	Under 20.	20-	25-	30-	35-	40-	45-	50 and over.	
None	1,454	61	416	487	314	142	29	1	...	4
1	533	8	104	185	141	77	18
2	370	1	40	126	106	81	16
3	289	...	19	68	101	80	20	1
4	218	...	5	44	77	67	24	1
5	181	...	1	22	54	73	26	5
6	110	12	32	42	24
7	85	3	27	33	21	1
8	52	1	8	20	20	3
9	45	9	21	12	3
10 and over	53	4	19	28	2
All Legitimate Still Births	3,390	70	585	948	873	655	238	17	...	4
All Illegitimate Still-Births	308	45	96	60	43	42	14	8
ALL STILL-BIRTHS	3,698	115	681	1,008	916	697	252	17	...	12
* Still-Births per 1000 Total Births (including Still-Births)—										
Legitimate	39	19	29	34	43	57	68
Illegitimate	50	36	47	47	52	78	73
All Births	40	24	31	35	44	58	69

* Based, in respect of mothers of living children, on an estimated age distribution.

TABLE S.B. (3).—Multiple Births by Age of Mother, 1941.

Note.—This table refers exclusively to those cases in which at least one child was still-born.

	LIVING BIRTHS.				STILL-BIRTHS.		AGE OF MOTHER.										Not stated.
	Male.		Female.		Male.	Female.	All Ages.	Under 20.	20- 24	25- 29	30- 34	35- 39	40- 44	45- 49	50 and over.		
Twin Births	2	...	21	...	10	5	1	5	
	1	1	9	1	2	...	4	2	
	2	5	...	1	1	1	2	
	1	...	1	...	41	1	7	6	16	10	1	
	1	1	14	...	2	2	6	4	
Triplet Births	1	1	...	27	...	4	6	7	10	
	...	1	...	1	31	...	3	14	9	4	1	
	3	...	1	1	
	2	...	1	...	1	1	
	1	1	1	...	1	1	
All Twin Births	148	2	29	34	44	37	2	
All Triplet Births	3	1	1	1	
ALL STILL-BIRTHS																	
i.e. Total number of Multiple Pregnancies in which at least one child was still-born.																	
CHILDREN BORN—																	
Living-born—																	
Male	58	1	9	10	23	14	1	
Female	59	...	7	20	17	14	1	
Still-born—																	
Male	124	2	33	23	30	35	1	
Female	64	1	9	18	21	14	1	
TOTAL—Both Sexes																	
4 58 71 91 77 4 ...																	

TABLE S.B. (4).—Still-Births 1941. Causes of Death with Age of Mother.

CAUSE OF DEATH.	SEX OF CHILD.	AGE OF MOTHER.									
		All Ages.	Under 20.	20-	25-	30-	35-	40-	45-	50 and over.	Not stated.
ALL CAUSES - - - -	B.S.	3,698	115	681	1,008	916	697	252	17	-	12
	M.	2,065	64	378	554	534	382	136	11	-	6
	F.	1,628	51	303	452	380	314	116	6	-	6
	Not Spec.	5	-	-	2	2	1	-	-	-	-
I. Disease in or Accident to the Mother - - -		1,044	26	182	293	264	198	77	3	-	1
(a) Diseases not specially associated with Pregnancy or Childbirth.											
Syphilis - - - -	M.	21	1	5	5	7	2	1	-	-	-
	F.	11	-	2	5	2	1	1	-	-	-
Tuberculosis - - - -	M.	1	-	1	-	-	-	-	-	-	-
	F.	1	-	1	-	-	-	-	-	-	-
Other chronic infectious diseases -	M.	2	-	1	1	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-
Influenza - - - -	M.	3	-	1	1	-	1	-	-	-	-
	F.	1	-	-	1	-	-	-	-	-	-
Other acute infectious diseases -	M.	2	-	-	-	2	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-
Exophthalmic goitre - - -	M.	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-
Other diseases of ductless glands -	M.	1	-	-	1	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-
Diseases of blood - - - -	M.	14	-	-	4	4	5	1	-	-	-
	F.	6	-	1	1	1	2	1	-	-	-
Other general diseases - - -	M.	2	-	-	1	-	-	1	-	-	-
	F.	3	-	-	1	2	-	-	-	-	-
Diseases of nervous system - -	M.	-	-	-	-	-	-	-	-	-	-
	F.	2	-	-	-	2	-	-	-	-	-
Diseases of heart - - - -	M.	2	-	-	1	1	-	-	-	-	-
	F.	2	-	1	-	1	-	-	-	-	-
Other diseases of circulatory system	M.	13	-	1	1	1	8	2	-	-	-
	F.	8	-	-	4	1	3	-	-	-	-
Bronchitis, pneumonia - - -	M.	-	-	-	-	-	-	-	-	-	-
	F.	1	-	1	-	-	-	-	-	-	-
Other diseases of respiratory system	M.	2	-	1	-	-	-	1	-	-	-
	F.	1	-	1	-	-	-	-	-	-	-
Diseases of digestive system - -	M.	1	-	-	-	1	-	-	-	-	-
	F.	4	-	2	1	1	-	-	-	-	-
Chronic nephritis - - - -	M.	11	-	-	3	4	4	-	-	-	-
	F.	3	-	-	-	1	1	1	-	-	-
Other diseases of genito-urinary system - - - -	M.	4	-	1	1	-	2	-	-	-	-
	F.	3	-	1	-	1	1	-	-	-	-

TABLE S.B. (4).—continued.

CAUSE OF DEATH.	SEX OF CHILD.	AGE OF MOTHER.									Not stated
		All Ages.	Under 20.	20-	25-	30-	35-	40-	45-	50 and over.	
I. Disease in or Accident to the Mother—continued.											
<i>(b) Diseases associated with Pregnancy or Childbirth.</i>											
<i>Toxæmias.</i>											
Eclampsia, pre-eclampsia -	M.	102	2	23	25	33	15	3	1	-	-
	F.	60	4	11	25	3	12	5	-	-	-
Nephritic toxæmia -	M.	46	1	10	14	8	9	4	-	-	-
	F.	33	1	5	10	11	3	3	-	-	-
Pyelitis -	M.	2	1	-	1	-	-	-	-	-	-
	F.	1	-	-	-	-	-	1	-	-	-
Acute yellow atrophy of liver	M.	2	-	-	1	1	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-
Hyperæmesis gravidarum -	M.	2	-	1	-	-	1	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-
Toxæmia (other or not stated)	M.	74	1	18	18	20	13	4	-	-	-
	F.	50	3	14	10	11	9	3	-	-	-
<i>Ante-partum hæmorrhage.</i>											
Placenta prævia -	M.	95	3	9	28	27	17	10	-	-	1
	F.	75	1	14	22	18	16	4	-	-	-
Accidental hæmorrhage -	M.	123	2	21	37	29	20	14	-	-	-
	F.	93	4	13	33	23	13	7	-	-	-
Other ante-partum hæmorrhage -	M.	59	1	7	15	15	17	3	1	-	-
	F.	36	-	6	4	11	14	1	-	-	-
<i>(c) Over-exertion—</i>											
As a result of overwork -	M.	3	-	-	1	-	-	2	-	-	-
	F.	1	-	-	1	-	-	-	-	-	-
Others -	M.	1	-	-	-	1	-	-	-	-	-
	F.	1	-	-	1	-	-	-	-	-	-
<i>(d) Other violent causes -</i>	M.	32	1	5	10	10	3	3	-	-	-
	F.	21	-	3	4	9	4	1	-	-	-
<i>(e) Other causes in mother -</i>	M.	5	-	-	1	2	1	-	1	-	-
	F.	2	-	1	-	-	1	-	-	-	-
II. Anomalies of Fœtus, Placenta or Cord											
	B.S.	840	31	163	226	208	162	47	3	-	-
<i>Fœtal defects.</i>											
Hydrocephalus -	M.	69	3	18	19	19	10	-	-	-	-
	F.	63	1	8	18	14	16	6	-	-	-
Spina bifida -	M.	16	-	1	5	6	3	1	-	-	-
	F.	29	-	6	11	8	3	1	-	-	-
Congenital heart disease -	M.	7	-	-	3	4	-	-	-	-	-
	F.	3	-	1	2	-	-	-	-	-	-
Hydramnios -	M.	19	1	3	2	7	4	2	-	-	-
	F.	12	-	1	1	5	4	1	-	-	-
	N.S.	1	-	-	-	-	1	-	-	-	-
Oligohydramnios -	M.	4	-	1	1	1	-	1	-	-	-
	F.	1	-	1	-	-	-	-	-	-	-
Multiple malformations or defects -	M.	24	-	5	6	9	4	-	-	-	-
	F.	42	2	6	13	12	8	1	-	-	-
Anencephalus -	M.	62	4	12	14	13	13	6	-	-	-
	F.	174	12	38	45	35	34	10	-	-	-
	N.S.	1	-	-	1	-	-	-	-	-	-
Other specified defects-	M.	9	-	2	3	1	2	1	-	-	-
	F.	16	1	5	3	2	2	3	-	-	-
	N.S.	1	-	-	-	1	-	-	-	-	-
Malformation, monster (type not stated)	M.	25	1	5	6	8	3	1	1	-	-
	F.	31	1	4	7	7	10	2	-	-	-
	N.S.	1	-	-	1	-	-	-	-	-	-
Torsion of cord -	M.	82	2	22	21	16	16	4	1	-	-
	F.	51	2	8	17	13	9	1	1	-	-
Placental infarct, disease, &c. -	M.	50	1	9	13	15	11	1	-	-	-
	F.	47	-	7	14	12	9	5	-	-	-

TABLE S.B. (4).—continued.

CAUSE OF DEATH.	SEX OF CHILD.	AGE OF MOTHER.									
		All Ages.	Under 20.	20-	25-	30-	35-	40-	45-	50 and over.	Not stated.
III. Death of Fœtus by Injury or other Cause	B.S.	1,059	30	190	291	277	196	67	7	-	1
<i>Difficult labour.</i>											
Abnormal presentation of fœtus	M.	174	9	38	50	37	28	11	-	-	1
	F.	135	3	24	40	35	20	11	2	-	-
Malformation of pelvis (con- tracted pelvis)	M.	27	-	6	8	8	4	1	-	-	-
	F.	16	-	1	6	6	3	-	-	-	-
Prolapse of cord	M.	146	2	19	42	46	27	8	2	-	-
	F.	78	2	10	28	14	20	3	1	-	-
Prolonged labour	M.	118	2	21	27	35	25	8	-	-	-
	F.	67	2	12	13	15	18	7	-	-	-
Uterine inertia	M.	16	-	1	5	5	4	1	-	-	-
	F.	9	-	1	5	3	-	-	-	-	-
Post maturity	M.	15	1	2	6	2	3	1	-	-	-
	F.	11	-	2	2	2	3	2	-	-	-
Obstetrical operations (with- out indication as to object of operation)—											
Operations causing mutila- tion	M.	6	-	-	-	1	3	2	-	-	-
	F.	4	-	1	-	1	1	1	-	-	-
Other obstetrical opera- tions	M.	1	-	-	1	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-
Precipitate labour	M.	9	-	-	2	3	2	2	-	-	-
	F.	9	-	3	5	1	-	-	-	-	-
Rupture of membranes	M.	9	1	1	-	2	3	2	-	-	-
	F.	4	-	-	2	1	-	1	-	-	-
Injury at birth (including cerebral hæmorrhage)	M.	65	2	17	17	18	8	2	1	-	-
	F.	42	2	10	9	11	8	1	1	-	-
Multiple pregnancy	M.	50	3	15	10	13	9	-	-	-	-
	F.	23	1	3	5	10	2	2	-	-	-
Other defined causes	M.	13	-	1	3	6	2	1	-	-	-
	F.	12	-	2	5	2	3	-	-	-	-
IV. Ill-defined and Unknown Causes	B.S.	755	28	146	198	167	141	61	4	10	-
Prematurity	M.	94	6	18	26	20	10	11	2	1	-
	F.	66	3	19	10	18	12	4	-	-	-
Habit abortion	M.	5	-	-	1	1	3	-	-	-	-
	F.	11	-	1	4	4	2	-	-	-	-
Debility	M.	35	2	5	11	8	6	3	-	-	-
	F.	29	1	4	7	8	4	4	-	1	-
Asphyxia	M.	88	1	16	33	14	16	8	-	-	-
	F.	69	4	15	26	11	7	6	-	-	-
Atelectasis	M.	17	1	3	6	3	1	3	-	-	-
	F.	7	-	3	2	-	1	1	-	-	-
Macerated fœtus	M.	100	6	19	26	25	22	2	-	-	-
	F.	70	-	13	16	14	18	7	1	1	-
Cause unknown	M.	85	3	13	17	22	22	4	1	3	-
	F.	78	1	17	13	18	17	8	-	4	-
	N.S.	1	-	-	-	1	-	-	-	-	-

TABLE S.B. (5).—Still-Births, 1941. Cause of Death by Order of Birth, including Children by any previous Husband, 1941. (Legitimate Births only.)

CAUSE OF DEATH.	All Legitimate Births.	NO. OF PREVIOUS CHILDREN (present or any previous Husband).												Not stated
		None.	1	2	3	4	5	6	7	8	9	10 and over.		
ALL CAUSES (Legitimate Still- Births only) - - - - -	3,390	1,454	533	370	289	218	181	110	85	52	45	53	-	
I. Disease in or Accident to the Mother - - - - -	952	379	154	110	86	61	54	33	25	11	19	20	-	
(a) Diseases not specially associated with Pregnancy or Childbirth.														
Syphilis - . - - - -	28	10	3	3	2	2	4	1	2	-	-	1	-	
Tuberculosis - - - - -	2	2	-	-	-	-	-	-	-	-	-	-	-	
Other chronic infectious diseases -	1	1	-	-	-	-	-	-	-	-	-	-	-	
Influenza - - - - -	4	2	1	1	-	-	-	-	-	-	-	-	-	
Other acute infectious diseases -	2	1	-	1	-	-	-	-	-	-	-	-	-	
Exophthalmic goitre - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other diseases of ductless glands -	1	1	-	-	-	-	-	-	-	-	-	-	-	
Diseases of blood - - - - -	19	3	2	3	2	2	3	-	-	1	2	1	-	
Other general diseases - - - - -	4	2	-	1	1	-	-	-	-	-	-	-	-	
Diseases of nervous system - - -	2	1	-	-	-	-	-	-	1	-	-	-	-	
Diseases of heart - . - - - -	4	3	-	1	-	-	-	-	-	-	-	-	-	
Other diseases of circulatory system	21	14	-	2	-	2	-	2	-	-	-	1	-	
Bronchitis and pneumonia - - -	1	1	-	-	-	-	-	-	-	-	-	-	-	
Other diseases of respiratory system -	3	2	-	-	-	-	1	-	-	-	-	-	-	
Diseases of digestive system - - -	5	3	-	1	1	-	-	-	-	-	-	-	-	
Chronic nephritis - - - - -	14	4	-	1	2	2	2	-	2	-	1	-	-	
Other diseases of genito-urinary system - - - - -	5	3	1	1	-	-	-	-	-	-	-	-	-	
(b) Diseases associated with Preg- nancy or Childbirth.														
Toxæmias.														
Eclampsia, pre-eclampsia - - -	143	89	14	12	13	5	4	1	1	1	1	2	-	
Nephritic toxæmia - - - - -	74	35	8	7	6	7	4	3	2	1	-	1	-	
Pyelitis - - - - -	2	1	-	-	-	-	-	-	-	-	-	1	-	
Acute yellow atrophy of liver -	2	1	-	-	-	-	-	-	-	-	1	-	-	
Hyperemesis gravidarum - - -	2	-	1	1	-	-	-	-	-	-	-	-	-	
Toxæmia (other or not stated) -	103	55	17	7	12	3	3	3	3	-	-	-	-	
Ante-partum hæmorrhage.														
Placenta prævia - - - - -	158	45	36	26	14	12	12	4	2	1	3	3	-	
Accidental hæmorrhage - - -	201	65	42	20	17	14	10	10	5	4	8	6	-	
Other ante-partum hæmorrhage	91	22	16	13	6	8	9	6	6	3	1	1	-	
(c) Over Exertion—														
As result of overwork - - -	3	-	-	1	1	-	-	1	-	-	-	-	-	
Others - - - - -	2	-	1	-	-	1	-	-	-	-	-	-	-	
(d) Other Violent Causes - - -	49	12	12	8	8	2	1	2	1	-	-	3	-	
(e) Other Causes in Mother - - -	6	1	-	-	1	1	1	-	-	-	2	-	-	

TABLE S.B. (5).—continued

CAUSE OF DEATH.	All Legitimate Births.	NO. OF PREVIOUS CHILDREN (present or any previous Husband).												10 and over.	Not stated.
		None.	1	2	3	4	5	6	7	8	9				
II. Anomalies of Foetus, Placenta or Cord - - - - -	790	315	139	96	70	51	44	28	23	12	5	7	-		
<i>Foetal defects.</i>															
Hydrocephalus - - - - -	128	56	29	10	6	12	4	6	2	2	-	1	-		
Spina bifida - - - - -	44	18	9	5	4	-	2	2	2	2	-	-	-		
Congenital heart disease - - -	9	5	1	1	2	-	-	-	-	-	-	-	-		
Hydramnios - - - - -	30	2	7	8	3	1	2	3	4	-	-	-	-		
Oligohydramnios - - - - -	5	5	-	-	-	-	-	-	-	-	-	-	-		
Multiple malformations or de- fects - - - - -	63	24	13	9	4	2	5	2	2	1	1	-	-		
Anencephalus - - - - -	219	63	34	31	29	16	20	8	10	3	1	4	-		
Other specified defects - - -	25	10	5	2	1	4	-	1	1	1	-	-	-		
Malformation, monster (type not stated) - - - - -	51	21	7	10	1	4	3	2	-	1	1	1	-		
Torsion of cord - - - - -	124	69	19	10	12	5	5	1	-	1	1	1	-		
Placental infarct, disease, &c. - -	92	42	15	10	8	7	3	3	2	1	1	-	-		
III. Death of Foetus by Injury or other Cause - - - - -	978	498	139	85	65	57	53	22	18	16	12	13	-		
<i>Difficult labour.</i>															
Abnormal presentation of foetus	282	128	49	31	16	22	13	6	3	6	3	5	-		
Malformation of pelvis (con- tracted pelvis) - - - - -	42	27	6	1	3	2	-	3	-	-	-	-	-		
Prolapse of cord - - - - -	209	83	36	20	16	10	22	6	7	4	2	3	-		
Prolonged labour - - - - -	166	107	14	11	11	4	9	1	3	3	1	2	-		
Uterine inertia - - - - -	24	16	2	1	1	1	2	-	-	1	-	-	-		
Post maturity - - - - -	25	13	3	1	2	2	1	1	1	-	1	-	-		
Obstetrical operations (without indication as to object of operation)—															
Operations causing mutilation	10	3	-	1	1	1	1	2	-	1	-	-	-		
Other obstetrical operations	1	-	-	1	-	-	-	-	-	-	-	-	-		
Precipitate labour - - - - -	18	3	4	-	4	3	2	-	1	-	-	1	-		
Rupture of membranes - - - - -	13	6	2	2	-	1	-	1	1	-	-	-	-		
Injury at birth (including cere- bral hæmorrhage) - - - - -	98	71	11	4	3	4	1	1	-	1	2	-	-		
Multiple pregnancy - - - - -	68	34	10	6	6	6	1	-	2	-	1	2	-		
Other defined causes - - - - -	22	7	2	6	2	1	1	1	-	-	2	-	-		
IV. Ill-defined and Unknown Causes	670	262	101	79	68	49	30	27	19	13	9	13	-		
Prematurity - - - - -	142	58	27	16	13	9	4	5	4	2	1	3	-		
Habit abortion - - - - -	16	1	3	1	3	3	1	1	2	1	-	-	-		
Debility - - - - -	57	19	10	8	3	7	2	2	1	2	1	2	-		
Asphyxia - - - - -	136	62	15	20	9	8	7	5	5	1	2	2	-		
Atelectasis - - - - -	22	11	3	1	2	-	-	2	1	1	1	-	-		
Macerated foetus - - - - -	154	56	22	18	17	13	8	8	2	4	2	4	-		
Cause unknown - - - - -	143	55	21	15	21	9	8	4	4	2	2	2	-		

TABLE S.B. (6).—Still-Births, 1941. Cause of Death by Month of Registration.

CAUSE OF DEATH.	Year.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.
ALL CAUSES - - - -	3698	378	323	338	327	351	283	317	259	293	284	263	282
Legitimate - - - -	3390	348	293	311	297	320	259	284	237	266	266	243	266
Illegitimate - - - -	308	30	30	27	30	31	24	33	22	27	18	20	16
Still-Births per 1000 Total Births - - - -	40	47	45	42	42	41	35	40	33	38	35	39	39
. Disease in or Accident to the Mother - - - -	1044	89	86	88	121	77	77	93	76	93	82	84	78
<i>(a) Diseases not specially associated with Pregnancy or Childbirth.</i>													
Syphilis - - - -	32	1	1	1	2	3	3	5	3	3	3	4	3
Tuberculosis - - - -	2	-	-	-	-	-	-	1	1	-	-	-	-
Other chronic infectious diseases -	2	-	-	-	-	-	-	-	-	-	-	1	1
Influenza - - - -	4	2	-	-	-	-	-	-	-	-	1	-	1
Other acute infectious diseases -	2	-	-	-	-	-	-	-	-	1	-	-	1
Exophthalmic goitre - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of ductless glands -	1	-	-	-	1	-	-	-	-	-	-	-	-
Diseases of blood - - - -	20	1	-	-	6	1	2	1	-	3	-	3	3
Other general diseases - - - -	5	-	-	1	1	-	1	1	1	-	-	-	-
Diseases of nervous system - -	2	1	-	-	-	-	-	-	1	-	-	-	-
Diseases of heart - - - -	4	1	-	-	1	1	-	-	-	-	-	1	-
Other diseases of circulatory system -	21	5	4	5	-	-	-	3	1	1	2	-	-
Bronchitis and pneumonia - -	1	-	-	-	-	-	-	-	-	-	-	-	1
Other diseases of respiratory system -	3	-	-	1	-	1	1	-	-	-	-	-	-
Diseases of digestive system - -	5	-	-	-	1	-	-	1	-	2	-	-	1
Chronic nephritis - - - -	14	-	-	-	2	2	2	2	2	2	-	1	1
Other diseases of genito-urinary system - - - -	7	-	1	-	2	-	-	3	-	-	1	-	-
<i>(b) Diseases associated with Pregnancy or Childbirth.</i>													
<i>Toxæmias.</i>													
Eclampsia, pre-eclampsia - -	162	17	11	17	19	11	9	12	11	12	13	14	16
Nephritic toxæmia - - - -	79	7	10	6	5	2	4	9	5	9	8	9	5
Pyelitis - - - -	3	-	1	-	-	-	1	-	-	-	-	1	-
Acute yellow atrophy of liver -	2	-	-	-	1	-	-	-	-	-	-	1	-
Hyperemesis gravidarum - -	2	-	-	-	-	-	-	-	1	1	-	-	-
Toxæmia (other or not stated) -	124	14	5	12	22	17	15	9	5	6	6	5	8
<i>Ante-partum hæmorrhage.</i>													
Placenta prævia - - - -	170	12	23	19	17	9	12	11	14	16	15	13	9
Accidental hæmorrhage - - -	216	21	16	14	23	21	20	16	17	19	15	17	17
Other ante-partum hæmorrhage	95	6	12	8	7	4	6	11	4	14	11	7	5
<i>(c) Over Exertion—</i>													
As result of overwork - - -	4	-	-	-	-	-	-	-	1	1	-	-	2
Others - - - -	2	-	-	-	-	-	-	-	-	1	1	-	-
<i>(d) Other Violent Causes</i> - - -	53	1	2	4	11	5	1	5	8	1	5	6	4
<i>(e) Other Causes in Mother</i> - - -	7	-	-	-	-	-	-	3	1	1	1	1	-

TABLE S.B. (6)—continued.

CAUSE OF DEATH.	Year.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sep.	Oct.	Nov.	Dec.
II. Anomalies of Foetus, Placenta or Cord - - - -	840	85	62	85	57	85	59	72	65	62	67	58	83
<i>Foetal defects.</i>													
Hydrocephalus - - - -	132	12	11	13	11	12	8	12	9	12	11	7	14
Spina bifida - - - -	45	3	4	2	4	7	4	3	3	3	2	3	7
Congenital heart disease - -	10	1	-	1	-	1	-	2	-	-	4	-	1
Hydramnios - - - -	32	4	1	5	2	2	2	2	7	1	2	2	2
Oligohydramnios - - - -	5	-	-	1	-	-	1	-	-	1	2	-	-
Multiple malformations or defects - - - -	66	5	8	8	8	5	4	4	8	2	6	6	2
Anencephalus - - - -	237	28	19	22	12	26	7	20	15	18	16	22	32
Other specified defects - -	26	2	2	2	2	1	2	1	-	2	3	5	4
Malformation, monster (type not stated) - - - -	57	4	2	4	5	6	9	6	6	6	3	3	3
Torsion of cord - - - -	133	11	9	18	8	11	11	15	11	12	13	5	9
Placental infarct, disease, &c. - -	97	15	6	9	5	14	11	7	6	5	5	5	9
III. Death of Foetus by Injury or other Cause - - - -	1059	97	88	80	84	114	93	95	72	80	96	77	83
<i>Difficult labour.</i>													
Abnormal presentation of foetus	309	23	28	18	23	27	19	28	21	32	24	38	28
Malformation of pelvis (contracted pelvis) - - -	43	4	3	3	1	4	2	1	5	3	9	3	5
Prolapse of cord - - - -	224	24	15	19	24	25	19	19	13	16	24	11	15
Prolonged labour - - - -	185	21	23	19	18	21	21	16	14	12	10	5	5
Uterine inertia - - - -	25	-	1	-	1	6	2	1	2	2	5	1	4
Post maturity - - - -	26	2	1	2	-	1	3	2	3	4	3	1	4
Obstetrical operations (without indication as to object of operation)—													
Operations causing mutilation	10	1	-	4	-	1	-	-	1	1	-	-	2
Other obstetrical operations -	1	-	-	-	-	-	-	-	1	-	-	-	-
Precipitate labour - - - -	18	1	-	2	1	2	5	2	-	-	2	1	2
Rupture of membranes - - -	13	2	-	-	2	1	2	1	-	1	-	2	2
Injury at birth, including cerebral hæmorrhage - - -	107	10	5	6	6	17	11	14	5	5	13	8	7
Multiple pregnancy - - - , -	73	3	10	3	8	6	9	11	5	2	4	5	7
Other defined causes - - - -	25	6	2	4	-	3	-	-	2	2	2	2	2
IV. Ill - defined and Unknown Causes - - - -	755	107	87	85	65	75	54	57	46	58	39	44	38
Prematurity - - - -	160	18	18	32	9	13	10	17	8	11	7	10	7
Habit abortion - - - -	16	-	-	1	2	2	2	4	2	-	1	1	1
Debility - - - -	64	6	10	5	5	6	1	3	5	7	6	4	6
Asphyxia - - - -	157	24	14	19	18	15	16	7	8	13	9	7	7
Atelectasis - - - -	24	4	3	3	4	1	6	1	-	-	-	2	-
Macerated foetus - - - -	170	29	21	12	13	19	9	10	17	16	7	8	9
Causes unknown - - - -	164	26	21	13	14	19	10	15	6	11	9	12	8

APPENDIX VII.

CLASSIFICATION OF CAUSES OF DEATH, BEING THE FIFTH INTERNATIONAL REVISION (1938) AS ADAPTED FOR USE IN SCOTLAND.

Notes.—(1) The Reference Numbers are those in the respective revisions of the International List. Sub-headings indicated by letters (*a*, *b*, *c*, &c.) correspond with that List. Those indicated by numbers (1, 2, 3, &c.) apply to the Scottish List only.

(2) Where two or more International Headings are combined that fact is indicated by the insertion, within brackets, of the reference number of the included heading after the name of the heading with which it is included, thus:—63*e*, Other diseases of thyroid and parathyroid (*a*, *d*)—indicates that the International Headings No. 63 (*a*) Simple goitre and 63(*d*), Other diseases of the thyroid gland, are included in No. 63*e*, Other diseases of thyroid and parathyroid.

(3) The lists are arranged so that the Reference Numbers both of the 1929 classification and of the 1938 classification appear so far as is possible in proper sequence.

INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH
(as adapted for use in Scotland).

CLASSIFICATION AS INTRODUCED IN 1941 (1938 Revision).		CLASSIFICATION 1931-1940 (1929 Revision).	
Group Names and Heading.	Refer- ence Nos.	Refer- ence Nos.	Group Names and Heading.
	1941	1931- 1940	
I. Infective and Parasitic Diseases.			I. Infectious and Parasitic Diseases.
<i>Diseases due to Bacteria.</i>			
TYPHOID FEVER	1	1	TYPHOID FEVER.
PARATYPHOID FEVERS	2	2	PARATYPHOID FEVERS.
No. 39	3	TYPHUS FEVER.
CEREBRO-SPINAL (MENINGOCOCCAL) MENINGITIS	6	...	No. 18.
With No 38	6	SMALLPOX.
No 35	7	MEASLES.
SCARLET FEVER	8	8	SCARLET FEVER.
WHOOPING-COUGH	9	9	WHOOPING-COUGH.
DIPHTHERIA	10	10	DIPHTHERIA.
No. 33	11	INFLUENZA :—
<i>a</i> .1	<i>a</i> .1	With pneumonia.
2	2	,, bronchitis.
<i>b</i> .1	3	,, other respiratory disease.
2	<i>b</i> .1	,, tuberc. of resp. system.
ERYSIPELAS	11	2	,, dis. or accs. of pregnancy.
TETANUS	12	3	,, other cause.
No. 27	4	Sole cause.
TUBERCULOSIS :—		...	No. 15.
Respiratory system	13	13	No. 22.
Central nervous system	14	...	DYSENTERY.
Intestines and peritoneum	15	...	TUBERCULOSIS :—
Vertebral column	16	...	No. 23.
Other bones and joints	17	...	No. 24.
		..	No. 25.
			No. 26.
			No. 27.

INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH—*continued*.

CLASSIFICATION AS INTRODUCED IN 1941 (1938 Revision).		CLASSIFICATION 1931-1940 (1929 Revision).	
Group Names and Heading.	Refer- ence Nos.	Refer- ence Nos.	Group Names and Heading.
	1941	1931- 1940	
I. Infective and Parasitic Diseases—<i>contd.</i>			I. Infectious and Parasitic Diseases—<i>contd.</i>
TUBERCULOSIS—<i>contd.</i>			TUBERCULOSIS—<i>contd.</i>
Skin and subcutaneous tissue	18	...	No. 28.
Lymphatic system	19	...	No. 29.
Genito-urinary system	20	...	No. 30.
Addison's dis. (spec. as tuberc.)	21. <i>a</i>	...	No. 31.
Other organs	<i>b</i>	...	
Disseminated	22	...	No. 32. <i>a</i> .
No. 11	15	No. 32. <i>b</i> .
No. 36	16	ERYSIPELAS.
No. 37	17	ACUTE POLIOMYELITIS.
No. 6	18	LETHARGIC ENCEPHALITIS.
No. 12	22	CEREBRO-SPINAL FEVER.
No. 13	23	TETANUS.
No. 14	24	TUBERCULOSIS :—
No. 15	25	Respiratory system.
No. 16	26	Central nervous system.
No. 17	27	Intestines and peritoneum.
No. 18	28	Vertebral column.
No. 19	29	Other bones and joints.
No. 20	30	Skin and sub-cutaneous tissues.
No. 21. <i>a, b</i>	31	Lymphatic system.
No. 22	{ 32. <i>a</i> <i>b</i>	Genito-urinary system.
PURULENT INFECTION AND SEPTI- CÆMIA	24		Other organs.
OTHER BACTERIAL DISEASES (3-5, 7, 23, 25)	26	...	Disseminated—acute.
<i>Dysentery.</i>			" —chronic (<i>c</i>).
DYSENTERY	27	...	No. 36.
<i>Diseases due to Protozoa.</i>			Nos. 35 and 44.
MALARIA (29)	28	..	No. 13.
<i>Diseases due to Spirochaetes.</i>			No. 38.
LOCOMOTOR ATAXIA (tabes dorsalis)	30. <i>a</i>	...	No. 80.
GENERAL PARALYSIS OF INSANE	<i>b</i>	...	No. 83.
ANEURYSM OF AORTA	<i>c</i>	...	No. 96.
SYPHILIS, CONGENITAL OR UNSPECI- FIED	<i>d</i>	34	SYPHILIS.
OTHER SPIROCHÆTAL DISEASES (31) Nos. 26 and 44. <i>d</i>	32 35	Nos. 4 and 39.
<i>Diseases due to Filterable Viruses.</i>			OTHER VENEREAL DISEASES.
INFLUENZA :—			INFLUENZA :—
With pneumonia	33. <i>a</i> .1	...	No. 11. <i>a</i> 1.
" other respiratory complica- tions	2	...	No. 11. <i>a</i> 2, <i>a</i> 3.
" non-respiratory complica- tions	<i>b</i> .1	...	No. 11. <i>b</i> 1, 2, 3.
Without stated complications	2	...	No. 11. <i>b</i> 4.
MEASLES	35	...	No. 7.
No. 24	36	PURULENT INFECTION, SEPTICÆMIA.

INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH—continued.

CLASSIFICATION AS INTRODUCED IN 1941 (1938 Revision).		CLASSIFICATION 1931-1940 (1929 Revision).	
Group Names and Heading.	Refer- ence Nos.	Refer- ence Nos.	Group Names and Heading.
	1941	1931- 1940	
I. Infective and Parasitic Diseases—contd.			I. Infectious and Parasitic Diseases—contd.
ACUTE POLIOMYELITIS AND POLIO- ENCEPHALITIS	36	...	No. 16.
LETHARGIC ENCEPHALITIS—ACUTE .	37. <i>a</i>	...	} No. 17.
OTHER OR UNSPECIFIED LETHARGIC ENCEPHALITIS (<i>b</i>)	<i>c</i>	...	
OTHER DISEASES DUE TO VIRUSES (34)	38	...	Nos. 6 and 44.
No. 28	38	MALARIA.
<i>Diseases due to Rickettsia.</i>			
TYPHUS FEVER	39	...	No. 3.
No. 42	41	HYDATID CYSTS.
<i>Diseases due to Helminths.</i>			
DISEASES DUE TO HELMINTHS (40, 41)	42	...	Nos. 41 and 44.
<i>Diseases due to Fungi.</i>			
MYCOSES	43	43	MYCOSES.
<i>Other Infective or Parasitic Diseases.</i>			
PERNICIOUS LYMPHOGRANULOMA- TOSIS (Hodgkin's disease)	44. <i>b</i>	...	No. 72. <i>b</i> .
OTHER INFECTIVE OR PARASITIC DISEASES (<i>a, c</i>)	<i>d</i>	...	Nos. 35 and 44.
(See also No. 195. <i>a</i> and Table J (2))			
Nos. 26, 29, 38, 42	44	OTHER INFECTIOUS OR PARASITIC DISEASES (4, 5, 12, 14, 19, 20, 21, 33, 37, 39, 40, 42).
II. Cancer and Other Tumours. (See also Table 28).			II. Cancer and Other Tumours. (See also Table 28).
CANCER AND OTHER MALIGNANT TUMOURS :—			CANCER :—
Buccal cavity and pharynx . . .	45	45	Buccal cavity, pharynx.
Digestive organs and peritoneum .	46	46	Digestive organs, peritoneum.
Respiratory system	47	47	Respiratory organs.
Uterus	48	48	Uterus.
Other female genital organs . . .	49	49	Other female genital organs.
Breast	50	50	Breast.
Male genital organs	51	} 51	Male genito-urinary system and part of No. 53 (Female urinary organs).
Urinary organs (both sexes) . . .	52		
Skin (scrotum excepted)	53	52	Skin.
Brain and nervous system	54	...	No. 53.
Other or unspecified organs . . .	55	53	Other or unspecified organs (incl. Urinary system, fem. only).
TUMOURS, NON-MALIGNANT OR OF UNDETERMINED NATURE (56) :—			TUMOURS, NON-MALIGNANT OR OF UNDETERMINED NATURE (54) :—
Ovaries	57. <i>a</i>	55. <i>a</i> .1	Ovary.
Uterus	<i>b</i>	2	Uterus.
Other female genital organs . . .	<i>c</i>	...	No. 55. <i>b</i> .3.
Brain and nervous system	<i>d</i>	<i>b</i> .1	Brain.
Bladder	<i>e</i> .1	2	Bladder.
Other and unspecified organs . . .	2	3	Others.

INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH—*continued*.

CLASSIFICATION AS INTRODUCED IN 1941 (1938 Revision).		CLASSIFICATION 1931-1940 (1929 Revision).	
Group Names and Heading.	Refer- ence Nos.	Refer- ence Nos.	Group Names and Heading.
	1941	1931- 1940	
III. Rheumatism, Diseases of Nutrition, and of Endocrine Glands, Other General Diseases and Vitamin Deficiency Diseases.			III. Rheumatism, Diseases of Nutrition, and Other General Diseases.
ACUTE RHEUMATIC HEART CONDITIONS (<i>a, b</i>)	58. <i>c</i>	} 56	RHEUMATIC FEVER.
OTHER FORMS OF ACUTE RHEUMATISM	<i>d</i>		
CHRONIC RHEUMATISM AND OTHER RHEUMATIC DISEASES	} 59	{ 57.1 2	CHRONIC RHEUMATISM. RHEUMATOID ARTHRITIS, OSTEO- ARTHRITIS.
No. 60	58	GOUT.
DIABETES MELLITUS	61	59	DIABETES MELLITUS.
No. 71	60	SCURVY.
No. 70	63	RICKETS.
DISEASES OF THE PITUITARY GLAND	62	65	DISEASES OF PITUITARY GLAND.
EXOPHTHALMIC GOITRE	63. <i>b</i>	66. <i>b</i>	EXOPHTHALMIC GOITRE.
MYXŒDEMA AND CRETINISM	<i>c</i>	<i>c</i>	MYXŒDEMA, CRETINISM.
OTHER DISEASES OF THYROID AND PARATHYROID (<i>a, d</i>)	<i>e</i>	<i>e</i>	OTHER DISEASES OF THYROID AND PARATHYROID, TETANY (<i>a, d</i>). [*]
DISEASES OF THYMUS (including status lymphaticus)	64	67	DISEASES OF THYMUS.
ADDISON'S DISEASE (not tuberculous)	65. <i>a</i>	} 68	DISEASES OF ADRENALS.
OTHER DISEASES OF ADRENAL GLANDS	<i>b</i>		
OTHER GENERAL DISEASES (60)	66	69	OTH. GENERAL DISEASES (61, 62, 64)
<i>Vitamin Deficiency Diseases.</i>			
RICKETS	70	...	No. 63.
OTHER VITAMIN DEFICIENCY DISEASES (67, 68, 69)	71	...	Nos. 60, 69.
IV. Diseases of Blood and of Blood-Forming Organs.			IV. Diseases of the Blood, and of Blood Forming Organs.
PURPURA, HÆMOPHILIA	72	} 70. <i>a</i> <i>b</i>	PURPURA.
PERNICIOUS ANÆMIA (<i>b</i>)	73. <i>a</i>		HÆMOPHILIA.
OTHER ANÆMIAS (<i>c</i>)	<i>d</i>	71. <i>a</i>	PERNICIOUS ANÆMIA.
LEUKÆMIA, ALEUKÆMIA	74	<i>b</i>	OTHER ANÆMIAS, CHLOROSIS.
No. 44. <i>b</i>	72. <i>a</i>	LEUKÆMIA.
DISEASES OF SPLEEN	75	<i>b</i>	ALEUKÆMIA (Lymphadenoma).
OTHER DISEASES OF BLOOD AND OF BLOOD-FORMING ORGANS	76	73	DISEASES OF SPLEEN.
		74	OTHER DISEASES OF BLOOD AND BLOOD FORMING ORGANS.
V. Chronic Poisoning and Intoxication.			V. Chronic Poisonings.
ALCOHOLISM	77	75	ALCOHOLISM (acute or chronic).
No. 79	76	CHRONIC POISONING BY OTHER ORGANIC SUBSTANCES.
LEAD POISONING	78	77.1	OCCUPATIONAL LEAD POISONING.
CHRONIC POISONING BY OTHER MIN- ERAL AND ORGANIC SUBSTANCES	79	2	OTHER CHRONIC POISONING BY MINERAL SUBSTANCES. (See also No. 76.)

INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH—*continued*.

CLASSIFICATION AS INTRODUCED IN 1941 (1938 Revision).		CLASSIFICATION 1931-1940 (1929 Revision).	
Group Names and Heading.	Refer- ence Nos.	Refer- ence Nos.	Group Names and Heading.
	1941	1931- 1940	
VI. Diseases of Nervous System and of Sense Organs.			VI. Diseases of Nervous System and Sense Organs.
INTRA-CRANIAL ABSCESS	80. <i>a</i>	78. <i>a</i>	CEREBRAL ABSCESS.
OTHER FORMS OF ENCEPHALITIS (non- epidemic)	<i>b</i>	<i>b</i>	OTHER FORMS OF ENCEPHALITIS.
MENINGITIS (not meningococcal) . .	81	79	MENINGITIS.
No. 30 <i>a</i>	80	TABES DORSALIS (locomotor ataxy).
MOTOR NEURONE DISEASE	82.1	81.1	PROGRESSIVE MUSCULAR ATROPHY.
SUB-ACUTE COMBINED DEGENERATION	2	2	SUB-ACUTE COMBINED SCLEROSIS.
MYELITIS OF UNSTATED ORIGIN . .	3	3	MYELITIS OF UNSTATED ORIGIN.
OTHER DISEASES OF MEDULLA AND OF SPINAL CORD	4	4	OTHER DISEASES OF SPINAL CORD.
CEREBRAL HÆMORRHAGE, APOPLEXY	83. <i>a</i>	82. <i>a</i>	CEREBRAL HÆMORRHAGE, APOPLEXY.
CEREBRAL EMBOLISM AND THROM- BOSIS	{ <i>b</i>	{ <i>b</i> .1 2	CEREBRAL EMBOLISM. Do. THROMBOSIS.
SOFTENING OF BRAIN	<i>c</i>	3	Do. SOFTENING.
HEMIPLEGIA AND OTHER PARALYSES OF UNSTATED ORIGIN	{ <i>d</i>	{ <i>c</i> .1 2	HEMIPLEGIA. OTH. PARALYSES OF UNSTATED ORIGIN.
OTHER INTRA-CRANIAL EFFUSIONS . .	<i>e</i>	...	No 82 (<i>a</i>).
No. 30. <i>b</i>	83	GENERAL PARALYSIS OF INSANE.
MENTAL DISORDERS AND DEFICIENCY	84	84	OTHER FORMS OF INSANITY.
EPILEPSY	85	85	EPILEPSY.
CONVULSIONS (age under 5 years) . .	86	86	INFANTILE CONVULSIONS (age under 5 years).
CHOREA	87. <i>a</i>	87. <i>a</i>	CHOREA.
NEURITIS	<i>b</i>	<i>b</i>	NEURITIS.
PARALYSIS AGITANS	<i>c</i>	<i>c</i>	PARALYSIS AGITANS.
DISSEMINATED SCLEROSIS	<i>d</i>	<i>d</i>	DISSEMINATED SCLEROSIS.
OTHER DISEASES OF NERVOUS SYSTEM	<i>e</i>	<i>e</i>	OTHER DIS. OF NERVOUS SYSTEM.
DISEASES OF ORGANS OF VISION . .	88	88	DISEASES OF EYE AND ANNEXA.
OTITIS AND OTHER DISEASES OF EAR	89. <i>a</i>	89. <i>a</i>	OTITIS, DISEASES OF EAR.
DISEASES OF MASTOID	<i>b</i>	<i>b</i>	MASTOID DISEASE.
VII. Diseases of Circulatory System.			VII. Diseases of Circulatory System.
<i>Heart Disease.</i>			
CHRONIC RHEUMATIC PERICARDITIS . .	90. <i>a</i>	} 90	PERICARDITIS.
OTHER PERICARDITIS	<i>b</i>		
ACUTE BACTERIAL ENDOCARDITIS (<i>b</i>)	91. <i>a</i>	} 91	ACUTE ENDOCARDITIS.
OTHER ACUTE ENDOCARDITIS	<i>c</i>		
AORTIC VALVULAR DISEASE (without mitral)	92. <i>a</i>	} 92	CHRONIC ENDOCARDITIS; VALVULAR DISEASE.
MITRAL AND OTHER SPEC. VALVULAR DISEASES (including sequelæ of rheumatic fever)	<i>b</i>		
VALVULAR DISEASE, ENDOCARDITIS— UNSPECIFIED	<i>c</i>		
ACUTE MYOCARDITIS	93. <i>a</i>	93. <i>a</i>	ACUTE MYOCARDITIS.
CHRONIC RHEUMATIC MYOCARDITIS . .	<i>b</i>	...	No. 93. <i>b</i> .3.
CARDIO-VASCULAR DEGENERATION . .	<i>c</i> .1	<i>b</i> .2	CARDIO VASCULAR DEGENERATION.
FATTY DEGENERATION OF HEART . .	2	1	FATTY HEART.
CHRONIC MYOCARDITIS, OTHER MYO- CARD. DEGENERATION	3	3	CHRONIC MYOCARDITIS, OTHER MYO- CARD. DISEASE.
MYOCARDITIS, not specified as acute or chronic	<i>d</i>	<i>c</i>	MYOCARDITIS (not specified as acute or chronic),

INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH—*continued*.

CLASSIFICATION AS INTRODUCED IN 1941 (1938 Revision).		CLASSIFICATION 1931-1940 (1929 Revision).	
Group Names and Heading.	Re er- ence Nos.	Refer- ence Nos.	Group Names and Heading.
	1941	1931- 1940	
VII. Diseases of Circulatory System—<i>continued</i>.			VII. Diseases of Circulatory System—<i>continued</i>.
DISEASES OF CORONARY ARTERIES	94.1	94	DISEASES OF CORONARY ARTERIES
ANGINA PECTORIS	2		ANGINA PECTORIS.
RHEUMATIC HEART DISEASE (undef.)	95. <i>b</i>	95	OTHER DISEASES OF HEART.
OTHER DISEASES OF HEART (<i>x</i>)	<i>c</i>		ANEURYSM (heart excepted, but in- cluding aortic aneurysm)
ANEURYSM (heart and aorta excepted) (For aortic aneurysm see No. 30. <i>c</i>)	96	96	ARTERIO-SCLEROSIS (coronary arteries excepted).
ARTERIO SCLEROSIS	97	97	SENILE GANGRENE.
GANGRENE	98	{ 98. <i>a</i> <i>b</i>	OTHER GANGRENE.
OTHER DISEASES OF ARTERIES	99		OTHER DISEASES OF ARTERIES.
DISEASES OF VEINS	100	100	DISEASES OF VEINS.
DISEASES OF LYMPHATIC SYTEM	101	101	DISEASES OF LYMPHATIC SYSTEM.
HIGH BLOOD PRESSURE (idiopathic)	102	102	ABNORMALITIES OF BLOOD PRESSURE.
OTH. DIS. OF CIRCULATORY SYSTEM	103	103	OTH. DIS. OF CIRCULATORY SYSTEM.
VIII. Diseases of Respiratory System.			VIII. Diseases of Respiratory System.
DIS. OF NASAL FOSSE AND ANNEXA	104	104	DISEASES OF NASAL FOSSE AND ANNEXA.
DISEASES OF LARYNX	105	{ 105.1 2	LARYNGISMUS STRIDULUS.
BRONCHITIS —			LARYNGITIS (including croup).
With heart disease secondary	106.1	3	OTHER DISEASES OF LARYNX.
With chronic nephritis secondary			BRONCHITIS.
Otherwise defined	2	106	BRONCHO-PNEUMONIA.
BRONCHO-PNEUMONIA	3		LOBAR PNEUMONIA.
LOBAR PNEUMONIA	107	107	PNEUMONIA (not otherwise defined).
PNEUMONIA (unspecified)	108	108	PLEURISY.
PLEURISY	109	109	EMBOLISM, THROMBOSIS, INFARCT.
PULMONARY EMBOLISM, THROMBOSIS, INFARCT	110	110	CONGESTION OF LUNGS.
CONGESTION OF LUNG (<i>b</i>)	111. <i>a</i>	111.2	ASTHMA.
ASTHMA	<i>a</i>	1	PULMONARY EMPHYSEMA.
PULMONARY EMPHYSEMA	112	112	CHRONIC INTERSTITIAL PNEUMONIA.
OCCUPATIONAL DIS. OF RESPIRATORY SYSTEM (<i>b</i>)	113		GANGRENE OF LUNG.
CHRONIC INTERSTITIAL PNEUMONIA (not occupational)	114. <i>a</i>	{ 114. <i>a</i> <i>b</i> .1	OTHER DISEASES OF RESPIRATORY SYSTEM.
OTHER DISEASES OF RESPIRATORY SYSTEM (<i>c</i> , <i>d</i>)	<i>a</i> .1		
	2	2	
IX. Diseases of Digestive System.			IX. Diseases of Digestive System.
DISEASES OF TEETH AND GUMS	115. <i>a</i>	115.1	DISEASES OF TEETH AND GUMS.
SEPTIC SORE THROAT	<i>b</i>	..	No. 115.3.
OTHER DIS. OF PHARYNX AND TONSILS	<i>c</i>	2	DISEASES OF TONSILS (pharynx with No. 115.3).
OTHER DISEASES OF BUCCAL CAVITY	<i>d</i>	3	OTHER DIS. OF BUCCAL CAVITY OR PHARYNX.

INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH—*continued.*

CLASSIFICATION AS INTRODUCED IN 1941 (1938 Revision).		CLASSIFICATION 1931-1940 (1929 Revision).	
Group Names and Heading.	Refer- ence Nos.	Refer- ence Nos.	Group Names and Heading.
	1941	1931- 1940	
IX. Diseases of Digestive System—<i>continued.</i>			IX. Diseases of Digestive System—<i>continued.</i>
DISEASES OF OESOPHAGUS	116	116	DISEASES OF OESOPHAGUS.
ULCER OF STOMACH	117. <i>a</i>	117. <i>a</i>	ULCER OF STOMACH.
ULCER OF DUODENUM	<i>b</i>	<i>b</i>	ULCER OF DUODENUM.
OTHER DISEASES OF STOMACH	118	118	OTHER DISEASES OF STOMACH.
DIARRHOEA, ENTERITIS (under 2 years of age)	119	119	DIARRHOEA AND ENTERITIS (under 2 years)
DIARRHOEA, ENTERITIS (over 2 years of age)	120. <i>a</i>	120. <i>a</i>	DIARRHOEA AND ENTERITIS (over 2 years).
ULCERATION OF INTESTINES	<i>b</i>	<i>b</i>	ULCERATION OF INTESTINES.
APPENDICITIS	121	121	APPENDICITIS.
HERNIA	122. <i>a</i>	122. <i>a</i>	HERNIA.
INTESTINAL OBSTRUCTION	<i>b</i>	<i>b</i>	INTESTINAL OBSTRUCTION.
OTHER DISEASES OF INTESTINES . . .	123	123	OTHER DISEASES OF INTESTINES.
CIRRHOSIS OF LIVER	124	124	CIRRHOSIS OF LIVER.
ACUTE YELLOW ATROPHY OF LIVER (not assoc. with pregnancy)	125. <i>a</i>	125.1	ACUTE YELLOW ATROPHY OF LIVER.
OTHER DISEASES OF LIVER	<i>b</i>	2	OTHER DISEASES OF LIVER.
BILIARY CALCULI	126	126	BILIARY CALCULI.
OTHER DIS. OF GALL BLADDER AND BILE DUCTS	127	127.1 .2	CHOLECYSTITIS. OTHER DISEASES OF GALL BLADDER AND DUCTS.
DISEASES OF PANCREAS	128	128	DISEASES OF PANCREAS.
PERITONITIS WITHOUT STATED CAUSE	129	129	PERITONITIS WITHOUT STATED CAUSE.
X. Dis. of Urinary and Genital Systems (not Venereal or connected with Pregnancy or the Puerperium.)			X. Non Venereal Diseases of Genito-Urinary System.
ACUTE NEPHRITIS	130	130	ACUTE NEPHRITIS.
CHRONIC NEPHRITIS	131	131	CHRONIC NEPHRITIS.
NEPHRITIS UNSPECIFIED (over 10 years of age)	132	132	NEPHRITIS UNSPECIFIED.
OTHER DISEASES OF KIDNEY AND URETERS	133	133	OTHER DISEASES OF KIDNEY AND ANNEXA.
CALCULI OF URINARY PASSAGES . .	134	134	CALCULI OF URINARY PASSAGES.
DISEASES OF BLADDER	135	135	DISEASES OF BLADDER.
DIS. OF URETHRA, URINARY ABSCESS	136	136	DISEASES OF URETHRA, URINARY ABSCESS, &c.
DISEASES OF PROSTATE	137	137	DISEASES OF PROSTATE.
DISEASES OF OTHER MALE GENITAL ORGANS	138	138	DISEASES OF MALE GENITAL ORGANS.
DIS. OF OVARIES, FALLOPIAN TUBES AND PARAMETRIA	139. <i>a</i>	139. <i>a</i>	DIS. OF OVARY, FALLOP. TUBE AND PARAMETRIUM.
DISEASES OF UTERUS	<i>b</i>	<i>b</i>	DISEASES OF UTERUS.
DISEASES OF BREAST	<i>c</i>	<i>c</i>	DISEASES OF BREAST.
OTHER DIS. OF FEMALE GENITAL ORGANS	<i>d</i>	<i>d</i>	OTHER DIS. OF FEMALE GENITAL ORGANS.

INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH—*continued*.

CLASSIFICATION AS INTRODUCED IN 1941 (1938 Revision).		CLASSIFICATION 1931-1940 (1929 Revision).	
Group Names and Heading.	Refer- ence Nos.	Refer- ence Nos.	Group Names and Heading.
	1941	1931- 1940	
XI. Diseases of Pregnancy, Childbirth and the Puerperal State.			XI. Diseases of Pregnancy and Childbirth.
POST-ABORTIVE SEPSIS	140	140	POST-ABORTIVE SEPSIS.
ABORTION, not specified as septic . . .	141	141	ABORTION, not returned as septic.
ECTOPIC GESTATION	142	142	ECTOPIC GESTATION.
PLACENTA PRÆVIA (pregnancy)	143. <i>a</i>	...	No. 144. <i>a</i> .
ACCID. HÆMORR. OF PREGNANCY	<i>b</i>	...	No. 144. <i>b</i> .1.
OTH. AND UNSPEC. HÆM. OF PREG. . . .	<i>c</i>	...	No. 144. <i>b</i> .2.
ECLAMPSIA OF PREGNANCY	144. <i>a</i>	...	No. 146.
ALBUMINURIA AND NEPHRITIS OF PREGNANCY.	<i>b</i>	...	No. 146.
ACUTE YELLOW ATROPHY OF LIVER (WITH PREGNANCY).	<i>o</i>	...	No. 125.1.
UNCONTROLLABLE VOMITING	<i>d</i> .1	...	No. 147.1.
OTHER TOXÆMIAS OF PREGNANCY	2	...	No. 147.2.
OTHER DISEASES AND ACC. OF PREG. . .	145	143	OTHER ACCIDENTS OF PREGNANCY.
Nos. 143 <i>a</i> and 146 <i>a</i>	144. <i>a</i>	PLACENTA PRÆVIA.
Nos. 143 <i>b</i> and 146 <i>b</i>	<i>b</i> .1	ACCIDENTAL HÆMORRHAGE.
Nos. 143 <i>c</i> , 146 <i>c</i> , <i>d</i>	2	OTHER PUERPERAL HÆMORRHAGE.
PLACENTA PRÆVIA (with childbirth). .	146. <i>a</i>	...	No. 144. <i>a</i> .
ACC. HÆMORR. OF CHILDBIRTH	<i>b</i>	...	No. 144. <i>b</i> .1.
OTH. HÆMORR. OF CHILDBIRTH	<i>c</i>	...	No. 144. <i>b</i> .2.
OTH. HÆMORR. AFTER CHILDBIRTH . .	<i>d</i>	...	
PUERPERAL SEPSIS (<i>a</i>)	147. <i>b</i>	145	PUERPERAL SEPSIS.
PUERP. EMBOLISM AND THROMBO- PHLEBITIS (<i>c</i>)	<i>d</i>	...	No. 148.
PUERPERAL ECLAMPSIA	148. <i>a</i> }	146 {	PUERPERAL ALBUMINURIA, CONVUL- SIONS.
PUERP. ALBUMINURIA AND NEPHRITIS .	<i>b</i> }		
ACUTE YELLOW ATROPHY OF LIVER (post-partum)	<i>c</i>	...	No. 125.1.
OTHER PUERPERAL TOXÆMIAS	<i>d</i>	147.2	OTHER TOXÆMIAS OF PREGNANCY.
Nos. 144 <i>d</i> .1	1	UNCONTROLLABLE VOMITING.
Nos. 147 <i>d</i>	148	PUERP. PHLEG. ALBA DOLENS, EM- BOLISM.
OTHER ACCIDENTS OF CHILDBIRTH . .	149	149	OTHER ACCIDENTS OF CHILDBIRTH.
OTH. OR UNSPEC. CONDITIONS OF CHILDBIRTH AND THE PUERP. STATE	150	150	OTH. OR UNSPEC. CONDITIONS OF THE PUERP. STATE.
XII. Diseases of Skin and Cellular Tissue.			XII. Diseases of Skin and Cellular Tissue.
CARBUNCLE, BOILS	151	151	CARBUNCLE, BOIL.
CELLULITIS, ACUTE ABSCESS	152	152	CELLULITIS, ACUTE ABSCESS.
OTHER DISEASES OF SKIN AND CELLULAR TISSUE	153	153	OTHER DISEASES OF SKIN AND ITS ANNEXA.
XIII. Diseases of Bones and of Organs of Movement.			XIII. Diseases of Bones and Organs of Locomotion.
OSTEOMYELITIS AND PERIOSTITIS . . .	154	154	ACUTE INFECTIVE OSTEOMYELITIS AND PERIOSTITIS.
OTHER DISEASES OF BONES	155	155	OTHER DISEASES OF BONES (includ- ing chronic osteomyelitis.)
DIS. OF JOINTS AND OTHER ORGANS OF MOVEMENT	156	156	DISEASES OF JOINTS AND OTHER ORGANS OF LOCOMOTION.

INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH—*continued*.

CLASSIFICATION AS INTRODUCED IN 1941 (1938 Revision).		CLASSIFICATION 1931-1940 (1929 Revision).	
Group Names and Heading.	Refer- ence Nos.	Refer- ence Nos.	Group Names and Heading.
	1941	1931- 1940	
XIV. Congenital Malforma- tions. CONGENITAL HYDROCEPHALUS . . . SPINA BIFIDA AND MENINGOCELE . . CONGENITAL MALFORMATION OF HEART CONGENITAL PYLORIC STENOSIS. . . OTHER OR UNSPEC. CONGEN. MAL- FORM. (<i>d, f, g, h, i</i>)	157. <i>a</i> <i>b</i> <i>c</i> <i>e</i> <i>j</i>	} 157	XIV. Congenital Malforma- tions. CONGENITAL MALFORMATIONS (De- tails in Text Table L.)
XV. Diseases Peculiar to the First Year of Life. CONGENITAL DEBILITY PREMATURE BIRTH INJURY AT BIRTH ASPHYXIA AT BIRTH, ATELECTASIS . . MATERNAL TOXÆMIA INFECTIONS OF NEWLY BORN MELÆNA NEONATORUM OTHER SPECIFIED DISEASES	158 159 160 161. <i>a</i> <i>b</i> <i>c</i> <i>d</i> <i>e</i>		XV. Diseases of Early Infancy. CONGENITAL DEBILITY. PREMATURE BIRTH. INJURY AT BIRTH. OTHER DISEASES PECULIAR TO EARLY INFANCY.
XVI. Senility. SENILITY, SENILE DEMENTIA . . .	162	162	XVI. Senility. SENILITY, SENILE DEMENTIA.
XVII. Deaths from Violence. SUICIDE (163) HOMICIDE (165-167) <i>Accidental Deaths.</i> RAILWAY ACCIDENTS MOTOR VEHICLE ACCIDENTS OTHER ROAD TRANSPORT ACCIDENTS . WATER TRANSPORT ACCS.—DROWNING " " " OTHERWISE 2 AIR TRANSPORT ACCIDENTS ACCIDENTS IN MINES AND QUARRIES . ACCIDENTS CAUSED BY MACHINERY . . FOOD POISONING ACC. ABSORPTION OF POISONOUS GAS . OTHER ACUTE ACCIDENTAL POISONING CONFLAGRATION ACCIDENTAL BURNS (conflag. excepted) ACC. MECHANICAL SUFFOCATION . . . DROWNING — ACCID. AND UNSPEC. (excl. water transport) (See also No. 172.1 above) ACCID. INJURY BY FIREARMS No. 170 ACC. FALL, CRUSHING, ETC. (Nos. } 169, 171, 172.2, 173, 174, 176) }	164 168 169 170 171 172.1 2 173 174 176 177 178 179 180 181 182 183 ... 184 ... 186	171 175 177 178 179 180 181 182 183 184 186.1 2	XVII. Deaths from Violence. SUICIDE (163 to 170). HOMICIDE (172, 173, 174). No. 186.2 } No. 186.1 } No. 186.2 } No. 183 } No. 186.2 } No. 186.2 } No. 186.2 } No. 186.2 } FOOD POISONING. ACCIDENTAL GASEOUS POISONING. OTHER ACUTE ACCID. POISONING. CONFLAGRATION. ACCID. BURNS (conflag. excepted). ACCID. MECHANICAL SUFFOCATION. ACCID. DROWNING. ACCID. INJURY BY FIREARMS. CRUSHING, FALLS, ETC.— MOTOR VEHICLES. { OTH. CRUSHING ACCID. (See Text Table M).

INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH—*continued*.

CLASSIFICATION AS INTRODUCED IN 1941 (1938 Revision).		CLASSIFICATION 1931-1940 (1929 Revision).	
Group Names and Heading.	Refer- ence Nos.	Refer- ence Nos.	Group Names and Heading.
	1941	1931- 1940	
XVII. Deaths from Violence — <i>continued</i> .			XVII. Deaths from Violence — <i>continued</i> .
HUNGER OR THIRST	189	189	HUNGER, THIRST.
WEATHER AGENCIES (191, 192) . . .	190	192	WEATHER AGENCIES, (190, 191).
ELECTRICITY (lightning excepted) . .	193	193	ELECTRICITY (lightning excepted).
VACCINIA.	195.a	...	No. 44.
OTH. AND UNSPECIFIED ACCS. (175, 185, 187, 188, 194, 195 b, c) . .	d	194	OTHER ACCIDENTS (176, 185, 187, 188, 195).
<i>Other violent deaths.</i>			
WAR OPERATIONS—MILITARY . . .	196	196	WOUNDS OF WAR.
“ “ CIVILIAN . . .	197		
EXECUTION	198		EXECUTION (197).
XVIII. Ill-defined causes of death.			XVIII. Ill-defined Diseases.
SUDDEN DEATH	199	199	SUDDEN DEATH, SYNCOPE.
HEART FAILURE	200.a.1	200.1	HEART FAILURE.
OTHER ILL-DEFINED CAUSES . . .	2	2	OTHER ILL-DEFINED CAUSES.
CAUSE NOT SPECIFIED (b) . . .	c	3	CAUSE NOT SPECIFIED.

TABLE 1.—Population, Births, Deaths, and Marriages in Scotland, 1855-1941.
Quinquennial averages.

YEAR	Estimated Mid-Year Popula- tion.	LIVE-BIRTHS.†						MARRIAGES.	DEATHS.				Excess of Births over Deaths.
		Total.	Males.	Fem.	Illegit.	Twin Births	Triplet Births.		Total.	Males.	Fem.	Under 1 Year.	
1855-60	3,018,000	102,462	52,655	49,807	8,953	1,282	*16	20,645	62,644	31,139	31,505	12,250	39,818
1861-65	3,127,000	109,764	56,336	53,428	10,742	1,298	13	22,013	69,265	34,380	34,885	13,166	40,499
1866-70	3,276,000	114,394	58,676	55,718	11,270	1,393	*13	22,832	71,974	35,823	36,151	13,971	42,420
1871-75	3,441,000	120,376	61,964	58,412	10,941	1,416	13	25,754	77,988	38,961	39,027	15,314	42,388
1876-80	3,629,000	126,086	64,648	61,438	10,711	1,430	14	24,956	74,801	37,463	37,338	14,921	51,285
1881-85	3,799,000	126,409	64,805	61,604	10,453	1,417	14	26,176	74,396	37,041	37,355	14,864	52,013
1886-90	3,944,000	123,977	63,674	60,303	9,973	1,378	13	25,702	74,320	36,729	37,591	14,943	49,657
1891-95	4,122,000	125,800	64,558	61,242	9,326	1,420	13	27,962	78,350	38,797	39,553	15,896	47,450
1896-1900	4,345,000	130,209	66,554	63,655	8,870	1,465	16	31,771	78,021	39,070	38,951	16,857	52,188
1901-05	4,536,000	132,399	67,565	64,834	8,609	1,599	*17	31,838	77,313	38,716	38,597	15,881	55,086
1906-10	4,680,000	128,987	65,811	63,176	9,125	1,609	*14	31,811	75,534	37,596	37,938	14,501	53,453
1911-15	4,748,000	120,654	61,607	59,047	8,698	1,538	15	33,857	74,466	37,253	37,213	13,604	46,188
1916-20	4,820,000	109,750	56,269	53,481	8,315	1,491	*10	37,437	72,365	36,455	35,910	10,869	37,385
1921	4,882,497	123,201	63,075	60,126	8,757	1,596	8	39,243	66,210	33,085	33,125	11,130	56,991
1922	4,898,000	115,085	58,826	56,259	7,881	1,498	11	34,375	72,905	36,244	36,661	11,664	42,180
1923	4,888,100	111,902	57,332	54,570	7,477	1,491	9	35,200	63,283	31,682	31,601	8,825	48,619
1924	4,862,200	106,900	54,919	51,981	7,086	1,400	13	32,328	70,357	35,168	35,189	10,446	36,543
1925	4,867,100	104,137	53,426	50,711	6,831	1,309	7	32,456	65,507	33,036	32,471	9,430	38,630
1921-25	4,879,600	112,245	57,516	54,729	7,606	1,459	10	34,720	67,652	33,843	33,809	10,200	44,593
1926	4,864,300	102,449	52,362	50,087	7,046	1,279	*12	31,244	63,780	32,021	31,759	8,514	38,669
1927	4,853,100	96,672	49,314	47,358	6,978	1,237	9	32,553	65,830	33,097	32,733	8,576	30,842
1928	4,847,900	96,822	49,584	47,238	7,158	1,201	15	32,948	65,271	32,577	32,694	8,299	31,551
1929	4,832,200	92,880	47,769	45,111	7,165	1,157	12	32,967	70,917	35,386	35,531	8,061	21,963
1930	4,828,060	94,549	48,069	46,480	6,950	1,265	9	33,315	64,285	32,448	31,837	7,852	30,264
1926-30	4,845,100	96,674	49,419	47,255	7,059	1,228	11	32,605	66,017	33,106	32,911	8,260	30,657
1931	4,842,980	92,220	46,972	45,248	6,661	1,117	15	32,652	64,229	32,238	31,991	7,544	27,991
1932	4,883,100	91,000	46,579	44,421	6,456	1,106	17	33,157	66,045	32,743	33,302	7,840	24,955
1933	4,912,400	86,546	44,767	41,779	5,964	1,067	10	34,201	64,848	32,593	32,255	7,019	21,698
1934	4,934,300	88,836	45,114	43,422	6,119	1,034	15	36,934	63,741	32,093	31,648	6,901	25,095
1935	4,952,500	87,928	44,965	42,963	5,777	1,058	5	37,988	65,331	32,822	32,509	6,754	22,597
1931-35	4,905,000	89,306	45,739	43,567	6,195	1,076	12	34,986	64,839	32,498	32,341	7,212	24,467
1936	4,966,200	88,928	45,323	43,605	5,744	1,017	7	37,896	66,749	33,873	32,876	7,315	22,179
1937	4,976,600	87,810	45,035	42,775	5,404	1,035	10	38,334	68,942	34,964	33,978	7,050	18,868
1938	4,993,100	88,627	45,147	43,130	5,449	1,058	3	38,716	62,953	31,806	31,147	6,163	25,674
1939	5,006,700	86,899	44,712	42,187	5,192	1,095	14	46,236	64,413	33,002	31,411	5,955	22,486
1940	4,841,200	86,493	44,254	42,149	5,091	1,046	5	53,522	72,775	37,649	35,126	6,766	13,628
1936-40	..	87,733	44,954	42,779	5,376	1,056	8	42,941	67,166	34,259	32,907	6,656	20,567
1941	4,819,100	89,743	46,151	43,592	5,904	1,050	17	47,716	72,558	37,690	34,868	7,426	17,185

* Including one case of quadruplets.

† For Still-births see Table 3.

‡ Mean civilian population for year.

Corresponding details for individual years prior to 1921 will be found in the Reports for 1930 and previous years.

f

TABLE 2.—Birth-, Death-, and Marriage-rates in Scotland, 1855-1941.
Quinquennial averages.

YEAR.	Rates per 1000 of Population.						Illegit. Births per cent. of Live-births.	Male Births per 1000 Female Births.	Percentage of Mothers who had Multiple Births.	Deaths of Children under one year per 1000 Live-births.
	Birth- rate (Living Child- ren).	Mar- riage- rate.	Death-rate.			Natural Increase (excess of Births over Deaths).				
			Total.	Males.	Fem.					
1855-60	34·104	6·839	20·750	21·72	19·84	13·36	8·74	1057	1·26	119·6
1861-65	35·096	7·046	22·139	23·16	21·21	12·96	9·79	1054	1·21	119·9
1866-70	34·911	6·971	21·969	22·96	21·06	12·94	9·85	1053	1·24	122·1
1871-75	34·974	7·482	22·655	23·67	21·67	12·32	9·09	1061	1·20	127·2
1876-80	34·758	6·882	20·617	21·49	19·81	13·94	8·49	1052	1·16	118·3
1881-85	33·275	6·891	19·582	20·21	18·98	13·69	8·27	1052	1·15	117·6
1886-90	31·444	6·515	18·843	19·26	18·42	12·60	8·04	1056	1·13	120·5
1891-95	30·522	6·784	19·014	19·48	18·58	11·51	7·41	1054	1·15	126·4
1896-1900	29·970	7·310	17·949	18·53	17·40	12·02	6·81	1046	1·15	129·5
1901-05	29·193	7·020	17·050	17·58	16·56	12·14	6·50	1042	1·24	119·9
1906-10	27·569	6·800	16·144	16·56	15·75	11·43	7·07	1042	1·27	112·4
1911-15	25·415	7·131	15·683	16·17	15·23	9·73	7·21	1043	1·30	112·8
1916-20	22·757	7·761	15·014	15·72	14·36	7·74	7·58	1052	1·39	99·0
1921	25·233	8·037	13·561	14·09	13·07	11·67	7·11	1049	1·32	90·3
1922	23·496	7·018	14·885	15·37	14·43	8·61	6·85	1046	1·33	101·4
1923	22·892	7·201	12·946	13·47	12·46	9·95	6·68	1051	1·36	78·9
1924	21·986	6·649	14·470	15·10	13·89	7·52	6·63	1057	1·34	97·7
1925	21·396	6·668	13·459	14·15	12·82	7·94	6·56	1054	1·28	90·6
1921-25	23·001	7·114	13·864	14·44	13·34	9·14	6·78	1051	1·33	91·8
1926	21·061	6·423	13·112	13·73	12·55	9·5	6·88	1045	1·28	83·1
1927	19·919	6·707	13·564	14·22	12·96	9·35	7·22	1041	1·31	88·7
1928	19·971	6·796	13·463	14·01	12·96	6·51	7·39	1050	1·28	85·7
1929	19·220	6·822	14·675	15·27	14·12	4·54	7·71	1059	1·27	86·8
1930	19·583	6·900	13·314	14·01	12·67	6·27	7·35	1034	1·37	83·0
1926-30	19·951	6·730	13·626	14·25	13·05	6·32	7·30	1045	1·30	85·4
1931	19·042	6·742	13·262	13·86	12·71	5·78	7·22	1038	1·24	81·8
1932	18·636	6·790	13·525	13·94	13·14	5·11	7·09	1049	1·25	86·2
1933	17·618	6·962	13·201	13·79	12·66	4·42	6·89	1072	1·26	81·1
1934	18·004	7·485	12·918	13·51	12·37	5·09	6·89	1046	1·20	77·7
1935	17·754	7·670	13·191	13·76	12·66	4·56	6·57	1047	1·23	76·8
1931-35	18·207	7·133	13·219	13·77	12·71	4·99	6·94	1050	1·23	80·8
1936	17·906	7·631	13·440	14·16	12·77	4·47	6·46	1039	1·20	82·3
1937	17·645	7·703	13·853	14·59	13·17	3·79	6·15	1053	1·20	80·3
1938	17·749	7·754	12·608	13·22	12·04	5·14	6·15	1053	1·21	69·5
1939	17·357	9·235	12·865	13·68	12·11	4·49	5·97	1060	1·29	68·5
1940*	17·126	10·609	14·863	16·59	13·40	2·26	5·89	1050	1·23	78·3
1936-1940	17·557	8·586	13·526	14·45	12·70	4·03	6·12	1051	1·23	75·8
1941*	17·497	9·303	14·741	16·75	13·11	2·76	6·58	1059	1·20	82·7

* Death rates for 1940-41 are based on civilian population and civilian deaths.

Corresponding details for individual years prior to 1921 will be found in the Reports
for 1930 and previous years.

TABLE 3.—Births, Deaths and Marriages in Scotland, 1931 to 1941.

	Numbers.						Rates.					
	Live-Births.		Still-births.	Marriages.	Deaths.		Per 1000 of Estimated Population.			Illegit. Births per cent. of Live-births.	Deaths under One Year per 1000 Live-births.	Still-births per 1000 Births (including Still-births).
	Total.	Illegitimate.			All Ages.	Under One Year.	Live Births.	Marriages.	Deaths*			
1st Quarter 1931 .	23,558	1,769	...	7,071	20,189	2,652	19·7	5·9	16·9	7·5	113	...
2nd " " .	24,130	1,753	...	8,153	15,916	1,867	20·0	6·8	13·2	7·3	77	...
3rd " " .	22,659	1,669	...	9,348	13,244	1,353	18·6	7·7	10·9	7·4	60	...
4th " " .	21,873	1,470	...	8,080	14,880	1,672	17·9	6·6	12·2	6·7	76	...
Year 1931 .	92,220	6,661	...	32,652	64,229	7,544	19·0	6·7	13·3	7·2	82	...
1st Quarter 1932 .	23,069	1,573	...	7,686	19,634	2,573	19·0	6·3	16·2	6·8	112	...
2nd " " .	24,245	1,720	...	7,877	16,407	1,976	20·0	6·5	13·5	7·1	81	...
3rd " " .	22,033	1,625	...	9,337	13,192	1,396	18·0	7·6	10·7	7·4	63	...
4th " " .	21,653	1,538	...	8,257	16,812	1,895	17·6	6·7	13·7	7·1	88	...
Year 1932 .	91,000	6,456	...	33,157	66,045	7,840	18·6	6·8	13·5	7·1	86	...
1st Quarter 1933 .	21,785	1,474	...	7,052	20,750	2,359	18·0	5·8	17·1	6·8	108	...
2nd " " .	23,211	1,639	...	8,178	15,127	1,706	19·0	6·7	12·4	7·1	73	...
3rd " " .	21,135	1,462	...	10,252	13,088	1,343	17·1	8·3	10·6	6·9	64	...
4th " " .	20,415	1,389	...	8,719	15,833	1,611	16·5	7·0	12·8	6·8	79	...
Year 1933 .	86,546	5,964	...	34,201	64,848	7,019	17·6	7·0	13·2	6·9	81	...
1st Quarter 1934 .	22,744	1,630	...	7,692	17,406	2,097	18·7	6·3	14·3	7·2	92	...
2nd " " .	23,247	1,641	...	8,852	16,730	1,803	18·9	7·2	13·6	7·1	78	...
3rd " " .	21,301	1,475	...	10,760	13,300	1,211	17·1	8·7	10·7	6·9	57	...
4th " " .	21,544	1,373	...	9,630	16,305	1,790	17·3	7·7	13·1	6·4	83	...
Year 1934 .	88,836	6,119	...	36,934	63,741	6,901	18·0	7·5	12·9	6·9	78	...
1st Quarter 1935 .	21,978	1,468	...	7,695	19,177	2,111	18·0	6·3	15·7	6·7	96	...
2nd " " .	23,259	1,419	...	9,106	16,205	1,655	18·8	7·4	13·1	6·1	71	...
3rd " " .	21,566	1,433	...	11,281	13,461	1,180	17·3	9·0	10·8	6·6	55	...
4th " " .	21,125	1,457	...	9,906	16,488	1,808	16·9	7·9	13·2	6·9	86	...
Year 1935 .	87,928	5,777	...	37,988	65,331	6,754	17·8	7·7	13·2	6·6	77	...
1st Quarter 1936 .	22,544	1,447	...	7,731	20,196	2,441	18·3	6·3	16·4	6·4	108	...
2nd " " .	23,594	1,611	...	9,451	16,214	1,677	19·1	7·7	13·1	6·8	71	...
3rd " " .	21,464	1,352	...	11,403	13,709	1,378	17·2	9·1	11·0	6·3	64	...
4th " " .	21,326	1,334	...	9,311	16,630	1,819	17·1	7·5	13·3	6·3	85	...
Year 1936 .	88,928	5,744	...	37,896	66,749	7,315	17·9	7·6	13·4	6·5	82	...
1st Quarter 1937 .	21,589	1,316	...	8,089	22,123	2,104	17·6	6·6	18·0	6·1	97	...
2nd " " .	23,864	1,450	...	9,359	15,781	1,733	19·2	7·5	12·7	6·1	73	...
3rd " " .	21,745	1,395	...	11,511	13,616	1,299	17·3	9·2	10·9	6·4	60	...
4th " " .	20,612	1,243	...	9,375	17,422	1,914	16·4	7·5	13·9	6·0	93	...
Year 1937 .	87,810	5,404	...	38,334	68,942	7,050	17·6	7·7	13·9	6·2	80	...
1st Quarter 1938 .	22,245	1,368	...	7,885	17,448	1,790	18·1	6·4	14·2	6·1	80	...
2nd " " .	23,999	1,537	...	9,420	15,603	1,563	19·3	7·6	12·5	6·4	65	...
3rd " " .	21,423	1,350	...	11,893	13,807	1,233	17·0	9·4	11·0	6·3	58	...
4th " " .	20,960	1,194	...	9,518	16,095	1,577	16·7	7·6	12·8	5·7	75	...
Year 1938 .	88,627	5,449	...	38,716	62,953	6,163	17·7	7·8	12·6	6·1	70	...
1st Quarter 1939 .	21,429	1,288	958	7,659	18,995	1,890	17·4	6·2	15·4	6·0	88	43
2nd " " .	23,615	1,418	979	9,955	15,672	1,442	18·9	8·0	12·6	6·0	61	40
3rd " " .	21,549	1,300	989	15,613	13,587	1,220	17·1	12·4	10·8	6·0	57	44
4th " " .	20,306	1,186	906	13,009	16,159	1,403	16·1	10·3	12·8	5·8	69	43
Year 1939 .	86,899	5,192	3,832	46,236	64,413	5,955	17·4	9·2	12·9	6·0	69	42
1st Quarter 1940 .	22,113	1,294	1,016	11,988	25,936	2,474	17·6	9·6	21·4	5·9	112	44
2nd " " .	23,298	1,459	960	12,953	16,002	1,568	18·6	10·3	13·2	6·3	67	40
3rd " " .	21,154	1,205	915	15,604	14,209	1,215	16·7	12·3	11·5	5·7	57	41
4th " " .	19,838	1,133	908	12,977	16,628	1,509	15·6	10·2	13·4	5·7	76	44
Year 1940* .	86,403	5,091	3,799	53,522	72,775	6,766	17·1	10·6	14·9	5·9	78	42
1st Quarter 1941 .	22,254	1,364	1,039	10,754	23,332	2,435	17·6	8·5	19·3	6·1	109	45
2nd " " .	23,423	1,466	961	12,383	18,999	1,965	18·3	9·7	15·5	6·3	84	39
3rd " " .	22,656	1,620	869	13,078	14,464	1,424	17·5	10·1	11·6	7·2	63	37
4th " " .	21,410	1,454	829	11,501	15,763	1,602	16·6	8·9	12·7	6·8	75	37
Year 1941* .	89,743	5,904	3,698	47,716	72,558	7,426	17·5	9·3	14·7	6·6	83	40

* Death-rates for 1940 and 1941 are based on civilian population and civilian deaths.

TABLE 4.—Birth-, Death-, and Marriage-rates in Scotland, its Counties and Large Burghs in 1941.

COUNTIES AND LARGE BURGHS.	Estimated Civilian Population 1941.	Birth-rate.	Marriage-rate.	DEATH-RATE. †										Illegitimate Births per cent. of Live-births.	Infantile Mortality. Rate per 1000 Live-births.	Still-births per 1000 Total Births (including Still-births)	
				(Corrected for Transfers).	Corrected and Adjusted for Age and Sex.	All Tuberculosis.	Tuberculosis of Respiratory System.	Principal Epidemic Diseases.									
								*Total.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Influenza.	Measles.				Bronchitis and Pneumonia.
SCOTLAND	4,819,396	17.5	9.3	14.7	14.7	0.85	0.63	0.50	0.01	0.15	0.11	0.15	0.02	1.38	6.6	83	40
LARGE BURGHS	2,543,309	17.7	11.0	16.1	16.1	1.10	0.84	0.54	0.01	0.19	0.14	0.12	0.02	1.66	6.2	94	42
SMALL BURGHS	2,276,087	17.3	7.4	12.6	0.57	0.40	0.45	0.00	0.11	0.07	0.18	0.03	1.05	{ 6.6 7.2	69	37	
LANDWARD																	
ABERDEEN COUNTY	307,184	16.9	9.3	12.5	12.5	0.53	0.39	0.34	—	0.06	0.08	0.12	0.02	1.01	9.8	69	30
Aberdeen Burgh	167,781	16.2	11.4	13.7	13.7	0.61	0.48	0.30	—	0.04	0.11	0.08	0.02	1.10	7.5	77	32
Remainder of County	139,403	17.8	6.8	11.4	11.4	0.42	0.29	0.38	—	0.07	0.04	0.17	0.01	0.89	12.4	59	28
ANGUS COUNTY.	256,372	16.3	8.8	14.3	14.3	0.76	0.56	0.55	0.00	0.09	0.24	0.10	0.05	1.38	7.4	80	39
Arbroath Burgh	18,200	17.8	9.7	14.0	14.0	0.82	0.66	0.11	—	—	0.05	0.05	—	2.03	5.9	73	17
Dundee Burgh	162,998	16.3	9.5	15.3	15.3	0.90	0.65	0.69	0.01	0.10	0.33	0.10	0.06	1.44	7.3	89	43
Remainder of County	75,174	16.1	6.9	12.8	12.8	0.47	0.33	0.36	—	0.07	0.09	0.11	0.04	1.12	7.9	63	35
ARGYLL COUNTY	70,430	14.1	6.6	11.6	11.6	0.64	0.48	0.57	—	0.09	0.09	0.34	—	0.91	10.0	57	33
AYR COUNTY	311,217	18.0	8.5	13.5	13.5	0.53	0.36	0.52	—	0.18	0.08	0.12	0.04	1.09	5.1	82	42
Ayr Burgh	43,631	16.8	10.5	14.3	14.3	0.69	0.46	0.50	—	0.16	0.16	0.02	0.02	1.03	5.7	85	49
Kilmarnock Burgh	39,827	16.6	9.2	13.5	13.5	0.50	0.40	0.38	—	0.10	—	0.15	0.05	1.33	3.7	77	37
Remainder of County	227,759	18.5	8.0	13.3	13.3	0.50	0.33	0.55	—	0.19	0.08	0.14	0.04	1.05	5.2	82	42
BANFF COUNTY.	49,984	18.5	6.6	12.9	12.9	0.42	0.28	0.50	—	0.06	0.04	0.36	0.04	1.28	11.7	70	47
BERWICK COUNTY	25,118	14.0	7.5	13.6	13.6	0.32	0.16	0.24	—	0.08	—	0.12	—	1.11	7.7	55	24
BUTE COUNTY	20,694	15.9	6.4	12.5	12.5	0.39	0.19	0.14	0.05	—	0.05	0.05	—	1.59	7.0	35	14
CAITHNESS COUNTY	24,592	21.0	7.7	13.4	13.4	1.10	0.69	0.53	—	0.08	—	0.33	0.04	0.89	11.6	70	30
CLACKMANNAN COUNTY	33,642	17.2	8.8	13.1	13.1	0.59	0.36	0.21	—	0.03	0.03	0.09	—	0.80	7.8	72	50
DUNBARTON COUNTY	143,794	17.3	8.9	15.1	15.1	0.77	0.61	0.65	0.01	0.15	0.28	0.15	0.03	1.43	3.9	88	44
Clydebank Burgh †	30,011	19.6	10.9	—	—	1.37	1.13	0.70	0.03	0.17	0.33	0.10	—	1.67	4.2	95	50
Dumbarton Burgh †	23,237	18.1	9.3	—	—	1.08	0.86	1.08	—	0.22	0.77	0.04	0.04	2.11	3.4	120	50
Remainder of County	90,546	16.3	8.2	12.6	12.6	0.50	0.36	0.53	0.01	0.12	0.13	0.20	0.04	1.18	4.0	76	40
DUMFRIES COUNTY	84,546	17.3	8.5	12.8	12.8	0.50	0.41	0.50	—	0.05	0.17	0.17	—	1.04	9.2	72	43
Dumfries Burgh	26,132	18.8	12.4	13.9	13.9	0.57	0.50	0.54	—	0.08	0.27	0.08	—	1.19	7.8	68	38
Remainder of County	58,414	16.6	6.8	12.4	12.4	0.46	0.38	0.48	—	0.03	0.12	0.21	—	0.98	9.9	73	46
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)

	(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)
EAST LOTHIAN COUNTY	48,197	18.4	7.2	13.1	13.0	0.52	0.39	0.33	—	0.04	—	—	0.19	0.04	0.91	5.8	66	36
FIFE COUNTY	276,738	16.9	9.0	13.0	13.0	0.40	0.25	0.37	—	—	0.07	—	0.14	—	1.09	5.7	65	37
Dunfermline Burgh	39,965	16.4	11.6	12.6	12.8	0.43	0.30	0.08	—	—	0.05	—	—	—	1.08	5.0	71	47
Kirkcaldy Burgh	44,113	15.1	8.7	12.4	12.4	0.39	0.27	0.32	—	—	0.02	—	0.14	—	1.11	4.0	55	41
Remainder of County	192,660	17.5	8.6	13.3	13.3	0.40	0.24	0.44	—	—	0.11	0.07	0.18	—	1.09	6.1	66	35
INVERNESS COUNTY	83,493	16.1	7.5	14.9	11.5	0.73	0.65	0.55	—	—	0.06	0.04	0.36	0.01	1.02	8.5	65	39
Inverness Burgh	25,205	17.8	15.4	14.6	12.8	0.87	0.71	0.48	—	—	0.08	—	0.20	0.04	1.07	10.4	79	55
Remainder of County	58,288	15.4	4.0	15.1	11.1	0.67	0.62	0.58	—	—	0.05	0.05	0.43	—	1.00	7.5	58	30
KINCARDINE COUNTY	26,998	16.0	6.2	13.6	11.0	0.33	0.22	0.22	0.04	—	—	0.04	0.04	0.04	1.15	12.2	89	34
KINROSS COUNTY	7,747	16.4	7.2	12.9	10.6	0.26	0.26	0.26	—	—	—	—	—	0.13	1.42	9.8	53	36
KIRKCUDBRIGHT COUNTY	33,594	17.7	5.7	15.1	10.9	0.33	0.21	0.33	—	—	0.09	0.03	0.12	—	1.04	10.0	58	19
LANARK COUNTY	1,511,848	19.0	10.7	15.0	16.9	1.23	0.93	0.61	0.01	—	0.27	0.13	0.12	0.02	1.83	5.8	103	43
Airdrie Burgh	27,810	20.4	10.6	12.5	14.3	0.47	0.40	0.68	—	—	0.29	0.04	0.32	—	1.37	4.3	80	27
Coatbridge Burgh	43,818	22.0	9.0	13.8	15.6	0.80	0.64	0.80	—	—	0.52	0.07	0.18	—	1.64	2.7	98	47
Glasgow Burgh †	1,008,435	18.7	11.7	16.2	—	1.45	1.12	0.64	0.01	—	0.28	0.15	0.11	0.01	2.09	6.6	111	44
Hamilton Burgh	38,150	21.7	10.1	13.9	15.8	1.39	0.84	0.76	0.05	—	0.37	0.08	0.21	0.03	1.44	5.5	113	38
Motherwell and Wishaw Burgh	65,338	20.1	9.6	11.9	14.1	0.86	0.57	0.51	—	—	0.24	0.05	0.11	0.05	1.22	3.7	73	34
Rutherglen Burgh	24,460	14.1	12.4	14.2	15.6	0.78	0.57	0.37	—	—	0.12	0.12	0.04	—	1.43	3.5	89	42
Remainder of County	303,837	19.4	7.8	12.6	14.3	0.74	0.52	0.51	0.01	—	0.18	0.10	0.13	0.03	1.25	4.5	84	41
MIDLOTHIAN COUNTY	514,982	15.5	10.2	14.7	14.7	0.82	0.63	0.41	0.01	—	0.11	0.06	0.13	0.02	1.37	6.9	65	38
Edinburgh Burgh	429,179	15.0	10.6	15.3	15.1	0.88	0.70	0.43	0.01	—	0.10	0.07	0.15	0.02	1.47	7.3	66	37
Remainder of County	85,803	17.6	8.2	11.7	12.3	0.54	0.30	0.31	0.02	—	0.13	0.05	0.05	0.01	0.85	5.4	61	40
MORAY COUNTY	43,502	19.6	8.2	14.5	12.1	0.39	0.30	0.30	0.02	—	0.02	0.02	0.11	0.09	1.01	13.1	70	21
NAIRN COUNTY	8,885	20.0	8.1	16.2	12.3	0.45	0.34	0.11	—	—	—	—	0.11	—	1.35	9.7	86	36
ORKNEY COUNTY	24,616	17.0	9.0	15.6	10.5	0.57	0.49	0.97	—	—	0.24	0.08	0.61	—	1.34	10.2	56	29
PEEBLES COUNTY	15,491	13.4	6.9	12.0	10.1	0.39	0.39	0.39	—	—	0.06	—	0.19	0.06	0.97	1.9	33	40
PERTH COUNTY	126,649	14.9	7.5	14.2	11.9	0.48	0.37	0.36	—	—	0.03	0.07	0.17	0.03	1.04	9.5	61	31
Perth Burgh	36,180	16.5	12.4	13.7	12.8	0.41	0.33	0.33	—	—	0.08	0.08	0.19	—	1.11	8.7	65	33
Remainder of County	90,469	14.3	5.5	11.5	11.5	0.51	0.39	0.38	—	—	0.04	0.07	0.15	0.04	1.02	9.8	59	31
RENFREW COUNTY	320,373	17.7	9.0	13.7	14.7	1.12	0.85	0.48	0.01	—	0.13	0.14	0.12	0.01	1.36	4.4	89	45
Greenock Burgh †	76,999	18.8	10.1	14.8	—	1.48	1.17	0.36	0.01	—	0.04	0.06	0.18	0.03	1.69	4.5	90	47
Paisley Burgh	90,382	19.4	10.2	15.2	16.4	1.26	0.92	0.64	—	—	0.27	0.23	0.08	—	1.50	4.6	116	48
Port Glasgow Burgh	20,141	24.6	10.8	13.2	—	1.09	0.79	0.30	—	—	0.10	0.10	0.20	—	2.18	4.3	120	41
Remainder of County	132,851	14.9	7.2	12.2	12.8	0.82	0.62	0.46	0.01	—	0.11	0.12	0.11	0.02	0.94	4.1	55	41
ROSS AND CROMARTY COUNTY	61,154	16.0	5.8	16.5	11.6	0.90	0.70	0.43	—	—	0.02	0.05	0.20	0.03	1.03	7.5	57	33
ROXBURGH COUNTY	45,353	12.6	7.7	14.1	12.6	0.35	0.29	0.33	—	—	0.07	0.04	0.15	—	1.06	5.5	55	57
SELKIRK COUNTY	21,316	12.1	8.5	14.7	12.9	0.47	0.38	0.42	—	—	0.19	0.09	0.05	0.05	0.61	7.0	66	32
STIRLING COUNTY	174,652	17.8	8.3	12.1	13.0	0.70	0.49	0.36	—	—	0.10	0.07	0.11	0.02	1.05	5.2	69	38
Falkirk Burgh	34,503	16.2	10.1	12.3	13.6	0.90	0.67	0.14	—	—	0.06	0.06	0.06	—	0.87	5.1	48	53
Stirling Burgh	26,814	18.5	10.1	13.9	13.9	0.86	0.52	0.16	—	—	0.30	0.15	0.04	0.04	0.97	5.3	96	35
Remainder of County	113,335	18.1	7.4	11.6	12.5	0.60	0.42	0.38	—	—	0.08	0.06	0.14	0.03	1.16	5.3	68	34
SUTHERLAND COUNTY	14,063	18.0	4.7	19.1	12.3	1.21	0.78	0.21	—	—	—	—	0.14	—	0.85	8.3	79	40
WEST LOTHIAN COUNTY	78,799	19.3	8.2	11.7	13.4	0.62	0.37	0.38	—	—	0.10	0.08	0.11	0.03	0.96	4.6	69	40
WIGTOWN COUNTY	33,500	20.2	7.4	13.8	12.2	0.42	0.27	0.48	—	—	0.18	—	0.27	—	0.66	11.9	71	22
ZETLAND COUNTY	19,873	14.3	9.5	18.9	12.3	1.26	1.16	2.01	—	—	0.05	—	1.61	0.20	1.06	7.2	31	36

* Includes typhoid, paratyphoid and cerebro-spinal fever, in addition to those indicated.

† See note * Table 2.

‡ On account of evacuation the 1931 age distribution is unsuitable for use as a standardising factor.

TABLE 5.—Proportion of Illegitimate Births and of Still-births, also Infantile Mortality, in the Small Burghs of Scotland in 1941.

SMALL BURGHS.	Illegitimate Births per cent. of Live-births.	Infantile Mortality. Rate per 1000 Live-births.	Still-Births per 1000 Total Births (including Still-births).	SMALL BURGHS.	Illegitimate Births per cent. of Live-births.	Infantile Mortality. Rate per 1000 Live-births.	Still-Births per 1000 Total Births (including Still-births).
ABERDEEN COUNTY—				BERWICK COUNTY—			
Ballater	14·8	37	—	Coldstream	4·3	130	—
Ellon	6·7	—	—	Duns	5·7	29	54
Fraserburgh	2·7	77	27	Eyemouth	3·0	61	29
Huntly	18·2	65	25	Lauder	—	—	—
Inverurie	10·7	40	—	BUTE COUNTY—			
Kintore	15·4	77	71	Millport	4·2	125	—
Old Meldrum	14·3	238	45	Rothsay	6·8	24	19
Peterhead	7·6	67	21	CAITHNESS COUNTY—			
Rosehearty	3·6	71	—	Thurso	12·1	99	42
Turriff	7·5	25	—	Wick	12·2	74	31
ANGUS COUNTY—				CLACKMANNAN COUNTY—			
Brechin	7·9	44	66	Alloa	9·7	93	63
Carnoustie	1·6	33	47	Alva	10·7	27	85
Forfar	10·8	64	43	Dollar	20·0	100	—
Kirriemuir	4·9	33	32	Tillicoultry	1·7	34	17
Monifieth	2·1	43	21	DUNBARTON COUNTY—			
Montrose	5·5	72	22	Cove and Kilcreggan	—	111	—
ARGYLL COUNTY—				Helensburgh	6·9	77	15
Campbeltown	12·3	65	14	Kirkintilloch	2·7	93	33
Dunoon	9·4	81	53	Milngavie	2·8	139	65
Inveraray	7·1	143	—	DUMFRIES COUNTY—			
Lochgilphead	4·5	—	—	Annan	6·0	95	12
Oban	9·2	50	63	Langholm	6·1	61	57
Tobermory	7·1	143	—	Lochmaben	21·7	—	80
AYR COUNTY—				Lockerbie	10·2	41	58
Ardrossan	7·4	83	56	Moffat	6·1	30	29
Cumnock and Holmhead	5·3	67	51	Sanquhar	6·1	61	29
Darvel	2·5	25	167	EAST LOTHIAN COUNTY—			
Galston	2·6	64	—	Cockenzie and Port Seton	2·9	44	29
Girvan	2·8	75	27	Dunbar	7·4	49	47
Irvine	4·2	98	53	East Linton	9·1	136	—
Kilwinning	9·2	122	30	Haddington	5·7	71	28
Largs	4·0	79	56	North Berwick	5·4	71	34
Maybole	5·4	140	21	Prestonpans	8·8	88	34
Newmilns and Greenholm	6·2	108	—	Tranent	3·9	71	23
Prestwick	5·6	61	34	FIFE COUNTY—			
Saltcoats	7·3	84	43	Auchtermuchty	—	—	42
Stewarton	1·6	82	16	Buckhaven and Methil	5·2	86	41
Troon	1·2	62	53	Burntisland	7·4	63	40
BANFF COUNTY—				Cowdenbeath	4·9	69	39
Aberchirder	11·1	—	53	Crail	3·1	—	30
Banff	11·6	101	14	Culross	—	83	77
Buckie	5·1	83	71	Cupar	7·1	71	30
Charlestown of Aberlour	7·7	—	71	Elie and Earlsferry	18·2	—	83
Cullen	4·3	43	80	Falkland	17·6	176	—
Dufftown	13·6	—	43	Inverkeithing	9·2	53	62
Findochty	5·0	100	—	Kilrenny and Anstruther	7·3	73	68
Keith	15·0	88	36	Kinghorn	7·7	19	55
Macduff	13·5	77	19	Ladybank and Monkston	—	59	—
Portknockie	2·9	—	29				
Portsoy	20·0	250	48				

Note:—Population estimates for small Burghs not available. Some of the rates in this Table are based on very few observations and are therefore of limited value. Numbers on which the rates are based will be found on pages 112-187.

TABLE 5—continued.

SMALL BURGHS.	Illegitimate Births per cent. of Live-births.	Infantile Mortality. Rate per 1000 Live-births.	Still-Births per 1000 Total Births (including Still-births).	SMALL BURGHS.	Illegitimate Births per cent. of Live-births.	Infantile Mortality. Rate per 1000 Live-births.	Still-Births per 1000 Total Births (including Still-births).
FIFE COUNTY—contd.—				PERTH COUNTY—			
Leslie	3·0	—	—	Aberfeldy	7·7	154	—
Leven	4·3	64	28	Abernethy	—	—	—
Lochgelly	8·1	89	61	Alyth	12·1	30	29
Markinch	6·7	67	—	Auchterarder	6·1	121	83
Newburgh	—	—	65	Blairstown and Rattray	11·1	91	48
Newport	13·5	135	51	Callander	—	63	—
Pittenweem	3·2	65	61	Coupar-Angus	8·3	83	53
St. Andrews	7·3	56	24	Crieff	8·3	83	23
St. Monance	4·0	40	—	Doune	—	—	167
Tayport	7·4	74	69	Dunblane	10·4	—	40
INVERNESS COUNTY—				RENFREW COUNTY—			
Fort-William	9·4	57	—	Barrhead	4·8	88	70
Kingussie	—	95	—	Gourock	5·5	74	36
KINCARDINE COUNTY—				Johnstone	4·2	64	28
Banchory	6·5	65	—	Renfrew	4·0	50	47
Inverbervie	8·3	167	77	ROSS AND CROMARTY COUNTY—			
Laurencekirk	13·3	400	63	Cromarty	15·0	150	—
Stonehaven	7·3	36	18	Dingwall	4·4	44	14
KINROSS COUNTY—				Fortrose	20·0	—	—
Kinross	4·4	44	63	Invergordon	9·1	61	29
KIRKCUDBRIGHT COUNTY—				Stornoway	5·2	52	49
Castle-Douglas	4·0	—	20	Tain	10·5	105	—
Dalbeattie	13·8	100	48	ROXBURGH COUNTY—			
Gatehouse	—	—	—	Hawick	4·1	69	80
Kirkcudbright	4·8	—	—	Jedburgh	3·6	73	83
New Galloway	33·3	—	—	Kelso	7·5	75	24
LANARK COUNTY—				Melrose	—	—	—
Biggar	12·0	—	38	SELKIRK COUNTY—			
Lanark	6·7	100	32	Galashiels	5·6	68	18
MIDLOTHIAN COUNTY—				Selkirk	6·7	50	63
Bonnyrigg and Lasswade	3·4	114	22	STIRLING COUNTY—			
Dalkeith	3·5	64	34	Bridge-of-Allan	12·1	91	29
Loanhead	6·3	73	40	Denny and Dunipace	5·5	70	30
Musselburgh	5·5	62	42	Grangemouth	4·5	52	36
Penicuik	4·9	33	39	Kilsyth	1·1	90	11
MORAY COUNTY—				SUTHERLAND COUNTY—			
Burghead	19·4	65	61	Dornoch	10·0	—	—
Elgin	11·1	74	30	WEST LOTHIAN COUNTY—			
Forres	15·6	73	—	Armadales	5·0	120	38
Grantown-on-Spey	12·0	—	—	Bathgate	3·7	58	31
Lossiemouth	15·3	46	30	Borrowstounness	2·5	51	48
Rothies	13·6	136	43	Linlithgow	1·7	85	18
NAIRN COUNTY—				Queensferry	4·0	80	20
Nairn	7·1	61	20	Whitburn	4·1	71	20
ORKNEY COUNTY—				WIGTOWN COUNTY—			
Kirkwall	10·0	78	43	Newton-Stewart	2·4	71	—
Stromness	20·8	42	77	Stranraer	12·3	78	27
PEEBLES COUNTY—				Whithorn	5·0	—	48
Innerleithen	—	57	28	Wigtown	3·6	—	34
Peebles	3·6	12	67	ZETLAND COUNTY—			
				Lerwick	11·3	21	30

TABLE 6.—Proportion of Illegitimate Births and of Still-births, also Infantile Mortality, in the Landward Areas of Scotland in 1941.

COUNTY LANDWARD AREAS.	Illegitimate Births per cent. of Live-births.	Infantile Mortality. Rate per 1000 Live-births.	Still-Births per 1000 Total Births (including Still- births).	COUNTY LANDWARD AREAS.	Illegitimate Births per cent. of Live-Births.	Infantile Mortality. Rate per 1000 Live-births.	Still-Births per 1000 Total Births (including Still- births).
Aberdeen	14.0	56	31	Lanark	4.4	84	41
Angus	9.2	70	32	Midlothian	5.8	58	42
Argyll	10.1	48	28	Moray	12.3	76	16
Ayr	5.3	81	41	Nairn	12.5	114	54
Banff	14.5	61	52	Orkney	9.5	51	22
Berwick	8.8	51	21	Peebles	1.1	42	21
Bute	8.0	36	9	Perth	10.4	53	27
Caithness	11.0	57	26	Renfrew	3.8	45	38
Clackmannan	5.5	71	36	Ross and Cromarty	7.3	56	36
Dunbarton	4.1	67	44	Roxburgh	7.0	41	39
Dumfries	10.4	78	48	Selkirk	12.0	80	38
East Lothian	5.9	64	42	Stirling	5.7	67	37
Fife	6.2	66	30	Sutherland	8.2	82	41
Inverness	7.6	57	33	West Lothian	5.3	67	44
Kincardine	13.6	83	37	Wigtown	13.5	76	20
Kinross	12.6	57	22	Zetland	5.2	36	40
Kirkcudbright	10.7	65	16				

Note :—Population estimates for landward areas of counties not available.

TABLE 7.—Birth-rate among Married and among Unmarried Women in Scotland, 1941.

	Estimated Number of Women aged 15-44.			Births (Living Children).			Birth-rates (Living Children).		
	Total.	Married Women aged 16-44.	Un- married Women and Widows aged 15-44.	Total.	Legiti- mate.	Illegiti- mate.	Total per 1000 Women aged 15-44.	Legiti- mate Births per 1000 Married Women aged 16-44.	Illegiti- mate Births per 1000 Un- married Women aged 15-44.
SCOTLAND .	1,221,400	607,200	614,200	89,743	83,839	5,904	73·5	138·1	9·6
LARGE BURGHS .	682,800	339,800	343,100	48,344	45,325	3,019	70·8	133·4	8·8
SMALL BURGHS LANDWARD }	538,600	267,400	271,100	{ 13,992 27,107	{ 13,069 25,445	{ 923 1,962	76·9	144·0	10·6
ABERDEEN Co. .	77,500	38,400	39,100	5,511	4,969	542	71·1	129·5	13·8
Aberdeen Burgh .	46,200	22,600	23,600	2,907	2,688	219	62·9	119·0	9·3
Remainder of Co.	31,300	15,800	15,500	2,604	2,281	323	83·2	144·5	20·8
ANGUS Co. .	66,500	31,400	35,100	4,454	4,125	329	67·0	131·2	9·4
Arbroath B. .	4,400	2,100	2,400	341	321	20	76·8	155·1	8·4
Dundee B. .	44,400	21,200	23,200	2,850	2,641	209	64·2	124·3	9·0
Remainder of Co.	17,600	8,100	9,500	1,263	1,163	100	71·6	143·2	10·5
ARGYLL Co. .	15,400	6,400	9,000	1,032	929	103	67·0	145·9	11·4
AYR Co. .	79,500	40,100	39,400	5,960	5,656	304	74·9	140·9	7·7
Ayr B. .	11,900	5,800	6,100	791	746	45	66·3	128·3	7·4
Kilmarnock B. .	11,000	5,600	5,400	712	686	26	64·5	122·1	4·8
Remainder of Co.	56,600	28,700	27,900	4,457	4,224	233	78·8	147·1	8·4
BANFF Co. .	11,100	5,600	5,400	969	856	113	87·7	152·1	20·8
BERWICK Co. .	5,900	2,900	2,900	366	338	28	62·4	114·7	9·6
BUTE Co. .	4,800	2,000	2,800	341	317	24	71·7	160·3	8·6
CAITHNESS Co. .	5,300	2,500	2,800	543	480	63	102·5	195·4	22·2
CLACKMANNAN Co.	8,800	4,500	4,400	628	579	49	71·2	129·9	11·2
DUNBARTON Co. .	35,800	17,600	18,200	2,611	2,508	103	73·0	142·3	5·7
Clydebank B. .	7,600	4,200	3,400	624	598	26	82·0	142·5	7·6
Dumbarton B. .	5,500	2,900	2,600	441	426	15	80·8	149·0	5·8
Remainder of Co.	22,700	10,500	12,200	1,546	1,484	62	68·1	141·3	5·1
DUMFRIES Co. .	20,700	10,200	10,500	1,550	1,408	142	74·8	137·5	13·6
Dumfries B. .	7,300	3,500	3,800	528	487	41	72·4	138·2	10·9
Remainder of Co.	13,400	6,700	6,700	1,022	921	101	76·1	137·1	15·0
EAST LOTHIAN Co.	11,600	6,000	5,700	936	882	54	80·5	148·1	9·5
FIFE Co. .	68,400	37,300	31,100	4,984	4,701	283	72·9	126·2	9·1
Dunfermline B. .	10,700	5,700	5,000	695	660	35	64·9	115·6	7·0
Kirkcaldy B. .	11,700	6,100	5,600	722	693	29	61·7	114·4	5·1
Remainder of Co.	46,000	25,500	20,500	3,567	3,348	219	77·5	131·3	10·7
INVERNESS Co. .	18,200	7,800	10,400	1,413	1,293	120	77·5	165·2	11·5
Inverness B. .	6,700	3,000	3,700	481	431	50	72·0	143·6	13·6
Remainder of Co.	11,500	4,800	6,700	932	862	70	80·7	178·7	10·4

Appendix Tables.

TABLE 7—continued.

	Estimated Number of Women aged 15-44.			Births (Living Children).			Birth-rates (Living Children).		
	Total.	Married Women aged 16-44.	Un- married Women and Widows aged 15-44.	Total.	Legiti- mate.	Illegiti- mate.	Total per 1000 Women aged 15-44.	Legiti- mate Births per 1000 Married Women aged 16-44.	Illegiti- mate Births per 1000 Un- married Women aged 15-44.
KINCARDINE CO.	5,900	2,900	3,000	450	395	55	75·8	136·5	18·1
KINROSS CO. .	1,800	800	900	132	119	13	73·5	140·2	13·7
KIRKCUDBRIGHT CO.	7,700	3,700	4,000	619	557	62	80·0	149·0	15·5
LANARK CO. .	394,000	204,100	189,800	30,875	29,088	1,787	78·4	142·5	9·4
Airdrie B. .	7,000	3,800	3,100	609	583	26	87·4	152·2	8·3
Coatbridge B. .	10,200	5,800	4,300	1,024	996	28	100·8	170·9	6·5
Glasgow B. .	273,000	138,400	134,700	20,363	19,021	1,342	74·6	137·5	10·0
Hamilton B. .	9,300	5,200	4,100	879	831	48	94·5	160·1	11·7
Motherwell and Wishaw B.	15,600	8,800	6,800	1,382	1,331	51	88·6	151·0	7·5
Rutherglen B. .	6,500	3,100	3,400	369	356	13	57·1	115·5	3·8
Remainder of Co.	72,400	39,000	33,400	6,249	5,970	279	86·3	153·0	8·4
MIDLOTHIAN CO. .	140,500	65,600	74,800	8,541	7,951	590	60·8	121·2	7·9
Edinburgh B. .	120,000	54,400	65,600	6,934	6,430	504	57·8	118·2	7·7
Remainder of Co.	20,500	11,200	9,300	1,607	1,521	86	78·6	136·0	9·3
MORAY CO. .	10,000	4,800	5,200	899	781	118	89·6	161·6	22·7
NAIRN CO. .	2,000	900	1,100	186	168	18	92·3	193·8	15·7
ORKNEY CO. .	5,200	2,400	2,800	430	386	44	83·3	160·8	15·9
PEEBLES CO. .	3,800	1,800	2,100	214	210	4	55·6	119·1	1·9
PERTH CO. .	31,100	14,100	17,000	2,010	1,820	190	64·6	128·7	11·2
Perth B. .	9,900	4,600	5,300	644	588	56	65·0	127·3	10·6
Remainder of Co.	21,200	9,500	11,700	1,366	1,232	134	64·3	129·4	11·4
RENFREW CO. .	82,800	40,400	42,400	5,991	5,728	263	72·4	141·7	6·2
Greenock B. .	18,500	10,000	8,500	1,517	1,449	68	82·2	145·0	8·0
Paisley B. .	24,900	12,000	12,900	1,885	1,798	87	75·8	150·0	6·8
Port Glasgow B.	4,600	2,500	2,100	509	487	22	109·8	192·7	10·4
Remainder of Co.	34,900	15,900	18,900	2,080	1,994	86	59·7	125·3	4·5
ROSS & CROMARTY Co.	13,000	5,100	7,900	1,019	943	76	78·3	185·5	9·6
ROXBURGH CO. .	11,600	5,200	6,400	600	567	33	51·9	109·7	5·2
SELKIRK CO. .	5,500	2,500	3,000	272	253	19	49·6	100·1	6·4
STIRLING CO. .	43,300	22,900	20,400	3,326	3,152	174	76·7	137·5	8·5
Falkirk B. .	9,000	4,900	4,100	606	575	31	67·7	117·7	7·6
Stirling B. .	7,000	3,500	3,500	531	503	28	75·7	142·1	8·1
Remainder of Co.	27,400	14,500	12,900	2,189	2,074	115	80·0	143·1	8·9
SUTHERLAND CO. .	2,900	1,200	1,700	266	244	22	91·1	204·9	12·7
WEST LOTHIAN CO.	18,300	10,500	7,800	1,618	1,544	74	88·5	147·7	9·4
WIGTOWN CO. .	7,900	3,900	4,100	706	622	84	89·0	160·9	20·6
ZETLAND CO. .	4,500	1,700	2,800	291	270	21	64·9	156·9	7·6

TABLE 8.—Method of Celebration, etc. of Marriages in Scotland, 1855-1940.

YEAR.	Total MARRIAGES.		REGULAR MARRIAGES according to Forms of the							CIVIL MARRIAGES.†	IRREGULAR MARRIAGES.	SIGNED BY MARK.	
	Number.	Proportion per 1000 of Population.	Church of Scotland.	Free Church.	United Presbyterian Church.	Rom. Cath. Church.	Scottish Episcopal Church.	Other Forms.	Form not stated.			Men.	Women.
DECENNIAL AVERAGES.													
1855-1860	20645	6·840	9586	4747	2872	1846	383	1058	135	...	19	2335	4804
1861-1870	22422	7·004	9929	5278	3214	2071	464	1324	101	...	41	2387	4736
1871-1880	25355	7·172	11549	5649	3305	2286	646	1633	25	...	263	2150	4321
1881-1890	25939	6·700	11971	5277	3011	2558	732	1728	12	...	650	1381	2572
1891-1900	29866	7·054	13497	5638	3292	2934	899	2179	0	...	1428	740	1162
				Un. Free Ch.*									
1901-1910	31825	6·907	14414	8477		3331	936	2634	0	...	2034	471	642
1911-1920	35647	7·451	14231	8340		3964	1131	2669	0	...	5312	221	300
1921-1930	33663	6·923	14993	6910		3911	971	2591	0	...	4287	75	95
1931-1940	38964	7·869	24,459			5051	1076	3427	0	...	4697	45	44
ANNUAL NUMBERS.													
1930	33315	6·900	21,328			4162	897	2863	0	...	4065	61	66
1931	32652	6·742	20,765			4115	870	2805	0	...	4097	70	55
1932	33157	6·790	21,034			4346	917	2837	0	...	4023	39	57
1933	34201	6·962	21,687			4577	925	3001	0	...	4011	34	42
1934	36934	7·485	23,476			4888	1040	3229	0	...	4301	52	48
1935	37988	7·670	24,069			5069	1018	3470	0	...	4362	43	49
1936	37896	7·631	23,791			4925	1026	3651	0	...	4503	58	36
1937	38334	7·703	24,219			4874	1004	3523	0	...	4714	36	41
1938	38716	7·754	24,012			4760	1033	3427	0	...	5484	37	43
1939	46236	9·235	27,779			5729	1212	3849	0	...	7667	39	36
1940	53522	10·609	33,756			7230	1715	4481	0	2531	3809	37	31
RATE PER HUNDRED MARRIAGES—DECENNIAL.													
1855-1860	100·00	...	46·42	23·01	13·92	8·94	1·85	5·12	0·65	...	0·09	11·31	23·27
1861-1870	100·00	...	44·30	23·54	14·33	9·22	2·07	5·89	0·47	...	0·18	10·65	21·12
1871-1880	100·00	...	45·56	22·28	13·02	9·02	2·55	6·42	0·11	...	1·04	8·48	17·02
1881-1890	100·00	...	46·17	20·34	11·61	9·85	2·82	6·66	0·05	...	2·51	5·32	9·79
1891-1900	100·00	...	45·20	18·91	11·04	9·81	3·00	7·29	4·78	2·51	3·95
				Un. Free Ch.*									
1901-1910	100·00	...	45·29	26·63		10·46	2·94	8·28	6·39	1·48	2·01
1911-1920	100·00	...	39·92	23·40		11·12	3·17	7·49	14·90	0·62	0·84
1921-1930	100·00	...	44·54	20·53		11·62	2·88	7·70	12·74	0·22	0·28
RATE PER HUNDRED MARRIAGES—ANNUAL.													
1930	100·00	...	64·02			12·49	2·69	8·60	12·20	0·18	0·20
1931	100·00	...	63·60			12·60	2·66	8·59	12·55	0·21	0·17
1932	100·00	...	63·44			13·11	2·77	8·56	12·13	0·12	0·17
1933	100·00	...	63·41			13·38	2·70	8·77	11·73	0·10	0·12
1934	100·00	...	63·56			13·23	2·82	8·74	11·65	0·14	0·13
1935	100·00	...	63·36			13·34	2·68	9·13	11·48	0·11	0·13
1936	100·00	...	62·78			13·00	2·71	9·63	11·88	0·15	0·09
1937	100·00	...	63·18			12·71	2·62	9·19	12·30	0·09	0·11
1938	100·00	...	62·02			12·29	2·67	8·86	14·16	0·10	0·11
1939	100·00	...	60·08			12·39	2·62	8·33	16·58	0·08	0·08
1940	100·00	...	63·07			13·51	3·20	8·37	...	4·73	7·12	0·07	0·06

* The Free Church and the United Presbyterian Church were united on 31st October 1900 under the name of the United Free Church. The Church of Scotland and the United Free Church were united on 2nd October 1929 under the designation of "The Church of Scotland."

† By the Marriage (Scotland) Act 1939 which came into operation on 1st July 1940, Irregular Marriages were abolished and Civil Marriages were substituted. (See page x.)

TABLE 9.—Regular, Irregular and Civil Marriages in Scotland, 1940.

	Total Marriages.	NUMBERS.							PERCENTAGE OF TOTAL MARRIAGES.						
		REGULAR MARRIAGES.				† CIVIL MARRIAGES.		+ IRREGULAR MARRIAGES.	REGULAR MARRIAGES.				† CIVIL MARRIAGES.		+ IRREGULAR MARRIAGES.
		Banns.	Publication of Notice.	Banns and Publication.	Licenc.	Publication of Notice.	Licence.		Banns.	Publication of Notice.	Banns and Publication.	Licence.	Publication of Notice.	Licence.	
SCOTLAND	53,522	37,652	8,542	883	105	2,221	310	3,809	70.3	16.0	1.6	0.2	4.1	0.6	7.1
LARGE BURGHS	34,777	21,731	6,772	555	76	1,767	275	3,601	62.5	19.5	1.6	0.2	5.1	0.8	10.4
COUNTIES (<i>ex</i> Large Burghs)	18,745	15,921	1,770	328	29	454	35	208	84.9	9.4	1.7	0.2	2.4	0.2	1.1
Counties.*															
Aberdeen	3,353	2,590	337	47	3	146	13	217	77.2	10.1	1.4	0.1	4.4	0.4	6.5
Angus	3,023	2,112	427	48	13	188	42	193	69.9	14.1	1.6	0.4	6.2	1.4	6.4
Argyll	358	329	12	7	1	6	-	3	91.9	3.4	2.0	0.3	1.7	-	0.8
Ayr	3,260	2,894	203	48	1	63	3	48	88.8	6.2	1.5	0.0	1.9	0.1	1.5
Banff	419	379	10	9	-	9	1	11	90.5	2.4	2.1	-	2.1	0.2	2.6
Berwick	190	178	2	1	1	6	2	-	93.7	1.1	0.5	0.5	3.2	1.1	-
Bute	97	83	3	-	-	4	4	3	85.6	3.1	-	-	4.1	4.1	3.1
Caithness	246	219	3	1	-	12	1	10	89.0	1.2	0.4	-	4.9	0.4	4.1
Clackmannan	321	278	18	9	-	14	-	2	86.6	5.6	2.8	-	4.4	-	0.6
Dunbarton	1,401	1,037	294	20	4	41	-	5	74.0	21.0	1.4	0.3	2.9	-	0.4
Dumfries	871	709	17	6	1	31	6	101	81.4	2.0	0.7	0.1	3.6	0.7	11.6
East Lothian	468	434	21	5	1	7	-	-	92.7	4.5	1.1	0.2	1.5	-	-
Fife	2,957	2,285	237	59	4	196	2	174	77.3	8.0	2.0	0.1	6.6	0.1	5.9
Inverness	708	549	56	11	4	29	14	45	77.5	7.9	1.6	0.6	4.1	2.0	6.4
Kincardine	194	187	2	4	-	1	-	-	96.4	1.0	2.1	-	0.5	-	-
Kinross	46	41	-	1	-	4	-	-	89.1	-	2.2	-	8.7	-	-
Kirkcudbright	209	201	1	3	-	2	1	1	96.2	0.5	1.4	-	1.0	0.5	0.5
Lanark	19,482	11,120	5,056	343	38	853	121	1,951	57.1	26.0	1.8	0.2	4.4	0.6	10.0
Midlothian	6,840	4,539	852	120	16	373	72	868	66.4	12.5	1.8	0.2	5.4	1.1	12.7
Moray	431	378	11	3	-	16	3	20	87.7	2.6	0.7	-	3.7	0.7	4.6
Nairn	74	64	2	-	-	7	-	1	86.5	2.7	-	-	9.5	-	1.4
Orkney	193	173	2	3	-	7	1	7	89.6	1.0	1.6	-	3.6	0.5	3.6
Peebles	109	103	1	2	1	2	-	-	94.5	0.9	1.8	0.9	1.8	-	-
Perth	1,173	1,022	25	18	4	55	6	43	87.1	2.1	1.5	0.3	4.7	0.5	3.7
Renfrew	3,146	2,366	629	48	5	64	7	27	75.2	20.0	1.5	0.2	2.0	0.2	0.9
Ross and Crom.	379	275	75	9	2	5	3	10	72.6	19.8	2.4	0.5	1.3	0.8	2.6
Roxburgh	360	328	8	4	-	16	1	3	91.1	2.2	1.1	-	4.5	0.3	0.8
Selkirk	204	189	4	3	1	2	1	4	92.6	2.0	1.5	0.5	1.0	0.5	2.0
Stirling	1,721	1,441	145	40	4	41	4	46	83.7	8.4	2.3	0.2	2.4	0.2	2.7
Sutherland	62	58	1	-	-	1	-	2	93.5	1.6	-	-	1.6	-	3.2
West Lothian	842	739	80	10	1	10	-	2	87.8	9.5	1.2	0.1	1.2	-	0.2
Wigtown	249	223	8	1	-	9	-	8	89.6	3.2	0.4	-	3.6	-	3.2
Zetland	136	129	-	-	-	1	2	4	94.9	-	-	-	0.7	1.5	2.9
Large Burghs.															
Glasgow	14,581	7,696	3,841	246	27	726	116	1,929	52.8	26.3	1.7	0.2	5.0	0.8	13.2
Edinburgh	5,901	3,759	740	97	16	350	72	867	63.7	12.5	1.6	0.3	5.9	1.2	14.7
Dundee	2,186	1,379	404	32	11	153	39	168	63.1	18.5	1.5	0.5	7.0	1.8	7.7
Aberdeen	2,368	1,686	309	37	3	116	12	205	71.2	13.0	1.6	0.1	4.9	0.5	8.7
Paisley	1,165	854	251	13	3	25	1	18	73.3	21.5	1.1	0.3	2.1	0.1	1.5
Greenock	861	657	164	13	-	14	4	9	76.3	19.0	1.5	-	1.6	0.5	1.0
M'well & Wishaw	704	500	155	15	-	28	-	6	71.0	22.0	2.1	-	4.0	-	0.9
Clydebank	472	322	117	5	1	27	-	-	68.2	24.8	1.1	0.2	5.7	-	-
Kirkcaldy	573	468	32	1	1	39	-	32	81.7	5.6	0.2	0.2	6.8	-	5.6
Coatbridge	449	274	147	12	6	9	1	-	61.0	32.7	2.7	1.3	2.0	0.2	-
Kilmarnock	517	404	72	11	-	16	-	14	78.1	13.9	2.1	-	3.1	-	2.7
Hamilton	458	343	81	9	1	13	1	10	74.9	17.7	2.0	0.2	2.8	0.2	2.2
Ayr	538	455	15	9	-	22	3	34	84.6	2.8	1.7	-	4.1	0.6	6.3
Falkirk	466	396	25	7	-	16	1	21	85.0	5.4	1.5	-	3.4	0.2	4.5
Dunfermline	590	305	67	13	-	75	-	130	51.7	11.4	2.2	-	12.7	-	22.0
Perth	544	426	13	8	2	46	6	43	78.3	2.4	1.5	0.4	8.5	1.1	7.9
Airdrie	291	182	96	5	-	7	-	1	62.5	33.0	1.7	-	2.4	-	0.3
Rutherglen	374	273	92	2	-	7	-	-	73.0	24.6	0.5	-	1.9	-	-
Dumfries	364	295	14	1	1	17	5	31	81.0	3.8	0.3	0.3	4.7	1.4	8.5
Stirling	325	252	26	7	-	16	2	22	77.5	8.0	2.2	-	4.9	0.6	6.8
Inverness	457	355	18	3	3	25	11	42	77.7	3.9	0.7	0.7	5.5	2.4	9.2
Dumbarton	193	131	50	1	-	6	-	5	67.9	25.9	0.5	-	3.1	-	2.6
Port-Glasgow	183	143	36	3	-	1	-	-	78.1	19.7	1.6	-	0.5	-	-
Arbroath	217	176	7	5	1	13	1	14	81.1	3.2	2.3	0.5	6.0	0.5	6.5

* Including Large Burghs.

† July to December only.

‡ January to June only. They include 11 marriages by Decree of Declarator. See notes on page x.

TABLE 10.—Marriages in Scotland according to Church of Celebration, 1940.

	Total Marriages.	ACCORDING TO FORMS OF						Civil and Irregular.	PERCENTAGE OF TOTAL MARRIAGES.						
		Church of Scotland.	United Free Church.	Free Church.	Roman Catholic Church.	Scottish Episcopal Church.	Other Forms.		Church of Scotland.	United Free Church.	Free Church.	Roman Catholic Church.	Scottish Episcopal Church.	Other Forms.	Civil and Irregular.
SCOTLAND	53,522	33,756	476	381	7,230	1,715	3,624	6,340	63.1	0.9	0.7	13.5	3.2	6.8	11.8
LARGE BURGHS.	34,777	19,346	302	210	5,280	1,228	2,768	5,643	55.6	0.9	0.6	15.2	3.5	8.0	16.2
COUNTIES (excl. Large Burghs).	18,745	14,410	174	171	1,950	487	856	697	76.9	0.9	0.9	10.4	2.6	4.6	3.7
Counties.*															
Aberdeen	3,353	2,459	22	3	109	176	208	376	73.3	0.7	0.1	3.3	5.2	6.2	11.2
Angus	3,023	1,757	25	2	370	187	259	423	58.1	0.8	0.1	12.2	6.2	8.6	14.0
Argyll	358	274	3	12	31	20	9	9	76.5	0.8	3.4	8.7	5.6	2.5	2.5
Ayr	3,260	2,539	31	4	303	86	183	114	77.9	1.0	0.1	9.3	2.6	5.6	3.5
Banff	419	331	3	—	21	12	31	21	79.0	0.7	—	5.0	2.9	7.4	5.0
Berwick	190	166	2	—	3	2	9	8	87.4	1.1	—	1.6	1.1	4.7	4.2
Bute	97	68	2	1	11	4	—	11	70.1	2.1	1.0	11.3	4.1	—	11.3
Caithness	246	206	1	1	4	4	7	23	83.7	0.4	0.4	1.6	1.6	2.3	9.4
Clackmannan	321	243	21	—	16	9	16	16	75.7	6.5	—	5.0	2.8	5.0	5.0
Dunbarton	1,401	848	5	6	330	49	117	46	60.5	0.4	0.4	23.6	3.5	8.4	3.3
Dumfries	871	591	16	1	55	42	28	138	67.9	1.8	0.1	6.3	4.8	3.2	15.8
East Lothian	468	390	—	—	35	19	17	7	83.3	—	—	7.5	4.1	3.6	1.5
Fife	2,957	2,155	39	4	149	83	155	372	72.9	1.3	0.1	5.0	2.8	5.2	12.6
Inverness	708	411	2	60	58	18	71	88	58.1	0.3	8.5	8.2	2.5	10.0	12.4
Kincardine	194	179	—	—	1	13	—	1	92.3	—	—	0.5	6.7	—	0.5
Kinross	46	36	4	—	—	2	—	4	78.3	8.7	—	—	4.3	—	8.7
Kirkcudbright	209	176	—	—	22	—	—	4	84.2	—	—	10.5	3.3	—	1.9
Lanark	19,482	10,364	161	131	3,951	347	1,603	2,925	53.2	0.8	0.7	20.3	1.8	8.2	15.0
Midlothian	6,840	4,238	55	21	579	318	316	1,313	62.0	0.8	0.3	8.5	4.6	4.6	19.2
Moray	431	326	2	3	16	17	28	39	75.6	0.5	0.7	3.7	3.9	6.5	9.0
Nairn	74	53	4	—	4	2	3	8	71.6	5.4	—	5.4	2.7	4.1	10.8
Orkney	193	158	2	—	1	7	10	15	81.9	1.0	—	0.5	3.6	5.2	7.3
Peebles	109	93	—	—	6	4	4	2	85.3	—	—	5.5	3.7	3.7	1.8
Perth	1,173	909	14	4	51	55	36	104	77.5	1.2	0.3	4.3	4.7	3.1	8.9
Renfrew	3,146	1,845	22	4	744	121	312	98	58.6	0.7	0.1	23.6	3.8	9.9	3.2
Ross & Cromarty	379	213	1	111	4	8	24	18	56.2	0.3	29.3	1.1	2.1	6.3	4.7
Roxburgh	360	284	1	—	17	24	14	20	78.9	0.3	—	4.7	6.7	3.9	5.6
Selkirk	204	166	—	—	10	14	7	7	81.4	—	—	4.9	6.9	3.4	3.4
Stirling	1,721	1,285	11	1	186	43	104	91	74.7	0.6	0.1	10.8	2.5	6.0	5.2
Sutherland	62	42	—	12	—	—	5	3	67.7	—	19.4	—	—	8.1	4.8
West Lothian	842	655	14	—	134	12	15	12	77.8	1.7	—	15.9	1.4	1.8	1.4
Wigtown	249	209	1	—	9	8	5	17	83.9	0.4	—	3.6	3.2	2.0	6.8
Zetland	136	87	12	—	—	2	28	7	64.0	8.8	—	—	1.5	20.6	5.1
Large Burghs.															
Glasgow	14,581	7,241	122	124	2,821	287	1,215	2,771	49.7	0.8	0.9	19.3	2.0	8.3	19.0
Edinburgh	5,901	3,526	48	21	454	287	276	1,289	59.8	0.8	0.4	7.7	4.9	4.7	21.8
Dundee	2,186	1,070	18	1	346	156	235	360	48.9	0.8	0.0	15.8	7.1	10.8	16.5
Aberdeen	2,368	1,617	18	3	101	135	161	333	68.3	0.8	0.1	4.3	5.7	6.8	14.1
Paisley	1,165	711	1	2	249	24	134	44	61.0	0.1	0.2	21.4	2.1	11.5	3.8
Greenock	861	456	18	2	253	35	70	27	53.0	2.1	0.2	29.4	4.1	8.1	3.1
Motherwell and Wishaw	704	419	6	—	133	17	95	34	59.5	0.9	—	18.9	2.4	13.5	4.8
Clydebank	472	245	4	2	104	8	82	27	51.9	0.8	0.4	22.0	1.7	17.4	5.7
Kirkcaldy	573	418	13	2	24	12	33	71	72.9	2.3	0.3	4.2	2.1	5.8	12.4
Coatbridge	449	230	9	4	139	5	52	10	51.2	2.0	0.9	31.0	1.1	11.6	2.2
Kilmarnock	517	385	12	—	51	17	22	30	74.5	2.3	—	9.9	3.3	4.3	5.8
Hamilton	458	291	1	—	104	6	32	24	63.5	0.2	—	22.7	1.3	7.0	5.2
Ayr	538	374	1	—	38	29	37	59	69.5	0.2	—	7.1	5.4	6.9	11.0
Falkirk	466	335	4	—	37	13	39	38	71.9	0.9	—	7.9	2.8	8.4	8.2
Dunfermline	590	279	5	—	17	33	51	205	47.3	0.8	—	2.9	5.6	8.6	34.7
Perth	544	347	8	2	32	31	29	95	63.8	1.5	0.4	5.9	5.7	5.3	17.5
Airdrie	291	150	3	—	86	7	37	8	51.5	1.0	—	29.6	2.4	12.7	2.7
Rutherglen	374	274	1	—	65	2	25	7	73.3	0.3	—	17.4	0.5	6.7	1.9
Dumfries	364	216	4	1	49	32	9	53	59.3	1.1	6.3	13.5	8.8	2.5	14.6
Stirling	325	209	6	1	38	21	10	40	64.3	1.8	0.3	11.7	6.5	3.1	12.3
Inverness	457	244	—	41	21	15	58	78	53.4	—	9.0	4.6	3.3	12.7	17.1
Dunbarton	193	84	—	4	51	21	22	11	43.5	—	2.1	26.4	10.9	11.4	5.7
Port-Glasgow	183	71	—	—	56	19	36	1	38.8	—	—	30.6	10.4	19.7	0.5
Arbroath	247	154	—	—	11	16	8	28	71.0	—	—	5.1	7.4	3.7	12.9

*Including Large Burghs.

TABLE 11—Civil Condition, etc. of Persons Marrying in Scotland, 1940.

	Total Marriages.	CIVIL CONDITION.					PERCENTAGE OF TOTAL MARRIAGES					NUMBER WHO SIGNED BY MARK	
		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	†Divorced (Either Party).	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Divorced.	Men.	Women.
SCOTLAND	53,522	49,484	667	1,774	622	975	92·5	1·2	3·3	1·2	1·8	37	31
LARGE BURGHS	34,777	31,770	506	1,243	463	795	91·4	1·5	3·6	1·3	2·3	19	10
COUNTIES (<i>ex</i> Large Burghs)	18,745	17,714	161	531	159	180	94·5	0·9	2·8	0·8	1·0	18	21
Counties.*													
Aberdeen.	3,353	3,080	48	123	46	56	91·9	1·4	3·7	1·4	1·7	4	3
Angus	3,023	2,795	26	114	37	51	92·5	0·9	3·8	1·2	1·7	8	5
Argyll	358	344	3	10	1	—	96·1	0·8	2·8	0·3	—	5	4
Ayr.	3,280	3,035	33	112	44	36	93·1	1·0	3·4	1·3	1·1	3	2
Banff	419	400	1	11	4	3	95·5	0·2	2·6	1·0	0·7	—	—
Berwick	190	188	1	1	—	—	98·9	0·5	0·5	—	—	1	—
Bute	97	85	2	4	2	4	87·6	2·1	4·1	2·1	4·1	—	—
Caithness.	246	231	2	8	1	4	93·9	0·8	3·3	0·4	1·6	—	—
Clackmannan	321	310	3	3	2	3	96·6	0·9	0·9	0·6	0·9	—	—
Dunbarton	1,401	1,315	15	42	13	16	93·9	1·1	3·0	0·9	1·1	1	—
Dumfries.	871	801	15	37	7	11	92·0	1·7	4·2	0·8	1·3	1	—
East Lothian	468	446	2	13	1	6	95·3	0·4	2·8	0·2	1·3	—	—
Fife	2,957	2,766	28	80	31	52	93·5	0·9	2·7	1·0	1·3	—	1
Inverness	708	647	14	32	4	11	91·4	2·0	4·5	0·6	1·6	1	2
Kincardine	194	177	1	10	3	3	91·2	0·5	5·2	1·5	1·5	—	1
Kinross	46	45	—	—	—	1	97·8	—	—	—	2·2	—	—
Kirkcudbright.	209	194	3	5	3	4	92·8	1·4	2·4	1·4	1·9	1	—
Lanark	19,482	17,846	281	687	265	403	91·6	1·4	3·5	1·4	2·1	6	4
Midlothian	6,840	6,238	92	226	80	204	91·2	1·3	3·3	1·2	3·0	3	2
Moray	431	401	8	18	3	1	93·0	1·9	4·2	0·7	0·2	—	—
Nairn	74	71	—	2	—	1	95·9	—	2·7	—	1·4	—	—
Orkney	193	183	2	4	2	2	94·8	1·0	2·1	1·0	1·0	—	—
Peebles	109	104	2	2	—	1	95·4	1·8	1·8	—	0·9	—	—
Perth	1,173	1085	10	48	7	23	92·5	0·9	4·1	0·6	2·0	2	3
Renfrew	3,146	2,973	30	76	29	38	94·5	1·0	2·4	0·9	1·2	1	1
Ross and Cromarty.	379	355	5	11	5	3	93·7	1·3	2·9	1·3	0·8	—	2
Roxburgh	360	337	2	12	3	6	93·6	0·6	3·3	0·8	1·7	—	—
Selkirk	204	193	—	8	—	3	94·6	—	3·9	—	1·5	—	—
Stirling	1,721	1,616	25	42	18	20	93·9	1·5	2·4	1·0	1·2	—	—
Sutherland	62	58	1	2	1	—	93·5	1·6	3·2	1·6	—	—	—
West Lothian	842	807	7	19	7	2	95·8	0·8	2·3	0·8	0·2	—	1
Wigtown.	249	230	4	8	3	4	92·4	1·6	3·2	1·2	1·6	—	—
Zetland	136	128	1	4	—	3	94·1	0·7	2·9	—	2·2	—	—
Large Burghs.													
Glasgow	14,581	13,204	233	553	222	369	90·6	1·6	3·8	1·5	2·5	3	2
Edinburgh	5,901	5,340	82	207	75	197	90·5	1·4	3·5	1·3	3·3	2	1
Dundee	2,186	2,003	22	92	29	40	91·6	1·0	4·2	1·3	1·8	5	3
Aberdeen	2,368	2,144	43	91	39	51	90·5	1·8	3·8	1·6	2·2	—	—
Paisley	1,165	1,104	9	24	7	21	94·8	0·8	2·1	0·6	1·8	—	—
Greenock	861	809	11	23	9	9	94·0	1·3	2·7	1·0	1·0	1	—
Motherwell & Wishaw	704	657	7	26	8	6	93·3	1·0	3·7	1·1	0·9	1	—
Clydebank	472	441	9	9	6	7	93·4	1·9	1·9	1·3	1·5	1	—
Kirkcaldy	573	531	6	25	—	11	92·7	1·0	4·4	—	1·9	—	1
Coatbridge	449	426	6	12	4	1	94·9	1·3	2·7	0·9	0·2	—	—
Kilmarnock	517	477	9	16	6	9	92·3	1·7	3·1	1·2	1·7	—	—
Hamilton	458	429	3	14	6	6	93·7	0·7	3·1	1·3	1·3	1	—
Ayr.	538	488	5	23	11	11	90·7	0·9	4·3	2·0	2·0	1	—
Falkirk	466	435	11	9	3	8	93·3	2·4	1·9	0·6	1·7	—	—
Dunfermline	590	539	10	18	12	11	91·4	1·7	3·1	2·0	1·9	—	—
Perth	544	496	8	20	5	15	91·2	1·5	3·7	0·9	2·8	1	—
Airdrie	291	276	4	8	3	—	94·8	1·4	2·7	1·0	—	—	—
Rutherglen	374	354	4	10	3	3	94·7	1·1	2·7	0·8	0·8	—	—
Dumfries	364	331	7	18	3	5	90·9	1·9	4·9	0·8	1·4	1	—
Stirling	325	303	3	10	3	6	93·2	0·9	3·1	0·9	1·8	—	—
Inverness	457	419	8	20	4	6	91·7	1·8	4·4	0·9	1·3	1	1
Dunbarton	193	182	4	6	1	—	94·3	2·1	3·1	0·5	—	—	—
Port-Glasgow	183	175	2	3	3	—	95·6	1·1	1·6	1·6	—	—	1
Arbroath	217	207	—	6	1	3	95·4	—	2·8	0·5	1·4	1	1

* Including Large Burghs.

† 412 divorced men married spinsters and 63 married widows. 360 divorced women married bachelors and 102 married widowers. In 38 cases each party had been divorced.

TABLE 12.—AGES OF MEN AT MARRIAGE IN SCOTLAND,
1940.

TABLE 12.—AGES of MEN at Marriage in Scotland, 1940.

TABLE 12.—AGES of MEN at Marriage in Scotland, 1940.

	All Ages.	Average Age.	16	17	18	19	20	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.
SCOTLAND	53,522	29·0	3	47	297	1029	2003	13,453	19,694	9,226	3,851	1,561	874	565	404	260	169	50	31	5	-
LARGE BURGHS.	34,777	29·1	1	34	210	708	1308	8,737	12,690	5,878	2,494	1,060	602	396	288	187	125	35	21	3	-
COUNTIES (<i>ex</i>)	18,745	28·8	2	13	87	321	695	4,716	7,004	3,348	1,357	501	272	169	116	73	44	15	10	2	-
Large Burgths). <i>Countries.*</i>																					
Aberdeen	3,353	29·2	-	6	20	80	134	824	1,202	557	261	106	62	26	27	22	15	4	6	1	-
Angus	3,023	28·9	1	4	34	72	131	777	1,060	495	219	102	46	22	23	19	11	3	3	1	-
Argyll	358	30·5	-	-	1	4	13	52	121	90	47	18	7	1	3	-	-	-	1	-	-
Ayr	3,260	28·6	-	3	17	55	120	855	1,234	564	214	84	46	30	22	7	6	2	1	-	-
Banff	419	29·8	-	-	1	6	12	82	162	86	36	14	8	7	2	1	2	-	-	-	-
Berwick	190	28·5	-	-	1	1	6	40	80	38	18	4	-	2	-	-	-	-	-	-	-
Bute	97	30·2	-	1	-	1	3	28	27	16	9	7	2	1	1	1	-	-	-	-	-
Caithness.	246	29·5	-	-	2	12	10	58	80	41	18	6	7	6	5	-	-	-	-	-	-
Clackmannan	321	27·8	-	-	6	5	3	102	127	50	13	7	2	2	3	1	-	-	-	-	-
Dunbarton	1,401	29·2	-	1	3	18	40	345	529	261	104	38	26	16	7	8	2	2	1	-	-
Dumfries	871	29·2	-	-	12	21	24	216	303	165	62	22	17	10	11	5	1	2	-	-	-
East Lothian	468	27·9	-	-	3	8	16	130	185	77	30	9	5	2	-	1	2	-	-	-	-
Fife.	2,957	28·2	-	-	16	60	148	858	1,095	423	183	59	46	20	23	20	3	3	-	-	-
Inverness.	708	31·8	-	-	2	16	13	114	216	159	83	45	24	14	10	7	4	1	-	-	-
Kincardine	194	30·1	-	-	-	2	9	42	71	37	13	8	2	5	2	1	1	1	-	-	-
Kinross	46	27·4	-	-	-	2	-	11	23	5	5	-	-	-	-	-	-	-	-	-	-
Kirkcudbright	209	29·2	-	-	-	7	11	48	71	36	21	7	2	2	2	1	-	-	1	-	-
Lanark	19,482	29·0	-	21	116	413	719	4,943	7,136	3,279	1,371	589	329	230	149	101	63	13	9	1	-
Midlothian	6,840	29·1	1	4	33	112	251	1,712	2,562	1,177	481	196	102	77	51	34	28	12	6	1	-
Moray	431	29·3	-	-	3	6	12	124	141	75	38	10	6	8	3	1	2	2	-	-	-
Nairn	74	29·9	-	-	-	1	2	14	29	16	6	2	2	1	1	-	-	-	-	-	-
Orkney	193	29·0	-	-	4	5	11	44	65	38	10	5	4	3	2	1	1	-	-	-	-
Peebles	109	28·7	-	-	-	3	4	24	45	18	9	3	1	2	-	-	-	-	-	-	-
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)

AGES of MEN at Marriage in Scotland, 1940.

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)
Perth	1,173	29.7	-	1	1	8	34	269	442	228	101	31	22	10	9	11	6	-	-	-	-
Renfrew	3,146	28.5	1	3	11	53	129	819	1,199	551	196	77	36	33	20	8	8	2	1	-	-
Ross & Cromarty	379	32.6	-	-	-	3	11	51	106	100	48	28	13	8	4	2	4	1	-	-	-
Roxburgh	360	28.9	-	1	1	3	14	86	139	68	25	8	7	3	3	-	1	1	-	-	-
Selkirk	204	28.3	-	-	-	3	5	50	93	28	18	2	2	2	1	-	3	-	-	-	-
Stirling	1,721	28.8	-	-	6	25	63	402	669	329	124	47	29	9	10	4	1	-	1	-	-
Sutherland	62	33.1	-	-	-	1	1	5	22	19	6	2	-	-	4	1	1	-	-	-	-
West Lothian	842	28.1	-	1	2	18	36	239	318	135	47	19	13	6	2	2	2	1	1	-	-
Wigtown	249	29.4	-	-	1	4	14	68	88	34	19	2	5	6	3	1	2	1	-	1	-
Zetland	136	29.8	-	1	1	1	4	21	54	31	16	4	1	1	1	-	-	-	-	-	-
<i>Large Burghs.</i>																					
Glasgow	14,581	29.2	-	15	92	321	545	3,606	5,230	2,534	1,044	459	269	187	118	88	56	11	5	1	-
Edinburgh	5,901	29.3	-	4	31	94	208	1,434	2,190	1,038	440	173	95	70	50	30	27	11	6	-	-
Dundee	2,186	28.9	1	3	30	55	103	562	756	342	160	73	36	15	20	13	10	3	3	1	-
Aberdeen	2,368	29.4	-	4	16	54	103	585	821	388	182	77	54	22	24	18	12	4	3	1	-
Paisley	1,165	28.5	-	1	3	17	44	295	458	216	63	30	12	14	10	1	1	-	-	-	-
Greenock	861	28.0	-	1	4	19	41	256	313	123	59	19	7	8	4	3	4	-	-	-	-
Motherwell and Wishaw	704	28.8	-	-	2	10	18	192	278	102	50	28	9	5	7	2	1	-	-	-	-
Clydebank	472	29.1	-	-	1	9	13	128	169	85	30	16	6	10	3	-	1	-	-	-	-
Kirkcaldy	573	28.2	-	-	3	9	25	173	229	69	29	14	10	3	2	5	1	1	-	-	-
Coatbridge	449	28.8	-	-	-	6	14	123	177	66	35	8	9	5	3	2	1	-	-	-	-
Kilmarnock	517	28.4	-	2	1	11	23	127	189	99	37	12	8	7	1	2	1	-	-	-	-
Hamilton	458	28.3	-	1	1	12	23	127	172	62	28	14	7	5	3	2	-	-	1	-	-
Ayr	538	28.9	-	-	6	12	17	140	210	79	34	10	11	8	7	1	2	1	-	-	-
Falkirk	466	28.9	-	-	1	5	17	96	197	91	37	7	9	-	3	2	1	-	-	-	-
Dunfermline	590	28.9	-	-	2	14	24	176	210	66	41	22	13	8	7	6	3	1	-	-	-
Perth	544	29.6	-	1	-	3	17	130	199	108	48	13	9	4	4	5	-	-	-	-	-
Airdrie	291	28.4	-	1	1	5	9	79	115	47	18	8	3	2	-	1	-	-	-	-	-
Rutherglen	374	28.7	-	-	2	6	13	96	147	58	26	16	3	4	-	3	-	-	-	-	-
Dumfries	364	28.6	-	-	8	9	11	93	136	65	18	7	4	3	7	-	-	-	-	-	-
Stirling	325	29.4	-	-	1	10	11	72	125	49	27	13	6	5	4	3	1	-	1	-	-
Inverness	457	31.1	-	-	1	14	10	83	149	94	44	28	12	9	6	-	4	-	-	-	-
Dumbarton	193	28.9	-	-	1	2	1	48	78	35	20	3	3	-	-	3	-	-	-	-	-
Port-Glasgow	183	27.5	-	1	2	6	11	50	64	29	10	5	4	-	-	1	-	-	-	-	-
Arbroath	217	28.3	-	-	1	5	7	66	78	33	14	5	3	-	2	1	-	-	-	-	-

* Including Large Burghs.

TABLE 13.—Ages of WOMEN at Marriage in Scotland, 1940.

TABLE 13.—Ages of WOMEN at Marriage in Scotland, 1940.

	All Ages.	Average age.	16	17	18	19	20	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.
SCOTLAND	53,522	26·1	250	938	2143	3709	4817	16,344	14,526	5,886	2,539	1127	605	301	158	104	51	20	4	-	-
LARGE BURGHS	34,777	26·3	160	584	1401	2375	3122	10,424	9,450	3,860	1,704	800	441	211	119	79	33	11	3	-	-
COUNTIES (<i>ex</i> Large Burghs)	18,745	25·8	90	354	742	1334	1695	5,920	5,076	2,026	835	327	164	90	39	25	18	9	1	-	-
<i>Counties.*</i>																					
Aberdeen	3,353	26·2	10	67	146	283	299	987	853	366	164	85	46	24	7	9	5	1	1	-	-
Angus	3,023	26·3	20	48	122	224	290	891	795	318	149	78	48	16	14	4	3	2	1	-	-
Argyll	358	27·2	1	9	9	12	19	94	115	65	23	6	3	2	-	-	-	-	-	-	-
Ayr	3,260	26·0	10	38	121	188	300	1076	912	357	129	65	32	13	8	9	2	-	-	-	-
Banff	419	26·2	2	8	15	25	36	133	109	53	20	12	2	2	1	-	1	-	-	-	-
Berwick	190	26·4	1	2	5	12	14	49	66	25	11	3	1	-	1	-	-	-	-	-	-
Bute	97	27·1	1	-	5	8	7	24	27	13	3	7	-	2	-	-	-	-	-	-	-
Caithness	246	25·6	3	15	14	23	29	52	66	20	10	5	2	1	-	1	-	-	-	-	-
Clackmannan	321	25·2	4	7	15	20	30	97	105	26	8	6	2	-	-	1	2	-	-	-	-
Dunbarton	1,401	26·0	7	22	48	76	115	466	389	168	62	29	5	3	3	1	2	-	-	-	-
Dumfries	871	26·1	8	17	42	68	83	252	220	99	42	21	10	1	1	3	2	-	-	-	-
East Lothian	468	25·2	1	11	15	38	47	164	117	51	15	5	2	1	8	3	1	-	-	-	-
Fife	2,957	25·4	18	52	137	235	338	940	739	280	108	41	37	19	5	3	-	1	1	-	-
Inverness	708	28·1	1	7	26	33	42	175	197	122	58	19	15	5	3	5	-	-	-	-	-
Kincardine	194	26·6	-	7	6	9	9	62	62	16	12	5	3	2	1	-	-	-	-	-	-
Kinross	46	25·0	-	-	3	1	3	22	10	5	1	1	-	-	-	-	-	-	-	-	-
Kirkcudbright	209	26·5	2	2	13	23	12	61	46	27	11	5	3	2	-	-	1	1	-	-	-
Lanark	19,482	26·1	104	349	809	1369	1,743	5,991	5,261	2,075	890	425	236	109	58	35	21	7	-	-	-
Midlothian	6,840	26·3	19	107	243	441	586	2,120	1,884	773	361	142	65	43	28	19	6	2	1	-	-
Moray	451	26·2	3	4	18	38	58	112	112	44	16	13	4	4	2	1	1	1	-	-	-
Nairn	74	26·6	2	1	7	3	5	18	19	10	5	1	3	-	-	1	-	-	-	-	-
Orkney	193	25·8	1	9	16	15	22	49	36	21	16	3	2	-	1	1	1	-	-	-	-
Peebles	109	26·4	-	1	4	3	11	32	35	15	5	-	1	2	-	-	-	-	-	-	-
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)

AGES of WOMEN at Marriage in Scotland, 1940.

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)
Perth	1,173	26.8	8	18	25	58	105	326	359	137	76	32	17	4	3	4	-	1	-	-	-
Renfrew	3,146	25.9	10	59	122	215	285	958	924	328	135	43	29	22	9	5	1	1	-	-	-
Ross & Cromarty	379	28.6	1	3	13	25	18	80	96	71	43	17	6	3	2	-	1	1	-	-	-
Roxburgh	360	26.5	1	1	8	23	29	106	113	53	17	4	2	-	1	-	1	1	-	-	-
Selkirk	204	26.1	-	3	5	14	12	66	60	29	8	6	-	1	-	-	1	1	-	-	-
Stirling	1,721	25.6	3	37	74	129	162	537	471	184	74	24	15	5	4	-	1	1	-	-	-
Sutherland	62	28.1	-	1	1	6	3	15	15	10	6	3	-	1	1	-	1	1	-	-	-
West Lothian	842	25.3	5	15	33	62	70	304	216	78	40	8	5	2	-	3	1	1	-	-	-
Wigtown	249	26.1	4	15	17	25	25	51	58	24	12	8	3	4	2	-	1	1	-	-	-
Zetland	136	27.2	-	3	6	5	10	34	39	23	9	5	1	1	-	-	-	-	-	-	-
<i>Large Burghs.</i>																					
Glasgow	14,581	26.3	80	255	630	1018	1,258	4,313	3,981	1,602	702	351	202	84	49	34	17	5	-	-	-
Edinburgh	5,901	26.5	18	92	210	380	489	1,761	1,642	698	326	136	59	40	23	19	6	1	1	-	-
Dundee	2,186	26.3	15	39	98	165	208	632	569	225	110	53	40	12	12	4	2	1	1	-	-
Aberdeen	2,368	26.6	9	40	96	171	223	690	603	270	122	61	41	21	7	8	5	1	-	-	-
Paisley	1,165	26.0	3	20	34	70	111	353	355	132	46	21	13	5	2	2	-	-	-	-	-
Greenock	861	25.5	6	17	52	66	85	250	238	82	38	10	5	5	5	-	-	-	-	-	-
Motherwell and Wishaw	704	25.8	4	6	23	33	74	230	201	77	37	13	3	3	-	-	-	-	-	-	-
Clydebank	472	26.3	1	9	16	28	39	145	135	57	19	14	2	5	2	-	-	-	-	-	-
Kirkcaldy	573	25.7	1	6	28	42	63	177	158	55	17	12	8	2	1	1	-	1	1	-	-
Coatbridge	449	25.7	3	10	7	27	45	155	120	46	20	7	6	3	-	-	-	-	-	-	-
Kilmarnock	517	26.0	1	2	20	28	49	173	142	61	23	12	4	1	1	-	-	-	-	-	-
Hamilton	458	25.3	2	8	18	32	60	159	107	39	17	7	3	4	4	2	-	1	-	-	-
Ayr	538	26.4	-	9	26	19	54	171	148	62	18	15	6	4	4	2	-	-	-	-	-
Falkirk	466	26.2	-	11	16	28	44	132	144	54	20	7	5	2	2	2	-	-	-	-	-
Dunfermline	590	25.9	8	12	22	43	59	188	148	50	30	10	10	5	3	2	-	-	-	-	-
Perth	544	26.9	3	8	15	27	49	141	166	69	37	18	7	2	-	2	-	-	-	-	-
Airdrie	291	25.7	-	5	15	15	23	106	79	27	12	4	2	2	-	1	-	-	-	-	-
Rutherglen	374	26.3	-	6	10	38	24	122	96	42	17	12	1	2	-	1	-	-	-	-	-
Dumfries	364	25.6	2	7	20	31	43	108	84	40	14	7	4	2	3	-	1	-	-	-	-
Stirling	325	26.0	1	11	9	32	32	94	80	32	19	10	3	2	1	-	-	1	-	-	-
Inverness	457	28.1	1	2	14	23	31	116	120	80	39	11	11	-	2	3	-	-	-	-	-
Dumbarton	193	25.7	1	1	7	13	14	75	44	27	5	3	1	1	-	1	-	-	-	-	-
Port-Glasgow	183	24.7	1	4	8	21	18	67	41	10	8	2	3	1	-	1	-	-	-	-	-
Arbroath	217	25.2	-	4	7	25	27	66	49	23	8	4	2	-	-	-	-	-	-	-	-

* Including Large Burghs.

TABLE 14.—AGES in Combination of MEN and WOMEN at Marriage in Scotland, 1940.

AGES OF WIVES.															Total Husbands.	AGES OF HUSBANDS.									
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-		70-	75-	80-	85 and over.	Not Stated	Total Wives				
16-	8	18	37	45	89	44	6	2	-	1	-	-	-	-	-	-	-	-	-	3					
17-	7	62	114	182	393	142	29	5	-	7	-	-	-	-	-	-	-	-	-	47					
18-	70	235	348	942	1,874	434	84	12	3	14	-	-	-	-	-	-	-	-	-	297					
19-	250	432	1,874	942	1,874	909	141	32	6	235	909	141	32	6	235	909	141	32	6	1,029					
20-	451	2,279	4,817	16,344	14,526	5,886	2,539	1,127	605	301	158	104	51	20	4	-	-	-	-	2,003					
21-	585	5,858	5,858	5,858	5,858	5,858	5,858	5,858	5,858	5,858	5,858	5,858	5,858	5,858	5,858	5,858	5,858	5,858	5,858	13,453					
25-	7,433	7,433	7,433	7,433	7,433	7,433	7,433	7,433	7,433	7,433	7,433	7,433	7,433	7,433	7,433	7,433	7,433	7,433	7,433	19,694					
30-	2,342	2,342	2,342	2,342	2,342	2,342	2,342	2,342	2,342	2,342	2,342	2,342	2,342	2,342	2,342	2,342	2,342	2,342	2,342	9,226					
35-	1,236	1,236	1,236	1,236	1,236	1,236	1,236	1,236	1,236	1,236	1,236	1,236	1,236	1,236	1,236	1,236	1,236	1,236	1,236	3,851					
40-	290	290	290	290	290	290	290	290	290	290	290	290	290	290	290	290	290	290	290	1,561					
45-	208	208	208	208	208	208	208	208	208	208	208	208	208	208	208	208	208	208	208	874					
50-	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	130	565					
55-	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	85	404					
60-	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	32	260					
65-	17	17	17	17	17	17	17	17	17	17	17	17	17	17	17	17	17	17	17	169					
70-	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	50					
75-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	31					
80-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5					
85 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
Not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-					
Total Wives	250	938	4,817	16,344	14,526	5,886	2,539	1,127	605	301	158	104	51	20	4	-	-	-	-	53,522					

Average age—Husbands, 29·0; Wives, 26·1.

The Table read *vertically* shows the number of *Wives* at each age, with the ages of their Husbands at Marriage:—Thus, of 3,709 Wives aged 19, 4 married Husbands aged 17, 60 married Husbands aged 18, etc.

Read *horizontally* the Table shows the number of *Husbands* at each age, with the ages of their Wives at Marriage:—Thus, of 1,029 Husbands aged 19, 37 married Wives aged 16, 114 married Wives aged 17, etc.

TABLE 15.—AGES in Combination of BACHELORS and SPINSTERS at Marriage in Scotland, 1940.

AGES OF SPINSTERS.														Total Bachelors.	AGES OF BACHELORS.											
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-		65-	70-	75-	80-	85 and over	Not stated	Total Bachelors and Spinsters.					
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over	Not stated	49,484						
3	47	297	1,023	1,998	13,366	19,287	8,623	3,114	1,000	433	178	73	26	12	1	3	-	-	-		-					
-	8	18	37	45	89	43	5	2	-	-	-	-	-	-	-	-	-	-	-	-						
2	7	62	114	182	392	139	29	4	1	-	1	-	-	-	-	-	-	-	-	933						
1	7	50	188	451	2,278	1,492	243	41	6	3	1	-	-	-	-	-	-	-	-	4,761						
-	4	60	250	432	1,872	903	132	26	5	1	-	-	-	-	-	-	-	-	-	3,685						
-	14	70	235	348	942	429	76	12	2	1	-	-	-	-	-	-	-	-	-	2,129						
-	7	35	179	465	5,838	7,426	1,777	258	49	12	5	1	-	-	-	-	-	-	-	16,052						
-	2	18	71	176	1,763	7,306	3,610	905	162	39	9	1	-	-	-	-	-	-	-	13,886						
-	-	2	2	3	175	1,367	2,176	1,042	273	78	24	5	1	2	-	-	-	-	-	5,148						
-	-	-	2	3	16	163	507	647	289	116	37	15	-	1	-	-	-	-	-	1,792						
-	-	-	-	1	1	14	59	150	171	105	43	20	2	1	19	8	-	-	-	566						
-	-	-	-	-	-	3	8	25	30	59	37	14	17	14	5	7	3	-	-	189						
-	-	-	-	-	-	1	1	-	11	17	14	6	2	3	2	1	-	-	-	60						
-	-	-	-	-	-	1	2	2	1	2	6	1	4	4	1	1	1	-	-	11						
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4						
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2						
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-						
-	-	-	-	-	-	-	-	-	-</																	

TABLE 16.—Ages in Combination of BACHELORS and WIDOWS at Marriage in Scotland, 1940.

AGES OF WIDOWS.																			Total Bachelors.	AGES OF BACHELORS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.		Not stated.	Total Bachelors and Widows.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
16-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Average age—Husbands, 38·0; Wives, 38·8.

TABLE 17.—AGES in Combination of WIDOWERS and SPINSTERS at Marriage in Scotland, 1940.

AGES OF SPINSTERS.																			Total Widow- ers.	AGES OF WIDOWERS.										TotalWidowers and Spinsters.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over		Not stated																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							</

Average age—Husbands 45·2; Wives, 35·9.

TABLE 18A.—AGES in Combination of DIVORCED MEN and of WOMEN (all conjugal conditions) at Marriage in Scotland, 1940.

AGES OF WOMEN.																			Total Hus- bands.	AGES OF DIVORCED MEN.												Total Husbands and Wives.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over.		Not stated	16-	17-	18-	19-	20-	21-	25-	30-	35-	40-	45-		50-	55-	60-	65-	70-	75-	80-	85 and over.	Not stated																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Average Age—Husbands, 39·3; Wives, 32·8

TABLE 19.—Ages at Death in 1941.

Age Groups.	Number of Deaths.				
	Scot-land.	Large Burghs.	Small Burghs.	Land-ward.	Unallo-cated Deaths.*
Under 1 -	7,426	4,546	972	1,878	30
1- -	2,186	1,294	257	531	104
5- -	929	461	108	224	136
10- -	695	317	85	156	137
15- -	3,076	1,330	256	576	914
25- -	3,299	1,461	329	699	810
35- -	3,994	2,113	471	934	476
45- -	6,134	3,495	839	1,443	357
55- -	10,490	6,017	1,546	2,705	222
65- -	16,347	8,872	2,738	4,607	130
75- -	13,937	6,804	2,617	4,479	37
85- -	3,962	1,622	805	1,529	6
Not stated	83	4	7	9	63
ALL AGES	72,558	38,336	11,030	19,770	3,422

* Deaths of members of Forces from all causes and of others from war operations.

TABLE 20.—Deaths, Male and Female, at each year of Age,

M A L E S.													
AGES.	TOTAL.	Single.	Married.	Widowed.	Divorced.	Not Stated.	AGES.	TOTAL.	Single.	Married.	Widowed.	Divorced.	Not Stated.
0 ...	4306	4306	-	-	-	-	50 ...	350	56	267	24	1	2
1 ...	474	474	-	-	-	-	51 ...	343	51	265	22	2	3
2 ...	253	253	-	-	-	-	52 ...	418	68	320	27	2	1
3 ...	208	208	-	-	-	-	53 ...	414	85	296	33	-	-
4 ...	174	174	-	-	-	-	54 ...	452	83	331	36	1	1
5 ...	140	140	-	-	-	-	55 ...	410	70	295	40	3	2
6 ...	116	116	-	-	-	-	56 ...	513	99	356	52	2	4
7 ...	103	103	-	-	-	-	57 ...	513	97	357	54	3	2
8 ...	76	76	-	-	-	-	58 ...	554	119	368	63	1	3
9 ...	81	81	-	-	-	-	59 ...	581	112	392	74	1	2
10 ...	86	86	-	-	-	-	60 ...	549	121	358	67	2	1
11 ...	68	68	-	-	-	-	61 ...	595	111	370	108	2	4
12 ...	59	59	-	-	-	-	62 ...	686	117	471	97	-	1
13 ...	56	56	-	-	-	-	63 ...	722	115	480	125	2	-
14 ...	97	97	-	-	-	-	64 ...	745	135	490	118	2	-
15 ...	113	113	-	-	-	-	65 ...	786	137	507	141	-	1
16 ...	114	114	-	-	-	-	66 ...	786	131	470	180	2	3
17 ...	144	144	-	-	-	-	67 ...	857	168	500	186	2	1
18 ...	161	160	-	-	-	1	68 ...	895	118	533	244	-	-
19 ...	204	195	7	-	-	2	69 ...	888	155	494	236	3	-
20 ...	220	204	14	-	-	2	70 ...	866	138	487	236	3	2
21 ...	231	206	22	-	-	3	71 ...	902	143	453	304	-	2
22 ...	159	136	21	-	-	2	72 ...	858	129	461	268	-	-
23 ...	179	144	32	1	-	2	73 ...	862	115	423	323	1	-
24 ...	165	123	37	-	-	5	74 ...	853	136	416	300	1	-
25 ...	207	149	52	2	-	4	75 ...	831	129	339	362	1	-
26 ...	191	121	65	2	-	3	76 ...	837	122	356	359	-	-
27 ...	176	99	75	1	-	1	77 ...	764	108	326	328	2	-
28 ...	194	101	86	2	-	5	78 ...	701	107	284	308	2	-
29 ...	184	89	89	2	1	3	79 ...	673	72	251	348	1	1
30 ...	194	86	104	4	-	-	80 ...	618	79	213	325	1	-
31 ...	169	63	100	2	1	3	81 ...	547	64	199	283	-	1
32 ...	173	75	95	2	1	-	82 ...	472	50	178	244	-	-
33 ...	180	75	102	1	1	1	83 ...	447	61	138	247	-	1
34 ...	176	73	99	3	1	-	84 ...	392	47	104	241	-	-
35 ...	181	54	120	2	-	5	85 ...	351	34	102	215	-	-
36 ...	205	72	128	5	-	-	86 ...	252	38	65	149	-	-
37 ...	209	66	139	2	-	2	87 ...	184	15	49	120	-	-
38 ...	212	61	148	1	-	2	88 ...	155	17	29	109	-	-
39 ...	219	58	149	11	1	-	89 ...	131	13	31	87	-	-
40 ...	243	64	159	14	2	4	90 ...	99	10	12	77	-	-
41 ...	228	60	159	7	1	1	91 ...	66	9	7	50	-	-
42 ...	259	71	172	14	1	1	92 ...	46	4	7	35	-	-
43 ...	224	56	155	10	-	3	93 ...	29	4	2	23	-	-
44 ...	254	47	199	7	-	1	94 ...	15	3	3	9	-	-
45 ...	266	65	184	11	2	4	95 ...	13	4	1	8	-	-
46 ...	290	60	212	14	4	-	96 ...	12	1	2	9	-	-
47 ...	280	52	214	11	1	2	97 ...	3	-	-	3	-	-
48 ...	305	53	229	19	3	1	98 ...	2	-	1	1	-	-
49 ...	356	75	255	24	1	1	99 ...	3	1	1	1	-	-
							100 and over	5	-	-	5	-	-
							Not Stated	82	17	12	-	-	53
							All Males	37,690	13,499	16,494	7,478	64	155

and by Condition as to Marriage, in Scotland, 1941.

FEMALES.

AGES.	TOTAL.	Single.	Married.	Widowed.	Divorced.	Not Stated.	AGES.	TOTAL.	Single.	Married.	Widowed.	Divorced.	Not Stated.
0 ...	3120	3120	-	-	-	-	50 ...	266	51	183	30	2	-
1 ...	484	484	-	-	-	-	51 ...	250	53	156	41	-	-
2 ...	241	241	-	-	-	-	52 ...	325	70	198	55	2	-
3 ...	201	201	-	-	-	-	53 ...	303	45	204	52	2	-
4 ...	151	151	-	-	-	-	54 ...	333	73	208	51	1	-
5 ...	126	126	-	-	-	-	55 ...	303	64	183	56	-	-
6 ...	81	81	-	-	-	-	56 ...	368	77	232	58	1	-
7 ...	77	77	-	-	-	-	57 ...	365	74	214	77	-	-
8 ...	67	67	-	-	-	-	58 ...	413	102	225	84	2	-
9 ...	62	62	-	-	-	-	59 ...	453	87	262	102	2	-
10 ...	64	64	-	-	-	-	60 ...	480	103	262	113	2	-
11 ...	46	46	-	-	-	-	61 ...	512	124	243	144	1	-
12 ...	73	73	-	-	-	-	62 ...	537	111	270	155	1	-
13 ...	61	61	-	-	-	-	63 ...	569	129	269	170	1	-
14 ...	85	85	-	-	-	-	64 ...	622	131	288	201	1	1
15 ...	82	82	-	-	-	-	65 ...	669	138	303	226	2	-
16 ...	128	127	1	-	-	-	66 ...	668	153	279	236	-	-
17 ...	139	139	-	-	-	-	67 ...	692	124	309	259	-	-
18 ...	145	135	9	-	-	1	68 ...	726	142	285	299	-	-
19 ...	169	143	26	-	-	-	69 ...	783	133	319	331	-	-
20 ...	175	138	37	-	-	-	70 ...	811	142	296	373	-	-
21 ...	172	106	65	1	-	-	71 ...	804	148	267	388	1	-
22 ...	117	65	52	-	-	-	72 ...	855	161	271	422	1	-
23 ...	129	64	61	4	-	-	73 ...	862	182	238	442	-	-
24 ...	130	71	58	1	-	-	74 ...	924	189	211	521	2	1
25 ...	139	62	75	1	-	1	75 ...	934	193	223	518	-	-
26 ...	149	63	85	1	-	-	76 ...	893	175	171	547	-	-
27 ...	157	56	97	4	-	-	77 ...	806	174	144	484	4	-
28 ...	152	48	99	5	-	-	78 ...	873	192	136	545	-	-
29 ...	132	53	76	3	-	-	79 ...	802	195	93	514	-	-
30 ...	137	46	90	1	-	-	80 ...	767	174	87	506	-	-
31 ...	128	39	84	4	1	-	81 ...	709	183	66	459	1	-
32 ...	162	43	114	5	-	-	82 ...	665	151	74	440	-	-
33 ...	150	42	106	2	-	-	83 ...	612	142	43	425	2	-
34 ...	149	41	105	3	-	-	84 ...	594	137	41	416	-	-
35 ...	160	47	107	5	1	-	85 ...	531	111	28	392	-	-
36 ...	155	46	105	4	-	-	86 ...	409	89	22	298	-	-
37 ...	141	49	86	6	-	-	87 ...	364	93	13	258	-	-
38 ...	154	42	106	6	-	-	88 ...	261	55	10	196	-	-
39 ...	176	48	121	7	-	-	89 ...	259	57	8	193	1	-
40 ...	177	45	120	12	-	-	90 ...	229	51	5	173	-	-
41 ...	205	52	136	17	-	-	91 ...	164	33	-	131	-	-
42 ...	192	47	129	15	1	-	92 ...	112	27	1	84	-	-
43 ...	176	44	118	14	-	-	93 ...	89	17	-	72	-	-
44 ...	224	50	157	15	2	-	94 ...	68	17	-	51	-	-
45 ...	205	55	130	20	-	-	95 ...	35	9	1	25	-	-
46 ...	212	62	131	19	-	-	96 ...	21	6	-	15	-	-
47 ...	247	48	176	23	-	-	97 ...	19	5	-	14	-	-
48 ...	271	61	178	32	-	-	98 ...	15	3	-	12	-	-
49 ...	248	63	148	37	-	-	99 ...	9	2	-	7	-	-
100 and over							100 and over	11	5	-	6	-	-
Not stated							Not stated	1	-	-	-	-	1
All Females							All Females	34,868	12,363	10,529	11,934	37	5

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
56-57	16	Tumours, non-malignant or not defined - -	M. F.	97 154	6 2	1 5	6 1	4 3	8 7	13 32	18 40	18 40	18 40	18 40	17 19
58	20 (1)	Acute rheumatism - -	M. F.	51 70	- -	2 3	10 9	7 9	12 23	5 7	2 4	2 5	2 4	2 3	3 -
61	18	Diabetes mellitus - -	M. F.	224 451	- -	1 2	2 -	2 3	9 14	10 15	29 39	45 108	78 163	33 76	78 113
59, 60, 62-79	20 (2)	Other general dis. (17, 19)	M. F.	441 725	25 15	15 14	8 5	2 8	17 22	24 29	49 82	94 157	120 199	54 125	124 184
81-82	21	Meningitis, Diseases of spinal cord - -	M. F.	199 169	37 22	31 19	11 8	6 3	11 9	6 7	14 16	24 25	23 24	13 19	27 29
83	22	Cerebral hæmorrhage, &c.	M. F.	3189 4145	8 4	7 2	3 2	2 1	11 9	19 16	182 285	591 728	1186 1405	977 1318	2383 2116
80, 84-89	23	Oth. dis. of nervous system	M. F.	586 552	155 124	38 38	13 6	12 9	34 15	50 48	49 56	79 65	66 74	39 36	86 56
90-95	24	Heart disease - -	M. F.	8034 8166	5 4	5 1	13 5	12 17	61 72	95 141	252 285	695 533	1501 2458	2193 2601	1875 15581
96-103	25	Other circulatory diseases	M. F.	692 636	2 2	2 1	- 1	- 4	8 4	9 4	7 12	32 19	87 75	253 251	143 466
106	26	Bronchitis - -	M. F.	1719 1373	177 88	27 19	4 1	- 3	12 10	28 16	77 21	202 62	318 177	450 350	308 813
107-109	27	Pneumonia - -	M. F.	1996 1577	718 550	138 167	16 13	7 11	39 29	43 45	118 50	270 104	266 232	157 235	182 400
104, 105, 110-114	28	Other respiratory diseases	M. F.	552 464	24 26	21 13	7 2	1 2	11 9	28 11	45 35	70 53	107 102	137 117	213 207
117	32 (1)	Gastric and duodenal ulcer	M. F.	594 152	1 2	- -	- -	- -	11 1	43 8	107 16	139 36	105 42	55 26	124 40
119, 120	29	Diarrhœa (all ages) - -	M. F.	632 522	479 295	52 49	3 4	7 2	6 6	4 14	13 26	12 19	18 39	27 32	59 52
121	30	Appendicitis - -	M. F.	163 95	- 1	12 5	20 8	16 16	25 9	16 6	23 7	10 10	16 14	4 3	11 4

* Including erysipelas septicæmia, dysentery, acute poliomyelitis and lethargic encephalitis.

TABLE 21.—Deaths and Death-rates from Selected Causes in Scotland in each Age-Group, 1941—continued.

INTERNATIONAL Nos.		CAUSES OF DEATH.	Sex.	NUMBERS AGED											CIVILIAN DEATH-RATE PER 100,000 AT AGES										
Long List.	Short List.			-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over	to 100,000	All Ages.	-1	1-5-	10-15-	25-35-	45-	55-	65-	75- and over
124	31 (1)	Cirrhosis of liver - - {	M. F.	93 52	- 1	2 -	- -	2 3	13 6	15 11	16 11	32 12	9 6	2 1	- -	4 2	- 1	- -	1 1	4 2	6 3	7 4	22 7	23 9	
125-127	31 (2)	Other diseases of liver - {	M. F.	98 229	1 -	- -	- 1	3 -	7 7	8 28	28 46	18 77	21 43	5 13	- -	4 9	- 1	- -	1 1	2 2	3 9	13 18	12 45	55 73	
115, 116, 118, 122, 123, 128, 129	32 (2)	Other digestive diseases - {	M. F.	459 447	69 24	18 16	4 5	6 3	23 10	51 42	74 74	100 119	61 91	6 23	- -	20 17	161 58	11 10	2 2	3 3	9 8	33 29	68 69	141 148	
130-132	33	Nephritis, acute or chronic {	M. F.	710 721	3 2	4 3	7 3	5 9	39 30	88 104	145 143	188 192	132 114	25 36	1 -	32 27	7 5	2 2	3 4	5 6	13 16	34 33	66 56	128 111	
133-139	34	Other dis. of genito-urinary system - - {	M. F.	840 227	12 3	1 -	1 -	3 2	8 31	33 30	107 43	310 46	284 31	65 5	- -	39 8	28 7	1 -	0 1	3 2	5 13	49 17	212 27	735 47	
140, 147	35	Puerperal sepsis - - {	F.	158	-	-	-	- 22	82 54	-	-	-	-	-	-	6	-	-	- 5	20 14	-	-	-	-	
141-146, 148-150	36	Other puerperal causes - {	F.	281	-	-	-	- 44	148 89	-	-	-	-	-	-	11	-	-	- 10	35 24	-	-	-	-	
151-156	37	Diseases of skin and organs of movement - - {	M. F.	207 136	36 26	16 6	5 6	10 7	11 11	20 14	26 11	35 17	22 24	4 1	- -	9 5	84 63	9 4	2 3	5 2	8 4	12 10	24 32	55 32	
157-161	38	Congen. debil., prem. birth, malformations, &c. - {	M. F.	2081 1555	2035 1503	13 16	4 8	4 2	5 4	4 6	4 4	2 2	1 -	- -	-	96 58	4748 3650	8 10	2 4	1 1	2 2	2 1	1 1	2 -	
162	39	Old age - - - {	M. F.	858 1457	- -	- -	- -	- -	- -	- -	9 3	128 733	456 733	265 583	- -	40 55	- -	- -	- -	- -	- -	4 1	87 80	1518 1710	
163-164	40	Suicide - - - {	M. F.	266 139	- -	- -	- -	1 1	27 26	45 29	59 34	35 15	8 2	- -	9 5	9 5	- -	- -	0 -	2 3	14 9	26 13	24 9	17 3	
170-171	42	Road transport accidents - {	M. F.	909 241	1 241	49 27	80 40	38 17	117 15	101 20	123 24	110 40	45 21	8 3	- -	35 9	2 16	38 20	18 8	23 4	37 6	56 9	75 23	112 31	
165-169, 172-198	43	Other violence (41) - - {	M. F.	3451 1621	91 70	127 113	116 101	121 70	693 148	394 144	329 138	239 196	134 238	28 85	77 1	120 61	212 170	74 69	56 34	96 39	128 35	148 46	149 54	163 114	341 420
199, 200	44	Causes ill-defined or unknown - - {	M. F.	750 440	44 22	5 3	3 1	1 1	9 6	83 20	183 70	244 149	121 103	6 25	1 -	34 17	103 53	3 2	0 1	2 1	5 11	82 27	167 87	267 166	
		ALL CAUSES - - {	M. F.	37690 34868	1109 1077	516 413	366 329	1690 1386	1844 1455	2234 2660	5868 4622	6282 7794	1366 2596	82 1	1675 1311	10047 7576	649 657	248 204	173 158	371 325	490 347	5844 4526	16101 13319		
		BOTH SEXES - - {		72558 7426	2186 929	695 3076	3299 3994	6134 10490	16347 13937	3962 83	1474	8836 653	226 166	343 403	560 1060	2195 5131	14380								

NOTE.—Nos. in brackets after titles indicate headings in International Short List which are merged under the respective Scottish headings.

INTERNATIONAL NOS.		CAUSES OF DEATH.		NUMBERS.					CIVILIAN DEATH-RATE PER 100,000 OF POPULATION.		
Long List.	Short List.			Scotland.	Large Burghs.	Small Burghs.	Land-ward.	Unallo- cated Deaths.	Scotland.	Large Burghs.	Counties (exclusive of Large Burghs).†
1, 2	1	Typhoid fever (including Paratyphoid)	-	23	15	3	5	-	-	1	-
6	14 (1)	Cerebro-spinal fever	-	332	172	51	97	12	7	7	7
8	3	Scarlet fever	-	26	14	6	5	1	1	1	-
9	4	Whooping-cough	-	720	480	75	165	-	15	19	11
10	5	Diphtheria	-	517	354	57	102	4	11	14	7
13	6	Tuberculosis of respiratory system	-	3,117	2,136	317	600	64	63	84	40
14-22	7	Other forms of tuberculosis	-	1,058	653	139	237	29	21	26	17
30	9	Syphilis	-	262	172	36	50	4	5	7	4
33	10	Influenza	-	705	294	106	301	4	15	12	18
35	12	Measles	-	103	44	15	44	-	2	2	3
3-5, 7, 11, 12, 23-29, 31, 32, 34, 36-44	14 (2)	Other infectious or parasitic diseases (2, 8, 11, 13)*	-	413	220	62	125	6	8	9	8
45-55	15	Cancer, malignant tumours	-	8,436	4,661	1,391	2,341	43	174	183	164
56, 57	16	Tumours, non-malignant or not defined	-	251	149	39	58	5	5	6	4
58	20 (1)	Acute rheumatism	-	121	71	16	33	1	2	3	2
61	18	Diabetes mellitus	-	675	342	126	207	-	14	13	15
59, 60, 62-79	20 (2)	Other general diseases (17, 19)	-	1,166	595	214	346	11	24	23	25
81-82	21	Meningitis, Diseases of spinal cord	-	368	188	60	116	4	8	7	8
83	22	Cerebral hæmorrhage, &c.	-	7,334	3,795	1,349	2,172	18	152	149	155
80, 84-89	23	Other diseases of nervous system	-	1,138	628	178	318	14	23	25	22
90-95	24	Heart disease	-	16,200	8,588	2,815	4,747	50	335	338	332
96-103	25	Other circulatory diseases	-	1,328	639	242	437	10	27	25	30
106	26	Bronchitis	-	3,692	1,911	423	752	6	64	75	52
107-109	27	Pneumonia	-	3,573	2,319	417	808	29	74	91	54
104, 105, 110-114	28	Other respiratory diseases	-	1,016	573	164	267	12	21	23	19
117	32 (1)	Gastric and duodenal ulcer	-	746	395	113	223	15	15	16	15
119, 120	29	Diarrhoea (all ages)	-	1,154	758	121	269	6	24	30	17
121	30	Appendicitis	-	258	142	30	70	16	5	6	4
124	31 (1)	Cirrhosis of liver	-	145	77	23	44	1	3	3	3
125-127	31 (2)	Other diseases of liver	-	327	166	55	102	4	7	7	7
115, 116, 118, 122, 123, 128, 129	32 (2)	Other digestive diseases	-	906	481	141	262	22	18	19	18
130-132	33	Nephritis acute or chronic	-	1,431	708	277	432	14	29	28	31
133-139	34	Other dis. of genito-urinary system	-	1,067	536	179	347	5	22	21	23
140, 147	35	Puerperal sepsis	-	158	92	20	46	-	3	4	3
141-146, 148-150	36	Other puerperal causes	-	281	148	40	93	-	6	6	6
151-156	37	Diseases of skin and organs of movement	-	343	180	46	113	4	7	7	7
157-161	38	Congen. debil., prem. birth, malform., &c.	-	3,636	2,072	521	1,043	-	75	81	69
162	39	Old age	-	2,315	924	458	933	-	48	36	61
163, 164	40	Suicide	-	405	201	47	92	65	7	8	6
170-171	42	Road transport accidents	-	1,150	550	115	321	164	20	22	19
165-169, 172-198	43	Other violence (41)	-	5,072	1,269	367	667	2,769	87	50	45
199, 200	44	Causes ill-defined or unknown	-	1,190	624	176	380	10	24	25	24
		ALL CAUSES	-	72,558	38,336	11,030	19,770	3,422	1,474	1,507	1,353

* Including erysipelas, septicaemia, dysentery, acute poliomyelitis and lethargic encephalitis.

† See note, Table 19.

† See note, Table A.

TABLE 23.—Deaths from Selected Causes and in Age Groups in Scotland, 1932–1941.

International Nos. Short List.	CAUSES OF DEATH.	1941.	1940.		1939.	1938.	1937.	1936.	1935.	1934.	1933.	1932.
			1938 Revi- sion.**	1929 Revi- sion.								
1	Typhoid fever (including Paratyphoid)	23	27	27	26	27	16	39	45	22	30	3
14 (1)	Cerebro-spinal fever	332	482	482	61	106	144	124	114	153	219	22
3	Scarlet Fever	26	35	35	47	98	123	172	199	345	810	256
4	Whooping-cough	720	197	197	397	219	717	411	567	383	762	459
5	Diphtheria	517	676	676	395	430	426	387	513	583	356	366
6	Tuberculosis of respira- tory system	3,117	3,018	3,037	2,717	2,581	2,791	2,753	2,812	2,794	2,930	2,993
7	Other forms of tuberculosis	1,058	961	966	809	851	872	912	834	908	980	1,133
9	Syphilis †	262	297	329	385	375	368	414	391	408	419	453
10	Influenza	705	1,791	1,801	915	396	2,693	659	1,459	602	2,027	1,723
12	Measles	103	262	262	15	549	119	610	141	1,014	86	899
14 (2)	Other infect. or parasitic diseases (2, 8, 11, 13) *	413	409	417	439	464	463	579	529	544	608	504
15	Cancer, malignant tumours	8,436	8,208	8,260	8,045	8,072	7,810	7,909	7,793	7,561	7,520	7,458
16	Tumours, non-malignant or not defined	251	311	311	320	334	330	333	358	317	335	327
20 (1)	Acute rheumatism	121	123	127	162	227	226	226	182	248	171	223
18	Diabetes mellitus	675	731	918	819	859	867	808	740	762	711	666
20 (2)	Other general dis. (17, 19)	1,166	1,045	906	835	886	929	906	938	887	904	936
21	Meningitis, diseases of spinal cord	368	363	366	349	385	366	399	389	465	436	476
22	Cerebral hæmorrhage, &c. ‡	7,334	7,579	7,160	6,760	6,254	6,411	6,364	6,480	6,620	7,225	7,210
23	Other dis. of nervous syst.	1,138	1,164	1,080	941	964	1,072	1,170	1,138	1,082	1,131	1,133
24	Heart disease	16,200	16,326	16,503	15,459	14,115	14,360	13,698	12,525	11,428	10,489	9,622
25	Other circulatory diseases	1,328	1,538	1,462	1,254	1,190	1,233	1,340	1,308	1,249	1,249	1,357
26	Bronchitis	3,092	4,244	4,317	2,653	2,462	3,273	3,330	3,079	2,735	3,291	3,419
27	Pneumonia	3,573	4,149	4,240	2,949	3,832	4,858	4,793	4,602	4,533	4,600	5,436
28	Other respiratory diseases	1,016	1,162	1,035	867	780	956	966	910	855	872	961
32 (1)	Gastric and duodenal ulcer	746	755	761	629	688	694	627	626	607	573	608
29	Diarrhoea (all ages)	1,154	955	946	1,041	981	1,074	1,235	937	887	1,117	1,164
30	Appendicitis	258	311	316	387	430	452	433	480	451	437	509
31 (1)	Cirrhosis of liver	145	163	173	179	203	196	176	160	150	131	169
31 (2)	Other diseases of liver	327	319	317	321	396	338	397	387	411	373	383
32 (2)	Other digestive diseases	906	893	900	920	962	977	1,054	1,070	1,027	1,140	991
33	Nephritis, acute or chronic	1,431	1,584	1,742	1,756	1,769	1,885	1,776	1,759	1,922	1,749	1,804
34	Other diseases of genito- urinary system	1,067	1,030	1,036	962	968	1,036	1,023	1,054	926	880	883
35	Puerperal sepsis §	158	129	133	126	183	178	224	262	278	231	286
36	Other puerperal causes	281	255	246	264	249	246	270	292	273	281	290
37	Diseases of skin and organs of movement	343	323	323	342	351	460	459	401	422	411	411
38	Congenital debility, prem. birth, malformations, &c.	3,636	3,264	3,241	3,205	3,144	3,409	3,420	3,449	3,367	3,412	3,460
39	Old age	2,315	2,534	2,534	2,468	2,304	2,494	2,432	2,584	2,681	2,708	2,934
40	Suicide	405	400	400	459	460	453	496	467	532	523	500
42	Road transport accidents	1,150	1,025	1,025	911	668	693	653	638	731	721	73
43	Other violence (41)	5,072	2,795	2,826	2,042	1,750	1,874	1,677	1,600	1,560	1,592	1,577
44	Causes ill-defined or un- known	1,190	942	942	832	991	1,010	1,095	1,119	1,018	958	1,094
	ALL CAUSES	72,558	72,775	72,775	64,413	62,953	68,942	66,749	65,331	63,741	64,848	66,044
	AGES AT DEATH.											
	Under 1	7,426	6,766		5,955	6,163	7,050	7,315	6,754	6,901	7,019	7,844
	1-4	2,186	2,182		1,422	2,098	2,195	2,437	2,202	2,961	2,638	3,386
	5-9	929	897		699	769	851	877	918	1,137	995	1,108
	10-14	695	532		521	576	603	624	726	747	745	711
	15-24	3,076	2,529		2,085	2,150	2,362	2,292	2,256	2,295	2,439	2,502
	25-34	3,299	2,905		2,494	2,478	2,362	2,666	2,759	2,904	2,960	2,950
	35-44	3,994	3,872		3,321	3,295	3,656	3,533	3,555	3,439	3,599	3,711
	45-54	6,134	6,043		5,610	5,462	5,951	5,895	5,653	5,593	5,789	5,711
	55-64	10,490	11,103		9,994	9,750	10,514	10,023	9,922	9,714	9,794	9,601
	65-74	16,347	17,182		15,395	14,697	15,861	14,972	14,587	13,570	14,035	13,814
	75-84	13,937	14,672		13,817	12,258	13,353	12,709	12,572	11,427	11,676	11,539
	85 and over	3,962	3,991		3,594	3,257	3,682	3,406	3,425	3,053	3,158	3,158
	Not stated	88	51		6	..	2	..	2	..	1	..
	ALL AGES	72,558	72,775		64,413	62,953	68,942	66,749	65,331	63,741	64,848	66,044

* Including erysipelas, septicæmia, dysentery, acute poliomyelitis and lethargic encephalitis.

† Includes all aneurysm 1932-1940.

‡ Includes cerebral softening from 1932 onwards.

§ Includes post abortive sepsis, puerperal thrombo-phlebitis and puerperal embolism from 1932 onwards.

** Corrected figures.

TABLE 24.—Death-rates from Selected Causes and in Age Groups in Scotland, 1932–1941.

Internal Nos. Short List.		1941.	1940.		1939.	1938.	1937.	1936.	1935.	1934.	1933.	1932.
			1938 Revi- sion.**	1929 Revi- sion.								
DEATH-RATE PER 100,000 OF POPULATION.												
CAUSES OF DEATH.												
1	Typhoid fever (including paratyphoid)	0	1	1	1	1	-	1	1	-	1	1
14 (1)	Cerebro-spinal fever	7	10	10	1	2	3	2	2	3	4	5
3	Scarlet fever	1	1	1	1	2	2	3	4	7	6	5
4	Whooping-cough	15	4	4	8	4	14	8	11	8	16	9
5	Diphtheria	11	14	14	8	9	9	8	10	12	7	8
6	Tuberculosis of respiratory system	63	62	62	54	52	56	55	57	57	60	61
7	Other forms of tuberculosis	21	19	20	16	17	18	18	17	18	20	23
9	Syphilis †	5	6	7	7	8	7	8	8	8	9	9
10	Influenza	15	37	37	18	8	54	13	29	12	41	35
12	Measles	2	5	5	-	11	2	12	3	21	1	18
14 (2)	Other infectious or parasitic diseases (2, 8, 11, 13)*	8	8	8	9	9	9	12	11	11	12	10
15	Cancer, malignant tumours	174	169	170	161	162	157	159	157	153	153	153
16	Tumours, non-malignant or not defined	6	6	6	6	7	7	7	7	6	7	7
20 (1)	Acute rheumatism	2	2	3	3	5	5	5	4	5	3	5
18	Diabetes mellitus	14	15	19	16	17	17	16	15	15	14	14
20 (2)	Other general dis. (17, 19)	24	21	19	17	18	19	18	19	18	18	19
21	Meningitis, diseases of spinal cord	8	7	8	7	8	7	8	8	9	9	10
22	Cerebral hæmorrhage, &c. ‡	152	156	148	135	125	129	128	131	134	147	148
23	Other dis. of nervous syst.	23	24	22	19	19	22	24	23	22	23	23
24	Heart disease	335	336	340	309	283	289	276	253	232	214	197
25	Other circulatory diseases	27	32	30	25	24	25	27	26	25	25	28
26	Bronchitis	64	83	89	53	49	66	67	62	55	67	70
27	Pneumonia	74	85	87	59	77	98	97	93	92	94	111
28	Other respiratory diseases	21	24	21	17	16	19	19	18	17	18	20
32 (1)	Gastric and duodenal ulcer	15	15	15	13	14	14	13	13	12	12	12
29	Diarrhoea (all ages)	24	20	19	21	20	22	25	19	18	23	24
30	Appendicitis	5	6	6	8	9	9	9	10	9	9	10
31 (1)	Cirrhosis of liver	3	3	4	4	4	4	4	3	3	3	3
31 (2)	Other diseases of liver	7	7	7	6	8	8	8	8	8	8	8
32 (2)	Other digestive diseases	18	18	18	18	19	20	21	22	21	23	20
33	Nephritis, acute or chronic	29	33	36	35	35	38	36	36	39	36	37
34	Other diseases of genito-urinary system	22	21	21	19	19	21	21	21	19	18	18
35	Puerperal sepsis §	3	3	3	3	4	4	5	5	6	5	6
36	Other puerperal causes	6	5	5	5	5	5	5	6	6	6	6
37	Diseases of skin and organs of movement	7	7	7	7	7	9	9	8	9	8	8
38	Congen. debil., prem. birth, malform., &c.	75	67	67	64	63	69	69	70	68	69	71
39	Old age	48	52	52	49	46	50	49	52	54	55	60
40	Suicide	7	8	8	9	9	9	10	9	11	11	10
42	Road transport accidents	20	19	19	18	13	14	13	13	15	15	15
43	Other violence (41)	87	49	50	41	35	38	34	32	32	32	32
44	Causes ill-defined or unknown	24	19	19	17	20	20	22	23	21	20	22
ALL CAUSES		1,474	1,486	1,486	1,287	1,261	1,385	1,344	1,319	1,292	1,320	1,353
DEATH-RATE PER 1000 OF AGE-GROUP POPULATION.												
AGES AT DEATH.												
Under 1		88.4	81.9	72.0	73.8	85.0	87.2	81.1	83.4	84.9	90.3	
1-4		6.5	6.7	4.5	6.6	6.9	7.6	6.8	9.0	8.0	10.2	
5-9		2.3	2.2	1.8	1.9	2.1	2.1	2.2	2.7	2.3	2.5	
10-14		1.7	1.4	1.2	1.3	1.4	1.4	1.6	1.6	1.6	1.6	
15-24		3.4	3.0	2.4	2.5	2.8	2.7	2.7	2.8	2.9	2.9	
25-34		4.0	3.7	3.1	3.1	3.6	3.4	3.5	3.7	3.8	3.9	
35-44		5.6	5.5	4.9	4.9	5.6	5.4	5.6	5.5	5.8	6.0	
45-54		10.6	10.6	10.1	9.9	10.8	10.7	10.3	10.1	10.5	10.4	
55-64		22.0	23.5	21.3	20.8	22.5	21.6	21.7	21.5	22.0	21.9	
65-74		51.8	55.5	52.0	50.6	56.0	53.9	53.6	50.6	53.2	53.2	
75-84		143.8	135.6	127.3	120.2	132.7	128.5	130.0	120.8	126.5	128.6	
85 and over			343.2	303.2	278.4	367.3	280.2	280.3	255.6	267.5	270.1	
Not stated												
ALL AGES		14.7	14.9	12.9	12.6	13.9	13.4	13.2	12.9	13.2	13.5	

*, †, ‡, §, **. See footnotes, Table 23.

TABLE 25.—DEATHS in SCOTLAND from PRINCIPAL EPIDEMIC and certain other DISEASES, 1855-1941. Quinquennial averages.

YEAR.	NUMBER OF DEATHS FROM													
	Typhoid Fever.*	Typhus Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-Cough.	Diphtheria.	Tuberculosis.		Cancer.	Bronchitis.†	Pneumonia.†	All Diarrhoeal Diseases.†	Violence.
								All Forms.	Respiratory.					
1855-60	2573		995	1223	2766	2035	1226	10,140	7194	953	3538	2104	2976	2034
1861-65	3633		992	1377	2423	2193	2549	11,171	7914	1207	5768	2071	2604	2216
1866-70	1346	1799	99	1206	3427	2064	1587	11,983	8472	1348	7095	2284	3212	2273
1871-75	1406	779	1268	1311	591	2015	2090	12,262	8535	1569	8680	3072	3202	2756
1876-80	1341	276	20	1166	1873	2347	1733	12,213	8338	1792	8762	3135	3061	2686
1881-85	1029	162	17	1359	1340	2273	1680	11,099	7998	2058	7916	4075	2766	2725
1886-90	765	91	10	1628	882	2425	1623	10,192	7436	2441	7509	4270	2734	2628
1891-95	761	57	51	2110	811	2151	1513	9,935	7169	2831	7600	5229	3215	2842
1896-1900	716	39	14	1857	756	2206	921	10,149	7151	3351	6238	5656	3825	3128
1901-05	521	25	118	1470	403	2222	770	9,790	6618	3845	5570	6578	3166	3084
1906-10	322	14	2	1647	399	1841	839	9,464	6079	4663	5017	6717	2697	2941
1911-15	207	8	5	1583	649	1951	857	8,011	5214	5207	5046	6132	2502	3105
1916-20	109	10	31	1264	287	1330	734	7,073	4781	5574	4999	8545	1820	3014
1921	87	4	24	269	270	1478	611	5,737	3970	5962	4135	5393	1991	2702
1922	65	7	-	2695	247	1408	536	5,818	4061	6133	5730	8265	1244	2444
1923	67	1	-	1118	352	989	492	5,790	3996	6376	3635	4840	1159	2469
1924	34	-	-	1592	410	1625	442	5,653	3887	6498	4843	7691	1147	2599
1925	52	4	-	512	404	1737	505	5,390	3734	6675	4191	5821	1168	2817
1921-25	61	3	5	1237	337	1447	517	5,678	3930	6329	4507	6402	1342	2606
1926	39	3	-	928	343	506	490	4,861	3384	6640	3771	5844	1084	2657
1927	41	2	-	660	200	850	485	4,868	3466	6919	4231	6642	976	2957
1928	29	-	-	1005	140	1072	488	4,722	3318	6901	3585	6098	1016	2914
1929	18	-	-	149	109	901	471	4,580	3288	7108	5344	8778	959	2994
1930	24	1	2	792	127	628	460	4,286	3024	7120	3869	5958	854	3060
1926-30	30	1	0	707	184	791	479	4,663	3296	6938	4160	6664	978	2916
1931	31	1	-	641	161	957	356	4,205	3004	7158	3879	5417	885	2730
1932	32	-	-	892	250	459	368	4,123	2991	7458	3645	6163	1129	2811
1933	30	-	-	36	310	762	356	3,910	2930	7520	3629	5435	1067	2836
1934	22	1	-	1014	345	383	583	3,702	2794	7561	2804	4749	847	2823
1935	45	-	-	141	199	567	513	3,646	2812	7793	3239	5222	875	2705
1931-35	32	0	-	545	253	626	435	3,917	2906	7498	3439	5397	961	2781
1936	39	-	-	610	172	411	387	3,665	2753	7909	3411	5093	1209	2826
1937	16	-	-	119	123	717	426	3,663	2791	7810	3650	6131	1038	3020
1938	27	-	-	549	98	219	430	3,432	2581	8072	2494	4002	960	2878
1939	26	-	-	15	47	397	395	3,526	2717	8045	2775	3275	1005	3412
1940	27	-	-	262	35	197	676	4,003	3037	8260	4693	4832	926	4251
1936-40	27	-	-	311	95	388	463	3,658	2776	8019	3405	4667	1028	3277
1941	23	-	-	103	26	720	517	4,175	3117	8436	3246	3822	1118	6627

* Including Paratyphoid fever from 1931.

† Deaths from Pneumonia and from Bronchitis when associated with Influenza are included in the numbers given. For 1941 those from Bronchitis include "Influenza with other respiratory complications" (33a.2, page 7).

‡ Including Dysentery.

Deaths from Syphilis transferred to Text Table J (1).

Corresponding details for individual years prior to 1921 will be found in the Reports for 1930 and previous years.

TABLE 26.—DEATH-RATE per 100,000 of Population in SCOTLAND from the PRINCIPAL EPIDEMIC and certain other DISEASES, 1855-1941. Quinquennial averages.

YEAR.	Typhoid Fever.*	Typhus Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping-cough.	Diphtheria.	Tuberculosis.		Cancer.	Bronchitis.†	Pneumonia.†	All Diarrhoeal Diseases.‡	Violence.
								All Forms.	Respiratory.					
1855-60	92		36	44	98	72	43	360	255	34	125	75	106	72
1861-65	122		33	46	81	73	85	375	266	40	194	70	88	74
1866-70	43	57	3	38	109	66	51	382	270	43	226	73	102	72
1871-75	42	23	38	39	106	60	62	365	254	47	258	91	95	82
1876-80	38	8	0	33	52	66	49	343	234	50	246	88	86	76
1881-85	27	4	0	36	36	61	45	296	213	55	211	109	74	73
1886-90	20	2	0	41	23	62	41	261	190	62	192	109	70	67
1891-95	19	1	1	51	20	53	37	243	175	69	186	128	79	70
1896-1900	17	1	0	43	18	51	22	235	166	78	145	131	89	73
1901-05	11	0	3	32	9	49	17	218	148	86	124	146	71	69
1906-10	7	0	0	35	9	40	18	204	131	100	108	144	58	63
1911-15	5	0	0	33	13	41	18	169	110	110	106	129	53	65
1916-20	2	0	1	26	6	28	15	147	99	116	104	177	38	63
1921	2	0	0	6	6	30	13	118	81	122	85	110	41	55
1922	1	0	—	55	5	29	11	119	83	125	117	169	25	50
1923	1	0	—	23	7	20	10	118	82	130	74	99	24	51
1924	1	—	—	33	8	33	9	116	80	134	100	158	24	53
1925	1	0	—	11	8	36	10	111	77	137	86	120	24	58
1921-25	1	0	0	26	7	30	11	117	81	130	93	131	23	53
1926	1	0	—	19	7	10	10	100	70	137	78	120	22	55
1927	1	0	—	14	4	18	10	100	71	143	87	137	20	61
1928	1	—	—	21	3	22	10	97	68	142	74	126	21	60
1929	0	—	—	3	2	19	10	95	68	147	111	182	20	62
1930	0	0	0	16	3	13	10	89	63	147	80	123	18	63
1926-30	1	0	—	15	4	16	10	96	68	143	86	137	20	60
1931	1	0	—	13	3	20	7	87	62	148	80	112	18	56
1932	1	—	—	18	5	9	8	84	61	153	75	126	23	53
1933	1	—	—	1	6	16	7	80	60	153	74	111	22	58
1934	0	0	—	21	7	8	12	75	57	153	57	96	17	57
1935	1	—	—	3	4	11	10	74	57	157	65	105	18	55
1931-35	1	0	—	11	5	13	9	80	59	153	70	110	20	57
1936	1	—	—	12	3	8	8	74	55	159	69	103	24	57
1937	0	—	—	2	2	14	9	74	56	157	73	123	21	61
1938	1	—	—	11	2	4	9	69	52	162	50	80	19	58
1939	1	—	—	0 3	1	8	8	70	54	161	55	65	20	68
§ 1940	1	—	—	5	1	4	14	82	62	170	97	99	19	77
1936-40	1	—	—	6	2	8	10	74	56	162	69	94	21	64
§ 1941	0	—	—	2	1	15	11	85	63	174	67	79	23	115

*, †, ‡. See footnotes, Table 25.

§ Civilians only.

Corresponding details for individual years prior to 1921 will be found in the Reports for 1920 and previous years.

TABLE 27.—Deaths and Death-rates from Puerperal Conditions in Scotland in 1941.

	Births (Living Children).	Still- Births	Deaths from all Puerperal Conditions.	Deaths from Puerperal Sepsis.	Deaths from other Puerperal Conditions.	Death-rate per 1000 Live Births.			Death-rate (all Puerperal Condi- tions) per 1000 Total Births (inclu- ding Still-births).
						All Puerperal Conditions.	Puerperal Sepsis.	Other Puerperal Conditions	
SCOTLAND	89,743	3698	439	158	281	4·9	1·8	3·1	4·7
LARGE BURGHS	48,344	2115	240	92	148	5·0	1·9	3·1	4·8
SMALL BURGHS	13,992	542	60	20	40	4·3	1·4	2·9	4·1
LANDWARD	27,407	1041	139	46	93	5·1	1·7	3·4	4·9
ABERDEEN COUNTY	5,511	170	16	7	9	2·9	1·3	1·6	2·8
Aberdeen Burgh	2,907	96	7	3	4	2·4	1·0	1·4	2·3
Remainder of County	2,604	74	9	4	5	3·5	1·5	1·9	3·4
ANGUS COUNTY	4,454	179	28	9	19	6·3	2·0	4·3	6·0
Arbroath Burgh	341	6	3	1	2	8·8	2·9	5·9	8·6
Dundee Burgh	2,850	127	13	4	9	4·6	1·4	3·2	4·4
Remainder of County	1,263	46	12	4	8	9·5	3·2	6·3	9·2
ARGYLL COUNTY	1,032	34	7	5	2	6·8	4·8	1·9	6·6
AYR COUNTY	5,960	264	25	9	16	4·2	1·5	2·7	4·0
Ayr Burgh	791	41	3	2	1	3·8	2·5	1·3	3·6
Kilmarnock Burgh	712	27	5	1	4	7·0	1·4	5·6	6·8
Remainder of County	4,457	196	17	6	11	3·8	1·3	2·5	3·7
BANFF COUNTY	969	48	8	1	7	8·3	1·0	7·2	7·9
BERWICK COUNTY	366	9	1	—	1	2·7	—	2·7	2·7
BUTE COUNTY	341	6	—	—	—	—	—	—	—
CAITHNESS COUNTY	543	17	3	1	2	5·5	1·8	3·7	5·4
CLACKMANNAN COUNTY	628	33	2	—	2	3·2	—	3·2	3·0
DUNBARTON COUNTY	2,611	121	13	5	8	5·0	1·9	3·1	4·8
Clydebank Burgh	624	33	7	2	5	11·2	3·2	8·0	10·7
Dumbarton Burgh	441	23	3	1	2	6·8	2·3	4·5	6·5
Remainder of County	1,546	65	3	2	1	1·9	1·3	0·6	1·9
DUMFRIES COUNTY	1,550	70	5	—	5	3·2	—	3·2	3·1
Dumfries Burgh	528	21	3	—	3	5·7	—	5·7	5·5
Remainder of County	1,022	49	2	—	2	2·0	—	2·0	1·9
EAST LOTHIAN COUNTY	936	35	7	3	4	7·5	3·2	4·3	7·2
FIFE COUNTY	4,984	195	30	10	20	6·0	2·0	4·0	5·8
Dunfermline Burgh	695	34	4	2	2	5·8	2·9	2·9	5·5
Kirkcaldy Burgh	722	31	3	1	2	4·2	1·4	2·8	4·0
Remainder of County	3,567	130	23	7	16	6·4	2·0	4·5	6·2
INVERNESS COUNTY	1,413	57	3	—	3	2·1	—	2·1	2·0
Inverness Burgh	481	28	—	—	—	—	—	—	—
Remainder of County	932	29	3	—	3	3·2	—	3·2	3·1
KINCARDINE COUNTY	450	17	2	—	2	4·4	—	4·4	4·3

Note.—Some of the rates in this Table are based on very few observations and are therefore of limited value.

TABLE 27—continued.

	Births (Living Children).	Still- Births	Deaths from all Puerperal Conditions.	Deaths from Puerperal Sepsis.	Deaths from other Puerperal Conditions.	Death-rate per 1000 Live-births.			Death-rate (all Puerperal Condi- tions) per 1000 Total Births (inclu- ding Still-births).
						All Puerperal Conditions.	Puerperal Sepsis.	Other Puerperal Conditions.	
KINROSS COUNTY . . .	132	5	1	—	1	7·6	—	7·6	7·3
KIRKCUDBRIGHT COUNTY	619	12	2	1	1	3·2	1·6	1·6	3·2
LANARK COUNTY . . .	30,875	1,380	183	71	112	5·9	2·3	3·6	5·7
Airdrie Burgh . . .	609	17	5	—	5	8·2	—	8·2	8·0
Coatbridge Burgh . . .	1,024	50	2	—	2	2·0	—	2·0	1·9
Glasgow Burgh . . .	20,363	946	121	52	69	5·9	2·6	3·4	5·7
Hamilton Burgh . . .	879	35	5	3	2	5·7	3·4	2·3	5·5
Motherwell and Wishaw Burgh . . .	1,382	49	6	3	3	4·3	2·2	2·2	4·2
Rutherglen Burgh . . .	369	16	1	—	1	2·7	—	2·7	2·6
Remainder of County . . .	6,249	267	43	13	30	6·9	2·1	4·8	6·6
MIDLOTHIAN COUNTY . . .	8,541	334	24	11	13	2·8	1·3	1·5	2·7
Edinburgh Burgh . . .	6,934	267	21	9	12	3·0	1·3	1·7	2·9
Remainder of County . . .	1,607	67	3	2	1	1·9	1·2	0·6	1·8
MORAY COUNTY . . .	899	19	7	5	2	7·8	5·6	2·2	7·6
NAIRN COUNTY . . .	186	7	1	—	1	5·4	—	5·4	5·2
ORKNEY COUNTY . . .	430	13	—	—	—	—	—	—	—
PEEBLES COUNTY . . .	214	9	1	—	1	4·7	—	4·7	4·5
PERTH COUNTY . . .	2,010	65	8	2	6	4·0	1·0	3·0	3·9
Perth Burgh . . .	644	22	4	1	3	6·2	1·6	4·7	6·0
Remainder of County . . .	1,366	43	4	1	3	2·9	0·7	2·2	2·8
RENFREW COUNTY . . .	5,991	283	33	10	23	5·5	1·7	3·8	5·3
Greenock Burgh . . .	1,517	75	6	2	4	4·0	1·3	2·6	3·8
Paisley Burgh . . .	1,885	96	12	4	8	6·4	2·1	4·2	6·1
Port-Glasgow Burgh . . .	509	22	3	—	3	5·9	—	5·9	5·6
Remainder of County . . .	2,080	90	12	4	8	5·8	1·9	3·8	5·5
ROSS & CROMARTY COUNTY	1,019	35	4	—	4	3·9	—	3·9	3·8
ROXBURGH COUNTY . . .	600	36	2	1	1	3·3	1·7	1·7	3·1
SELKIRK COUNTY . . .	272	9	—	—	—	—	—	—	—
STIRLING COUNTY . . .	3,326	130	12	3	9	3·6	0·9	2·7	3·5
Falkirk Burgh . . .	606	34	3	1	2	5·0	1·7	3·3	4·7
Stirling Burgh . . .	531	19	—	—	—	—	—	—	—
Remainder of County . . .	2,189	77	9	2	7	4·1	0·9	3·2	4·0
SUTHERLAND COUNTY . . .	266	11	—	—	—	—	—	—	—
WEST LOTHIAN COUNTY . . .	1,618	68	8	3	5	4·9	1·9	3·1	4·7
WIGTOWN COUNTY . . .	706	16	—	—	—	—	—	—	—
ZETLAND COUNTY . . .	291	11	3	1	2	10·3	3·4	6·9	9·9

TABLE 28.—Deaths from Malignant Disease in Scotland in 1941.

International List No.	LOCATION.	All Ages.	0-	5-	15-	25-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over
			MALES.														
	All Sites	4023	8	12	18	62	80	124	210	286	426	615	753	697	478	185	69
45	Lip	27	-	-	-	-	-	-	-	-	-	5	3	7	6	4	2
	Mouth, Palate	70	-	1	-	1	1	-	-	1	8	10	13	11	16	7	1
	Tongue	98	-	-	-	-	1	-	2	3	11	9	24	20	22	4	2
	Jaw, Maxilla, Antrum.	68	1	1	2	-	-	1	-	2	6	6	17	16	12	3	1
	Salivary Glands, Parotid	11	-	-	-	-	1	-	-	-	-	2	3	1	3	1	-
	Tonsils	23	-	-	1	-	-	1	-	-	3	2	6	5	3	2	-
	Pharynx, Fauces	38	-	-	-	1	-	1	1	-	5	7	8	10	5	-	-
	Nasopharynx, Nose- Internal	9	-	-	-	-	1	-	-	-	1	2	3	-	1	1	-
	Cheek	13	-	-	-	-	-	-	-	3	1	3	3	1	-	1	1
	Buccal Cavity, &c.—TOTAL	357	1	2	3	2	4	3	3	9	35	46	80	71	68	23	7
46	(Esophagus, Gullet	194	-	-	-	2	2	2	8	15	18	34	41	38	23	9	2
	Stomach, Pylorus	1009	-	1	3	10	24	35	62	74	107	163	202	166	100	48	14
	Intestine	653	-	1	2	6	7	12	32	33	58	99	129	141	90	25	18
	Abdomen	12	-	1	-	1	-	-	1	-	-	2	-	3	1	2	1
	Rectum	347	-	-	2	5	14	12	10	21	35	59	67	61	39	15	7
	Liver, Gall Bladder	167	1	-	-	3	2	4	5	17	13	31	32	31	20	8	-
	Pancreas	131	-	-	-	2	-	3	10	12	18	23	24	17	14	6	2
	Peritoneum, Omentum Mesentery	12	-	1	-	1	1	1	-	2	2	2	1	1	-	-	-
	Digestive Organs, &c.— TOTAL	2525	1	4	7	30	50	69	128	174	251	413	496	458	287	113	44
47	Larynx	62	-	-	-	-	2	-	6	2	13	11	14	7	5	2	-
	Lung, Bronchus, Pleura	412	-	-	1	8	13	36	46	62	77	55	52	38	16	8	-
	Mediastinum	37	-	-	-	1	-	-	3	5	10	3	3	5	4	2	1
	Respiratory Organs—TOTAL	511	-	-	1	9	15	36	55	69	100	69	69	50	25	12	1
50	Breast	3	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-
51	Prostate	222	-	-	-	-	-	-	3	1	12	34	41	60	44	21	6
	Testis	16	-	1	1	6	-	-	1	2	-	-	2	2	1	-	-
	Penis	16	-	-	-	-	-	1	-	2	2	2	3	2	1	3	-
	Scrotum	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	Male Genital Organs— TOTAL	256	-	1	1	6	-	1	4	5	14	36	48	64	46	24	6
52	Kidney	51	2	1	-	1	1	2	3	6	3	7	5	9	8	2	1
	Bladder, Urethra	114	-	-	-	1	-	-	5	8	9	16	30	13	26	4	2
	Urinary Organs—TOTAL	165	2	1	-	2	1	2	8	14	12	23	35	22	34	6	3
53	(Anus	5	-	-	-	-	-	-	-	-	2	-	-	2	-	-	1
	Ear	8	-	-	-	-	-	-	-	-	1	-	1	1	3	-	2
	Nose (External)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Scalp, Face (Rodent Ulcer)	19	-	-	-	1	1	1	-	-	1	2	1	4	4	2	2
	Skin	9	-	-	-	2	-	-	-	-	-	1	1	2	1	1	1
	Skin—TOTAL	42	-	-	-	3	1	1	-	-	4	4	3	9	8	3	6
54	Brain	29	1	-	-	4	4	5	6	5	4	-	-	-	-	-	-
	Spinal Cord	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Brain and Nervous System—TOTAL	30	1	-	-	4	4	5	6	5	4	1	-	-	-	-	-
55	Adrenals	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Arm, Leg	25	-	2	3	2	2	-	2	-	-	4	2	5	-	2	1
	Bones	15	-	1	-	-	-	3	-	1	1	4	1	2	1	1	-
	Eye	5	1	-	-	-	1	-	-	1	-	1	-	-	1	-	-
	Heart	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lymphatic Glands	33	2	1	1	1	1	-	2	2	2	2	10	6	2	-	1
	Pelvis	11	-	-	1	-	-	1	1	1	1	4	2	-	-	1	-
	Rib and Sternum	4	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-
	Spine	11	-	-	1	-	-	2	-	3	1	1	1	1	1	-	-
	Spleen	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Thorax	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Throat	5	-	-	-	-	-	-	-	-	-	2	-	1	2	-	-
	Thyroid	8	-	-	-	1	-	-	-	2	1	-	2	1	1	-	-
	Others	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
		Not stated	13	-	-	-	1	1	1	1	-	-	3	1	5	-	-
	Other or Unspecified Organs—TOTAL	134	3	4	6	5	5	7	6	10	6	23	21	23	9	4	2

TABLE 28—continued.

International List No.	LOCATION.	All Ages.	0-	5-	15-	25-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85 and over
			FEMALES.														
	All Sites	4413	11	4	25	71	97	173	285	360	491	592	704	654	527	286	133
45	Lip	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
	Mouth, Palate	16	-	-	1	-	1	-	-	-	-	2	4	2	2	3	1
	Tongue	21	-	-	-	1	-	-	-	1	2	3	5	4	3	2	-
	Jaw, Maxilla, Antrum	26	-	-	-	-	1	2	1	-	4	5	4	2	5	1	1
	Salivary Glands,	5	-	-	-	-	-	-	-	-	2	-	-	2	-	1	-
	Parotid																
	Tonsils	3	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-
	Pharynx, Fauces	17	-	-	-	-	1	1	1	-	2	2	2	3	3	1	1
	Nasopharynx, Nose- Internal	4	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-
	Cheek	3	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-
	Buccal Cavity, &c.—TOTAL	96	-	-	1	1	3	3	3	1	10	14	16	17	14	10	3
46	(Esophagus, Gullet	122	-	-	-	1	1	3	6	5	10	15	28	15	23	10	5
	Stomach, Pylorus	841	-	-	-	5	13	14	32	51	76	113	146	161	141	64	28
	Intestine	760	-	-	4	11	14	18	30	43	78	81	118	143	110	77	33
	Abdomen	28	-	-	1	1	-	3	-	2	4	5	4	4	4	2	-
	Rectum	227	-	-	3	7	3	10	17	22	23	28	35	34	23	14	8
	Liver, Gall Bladder	220	4	-	1	2	3	4	6	10	25	35	44	34	36	11	5
	Pancreas	130	-	-	-	1	1	2	3	10	13	17	21	22	19	13	8
	Peritoneum, Omentum, Mesentery	18	-	-	1	1	1	1	1	3	2	-	3	2	1	2	-
	Digestive Organs, &c.— TOTAL	2349	4	-	10	29	36	55	95	146	229	293	400	415	357	193	87
47	Larynx	22	-	-	-	1	1	-	2	2	1	5	6	2	1	1	-
	Lung, Bronchus, Pleura	159	-	-	1	3	3	2	9	17	19	29	36	22	12	5	1
	Mediastinum	21	-	-	-	-	3	3	1	2	2	1	3	2	3	1	-
	Respiratory Organs—TOTAL	202	-	-	1	4	7	5	12	21	22	35	45	26	16	7	1
48	Cervix	167	-	-	1	4	6	16	26	28	24	22	15	15	9	-	1
	Uterus, other or unspec.	355	-	-	1	4	10	24	38	52	50	54	58	27	20	12	5
	Uterus—TOTAL	522	-	-	2	8	16	40	64	80	74	76	73	42	29	12	6
49	Ovary, Fallopian Tube	155	-	-	3	7	5	10	19	21	24	25	15	15	7	4	-
	Vagina, Vulva	50	-	-	1	-	1	-	2	2	4	5	9	14	8	4	-
	Other Female Genital Organs—TOTAL	205	-	-	4	7	6	10	21	23	28	30	24	29	15	8	-
50	Breast—TOTAL	728	-	-	-	9	21	50	77	70	101	93	109	79	60	31	23
52	Kidney	39	2	-	1	1	1	2	1	2	2	5	9	7	3	3	-
	Bladder, Urethra	60	-	-	-	-	-	2	3	3	6	12	10	15	6	2	1
	Urinary Organs—TOTAL	99	2	-	1	1	1	4	4	5	8	17	19	22	9	5	1
53	Anus	5	-	-	-	-	-	-	1	-	1	-	-	1	2	-	-
	Ear	3	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-
	Nose, (External)	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
	Scalp, Face (Rodent Ulcer)	30	-	-	-	-	-	-	1	-	2	1	3	5	6	5	7
	Skin	19	-	-	-	2	-	-	-	1	2	2	1	3	3	2	3
	Skin—TOTAL	59	-	-	-	2	-	-	2	1	5	5	4	9	12	8	11
54	Brain	30	3	1	-	1	3	3	5	2	4	3	3	2	-	-	-
	Spinal Cord	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
	Brain and Nervous System—TOTAL	32	3	1	-	1	3	3	5	3	4	3	3	3	-	-	-
55	Adrenals	3	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	Arm, Leg	21	-	-	-	4	-	-	-	-	2	3	2	2	5	3	-
	Bones	14	-	1	3	1	2	-	1	-	-	1	2	2	-	1	-
	Eye	4	-	-	1	-	-	-	-	-	-	-	2	-	1	-	-
	Heart	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Lymphatic Glands	21	-	1	1	2	-	1	1	3	1	3	1	2	2	3	-
	Pelvis	5	-	-	-	1	-	1	-	1	-	1	-	-	-	1	-
	Rib and Sternum	3	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-
	Spine	13	1	-	-	-	-	-	-	3	2	3	2	2	-	-	-
	Spleen	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
	Thorax	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Throat	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	Thyroid	25	-	-	-	-	-	1	-	3	2	6	2	2	6	3	-
	Others	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
	Not Stated	6	-	1	1	1	-	-	-	-	1	1	-	-	-	1	-
	Other or Unspecified Organs—TOTAL	121	2	3	6	9	4	3	2	10	10	21	11	12	15	12	1

TABLE 29.—Deaths from Suicide in Scotland in 1941.

	Scotland.	Large Burghs.	Counties (<i>ex</i> Large Burghs.)	Unallo- cated.
TOTAL . . . { M. F.	266 139	110 91	92 47	64 1
Cut; Stab . . . { M. F.	17 7	9 3	8 4	— —
Drowning . . . { M. F.	17 15	8 6	8 9	1 —
Gunshot Wounds . { M. F.	78 3	3 1	21 2	54 —
Hanging . . . { M. F.	34 9	11 3	19 6	4 —
Poison . . . { M. F.	101 88	65 66	32 21	4 1
Precipitation . { M. F.	14 14	11 11	3 3	— —
Railways . . . { M. F.	4 2	3 1	1 1	— —
Otherwise or not stated . . . { M. F.	1 1	— —	— 1	1 —

TABLE 30.—Deaths from Poison in Scotland in 1941.

ACCIDENTAL POISONING.

Name of Poison.	Males.	Females.	TOTAL.	Name of Poison.	Males.	Females.	TOTAL.
Morphine, - - -	3	-	3	Brought forward,	10	4	14
Ammonia, - - -	1	-	1	Paraldehyde, - - -	-	1	1
Quinine Sulphate, - - -	1	-	1	Strychnine, - - -	-	1	1
Denatured Alcohol, - - -	3	-	3	Irritant Poisoning, - - -	1	-	1
Barbituric Acid, - - -	1	-	1	Poison not stated, - - -	-	1	1
Soneryl, - - -	-	1	1	Poisonous Vapours:—			
Iodine, - - -	1	-	1	Coal Gas, - - -	37	33	70
Lysol, - - -	-	1	1	Carbon Monoxide, - - -	5	-	5
Kerol, - - -	-	1	1	Sewer Gas, - - -	1	-	1
Dettol, - - -	-	1	1				
Carried forward,	10	4	14	Total, - - -	54	40	94

SUICIDAL POISONING.

Coal Gas, - - -	69	63	132	Brought forward,	89	85	174
Carbon Monoxide, - - -	1	-	1	Aspirin, - - -	2	1	3
Lysol, - - -	15	17	32	Prussic Acid, - - -	3	-	3
Carbolic Acid, - - -	-	1	1	Potassium Cyanide, - - -	3	-	3
Barbiturate, - - -	1	1	2	Opium, - - -	2	-	2
Luminal, - - -	2	1	3	Strychnine, - - -	1	-	1
Veronal, - - -	1	1	2	Quinine, - - -	-	1	1
Medinal, Chloral and Bromide - - -	-	1	1	Arsenic, - - -	1	-	1
Carried forward,	89	85	174	Unknown, - - -	-	1	1
				Total, - - -	101	88	189

DEATHS UNDER ANÆSTHETICS (Secondary Cause).

Chloroform, - - -	10	5	15	Brought forward,	71	58	129
Chloroform and Ether, - - -	11	4	15	Percaïne, - - -	2	2	4
Ether, - - -	8	18	26	Planocaine, - - -	-	2	2
Nitrous Oxide, - - -	5	5	10	Neocaine, - - -	-	2	2
Nitrous Oxide and Ether, - - -	18	13	31	Novocaine, - - -	1	-	1
Nitrous Oxide and Chloroform, - - -	1	1	2	Novocaine and Ether, - - -	-	1	1
Nitrous Oxide, Ether and Vinesthene, - - -	-	1	1	Evipan, - - -	1	-	1
Ethyl Chloride, - - -	3	2	5	Metacaine, - - -	-	1	1
Ethyl Chloride and Ether, - - -	11	8	19	Paraldehyde, - - -	-	1	1
Ethyl Chloride, Ether and Chloroform, - - -	3	1	4	Pentothal, - - -	-	1	1
Duracaine and Nitrous Oxide, - - -	1	-	1	Pentothal and Nitrous Oxide, - - -	1	-	1
Carried forward,	71	58	129	Stovaine, - - -	-	1	1
				Anæsthetic not stated, - - -	9	2	11
				Total - - -	85	71	156

TABLE 31.—Deaths in Scotland from Selected Causes of Children aged under One Year, 1941.

CAUSES OF DEATH.		Total (all ages).	Illegitimate only.	DEATHS—AGE.								
				Under 1 day.	1 to 6 days.	1 week.	2 weeks.	3 and 4 weeks.	1 to 2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
Cerebro-spinal fever	{ M. F.	46 32	4 1	- -	- -	- -	1 -	- 1	6 4	17 10	8 11	14 6
Whooping-cough	{ M. F.	176 207	13 11	- -	- -	- -	- 2	6 5	36 44	50 45	46 63	38 48
Diphtheria	{ M. F.	11 5	1 -	- -	- -	- -	- -	- 2	1 1	3 -	1 2	6 -
Erysipelas	{ M. F.	3 -	1 -	- -	- -	- -	- -	- -	3 -	- -	- -	- -
Tubercular meningitis	{ M. F.	24 25	1 -	- -	- -	- -	- -	- -	2 -	4 2	6 10	12 13
Abdominal tuberculosis	{ M. F.	6 2	- -	- -	- -	- -	- -	- -	- -	5 1	1 -	- 1
Other tuberculous diseases	{ M. F.	23 12	- -	- -	1 -	- -	- -	- -	- -	7 3	10 5	5 4
Syphilis	{ M. F.	10 11	3 5	- -	- 3	1 1	1 1	1 -	4 2	3 3	- -	- 1
Measles	{ M. F.	23 14	- 2	- -	- -	- 1	1 -	- -	- -	5 1	8 9	9 3
Convulsions	{ M. F.	141 109	13 14	2 1	13 10	7 1	6 5	6 7	42 39	48 30	12 9	5 7
Bronchitis	{ M. F.	177 88	17 9	- -	- 1	7 4	5 6	16 7	64 24	59 30	13 10	13 6
Pneumonia (all forms)	{ M. F.	718 550	77 44	2 1	21 14	28 17	41 25	19 19	189 133	226 141	122 114	70 86
Other respiratory diseases	{ M. F.	24 26	2 3	- 1	3 1	1 2	- 1	3 3	4 7	9 5	1 4	3 2
Diarrhoea	{ M. F.	479 295	75 34	- -	2 1	20 10	24 18	30 17	142 83	164 96	71 53	26 17
Other digestive diseases	{ M. F.	70 29	5 2	- -	6 2	6 1	4 1	3 2	15 7	20 6	6 4	10 6
Congenital malformations	{ M. F.	342 269	24 20	43 40	75 60	34 35	27 20	26 19	75 51	32 30	21 8	9 6
Congenital debility	{ M. F.	370 228	59 38	60 38	74 47	38 23	48 20	26 15	80 64	37 18	5 3	2 -
Premature birth	{ M. F.	895 713	85 76	429 296	262 223	82 94	47 45	33 22	38 31	3 2	1 -	- -
Injury at birth	{ M. F.	207 144	18 16	54 45	109 65	20 21	8 5	5 2	10 4	1 2	- -	- -
Other infantile diseases	{ M. F.	221 149	19 13	76 67	84 50	29 14	9 7	10 2	9 7	4 1	- 1	- -
Accidental mechanical suffocation	{ M. F.	61 43	5 6	- -	1 1	4 -	3 2	2 3	21 18	24 11	5 8	1 -
All other causes	{ M. F.	279 169	26 17	8 5	12 7	14 9	21 8	14 6	61 32	64 38	55 31	30 33
Total—Both Sexes	-	7426	-	1168	1148	524	412	332	1353	1260	737	492
Males	-	4306	-	674	663	291	246	200	802	785	392	253
Females	-	3120	-	494	485	233	166	132	551	475	345	239
Illegitimate only—												
Both Sexes	-	-	759	105	107	67	47	34	184	128	48	39
Males	-	-	448	57	60	37	30	20	109	84	26	25
Females	-	-	311	48	47	30	17	14	75	44	22	14

TABLE 32.—Month of Registration of Children aged under One Year dying from Selected Causes in Scotland in 1941.

CAUSES OF DEATH.	Total.	MONTH OF REGISTRATION OF DEATH.											
		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Cerebro-spinal fever - - -	78	4	15	7	10	5	8	5	2	3	5	8	6
Whooping-cough - - -	383	41	40	72	61	57	30	16	19	19	13	7	8
Diphtheria - - -	16	1	3	1	2	2	2	1	-	-	1	1	2
Erysipelas - - -	3	-	-	1	1	-	-	-	1	-	-	-	-
Tubercular meningitis - - -	49	4	5	12	3	5	2	1	2	4	1	5	5
Abdominal tuberculosis - - -	8	-	1	2	-	1	1	-	1	-	1	1	-
Other tuberculous diseases - - -	35	2	5	3	3	3	4	3	2	3	2	1	4
Syphilis - - -	21	3	1	2	2	1	2	1	3	2	2	2	-
Measles - - -	37	9	6	6	2	9	1	3	-	-	-	-	1
Convulsions - - -	250	23	29	34	30	24	19	13	13	18	15	17	15
Bronchitis - - -	265	27	34	75	46	15	8	8	8	7	11	9	17
Pneumonia (all forms) - - -	1268	119	142	300	170	86	58	35	47	48	64	80	119
Other respiratory diseases - - -	50	8	12	9	4	3	1	5	-	1	1	5	1
Diarrhoea - - -	774	53	49	67	48	57	44	66	61	85	98	68	78
Other digestive diseases - - -	99	13	6	12	7	7	5	6	12	9	9	10	3
Congenital malformations - - -	611	63	47	47	57	48	53	53	58	43	48	38	56
Congenital debility - - -	598	67	52	70	70	65	48	41	36	32	44	31	42
Premature birth - - -	1608	130	159	169	149	129	164	124	128	93	104	138	121
Injury at birth - - -	351	24	23	28	24	36	34	29	25	48	25	24	31
Other infantile diseases - - -	370	31	24	45	26	38	37	33	26	28	26	20	36
Accidental mechanical suffocation -	104	13	5	13	10	10	7	4	7	7	9	11	8
All other causes - - -	448	52	41	74	39	42	30	30	23	23	22	34	38
Total - - -	7,426	687	699	1,049	764	643	558	477	474	473	501	510	591
Illegitimate only - - -	759	59	63	95	79	62	59	44	62	56	64	61	55

TABLE 33.—Births, Deaths under one year by age-periods, and Death-rates per 1000 Births in Scotland—1941.

DEATHS DURING VARIOUS AGE-PERIODS UNDER ONE YEAR, WITH SUB-DIVISIONS OF ANNUAL DEATH-RATES.																							
Number of Births (Living Children).	Under 1 Year (Total).		Under 1 year (Illegitimate).		Under 1 Day.		1-6 Days.		1 Week.		2 Weeks.		3 and 4 Weeks.		1-2 Months.		3-5 Months.		6-8 Months.		9-11 Months.		
	No.	Rate.	No.	Rate*	No.	Rate.	No.	Rate.	No.	Rate.	No.	Rate.	No.	Rate.	No.	Rate.	No.	Rate.	No.	Rate.	No.	Rate.	
Scotland	89,743	7,426	82.7	..	1,168	13.0	1,148	12.8	524	5.8	412	4.6	332	3.7	1,353	15.1	1,260	14.0	737	8.2	492	5.5	
Large Burghs	48,344	4,546	94.0	..	646	13.4	668	13.8	319	6.6	264	5.5	199	4.1	840	17.4	823	17.0	475	9.8	312	6.5	
Counties (ex Large Burghs)	41,399	2,880	69.6	..	522	12.6	480	11.6	205	5.0	148	3.6	133	3.2	513	12.4	437	10.6	262	6.3	180	4.3	
ILLEGITIMATE ONLY																							
Scotland	5,904	759	128.6	105	17.8	107	18.1	67	11.3	47	8.0	34	5.8	184	21.2	128	21.7	48	8.1	39	6.6
Large Burghs	3,019	451	149.4	55	18.2	59	19.5	36	11.9	24	7.9	21	7.0	113	27.4	85	28.2	32	10.6	26	8.6
Counties (ex Large Burghs)	2,885	308	106.8	50	17.3	48	16.6	31	10.7	23	8.0	13	4.5	71	24.6	43	14.9	16	5.5	13	4.5
ABERDEEN COUNTY	5,511	378	68.6	61	112.5	68	12.2	57	10.3	36	6.5	29	5.3	23	4.2	76	13.8	52	9.4	24	4.4	13	2.4
Aberdeen Burgh (Total)	2,907	224	77.1	26	118.7	41	14.1	38	13.1	22	7.6	17	5.8	9	3.1	46	15.8	28	9.6	17	5.8	6	2.1
Remainder of County	2,604	154	59.1	35	108.4	27	10.4	19	7.3	14	5.4	12	4.6	14	5.4	30	11.5	24	9.2	7	2.7	7	2.7
ANGUS COUNTY	4,454	357	80.2	45	136.8	77	17.3	68	15.3	12	2.7	18	4.0	15	3.4	61	13.7	47	10.6	32	7.2	27	6.1
Arbroath Burgh	341	25	73.3	4	200.0	4	11.7	6	17.6	3	8.8	3	8.8	3	8.8	2	5.9	3	8.3	1	2.9
Dundee Burgh	2,850	253	88.8	31	148.3	56	19.6	49	17.2	11	3.9	8	2.8	10	3.5	38	13.3	37	13.0	23	8.1	21	7.4
Remainder of County	1,263	79	62.5	10	100.0	17	13.5	13	10.3	1	0.8	7	5.5	2	1.6	20	15.8	8	6.3	6	4.8	5	4.0
ARGYLL COUNTY	1,032	59	57.2	9	87.4	7	6.8	9	8.7	3	2.9	3	2.9	8	7.8	12	11.6	11	10.7	6	5.8
AYR COUNTY	5,960	489	82.0	45	148.0	70	11.7	82	13.8	25	4.2	13	2.2	18	3.0	103	17.3	88	14.8	58	9.7	32	5.4
Ayr Burgh	791	67	84.7	7	155.6	10	12.6	10	12.6	3	3.8	2	2.5	10	12.6	21	26.5	9	11.4	2	2.5
Kilmarnock Burgh	712	55	77.2	4	153.8	8	11.2	9	12.6	2	2.8	1	1.4	4	5.6	14	19.7	9	12.6	6	8.4	2	2.8
Remainder of County	4,457	367	82.3	34	145.9	52	11.7	63	14.1	20	4.5	10	2.2	14	3.1	79	17.7	58	13.0	43	9.6	28	6.3
BANFF COUNTY	969	68	70.2	7	61.9	8	8.3	9	9.3	7	7.2	4	4.1	3	3.1	13	13.4	14	14.4	5	5.2	5	5.2
BERWICK COUNTY	366	20	54.6	3	107.1	6	16.4	2	5.5	2	5.5	2	5.5	2	5.5	3	8.2	1	2.7	2	5.5
BUTE COUNTY	341	12	35.2	2	83.3	4	11.7	3	8.8	2	5.9	2	5.9	1	2.9
CAITHNESS COUNTY	543	38	70.0	3	47.6	6	11.0	5	9.2	3	5.5	2	3.7	1	1.8	8	14.7	7	12.9	4	7.4	2	3.7
CLACKMANNAN COUNTY	628	45	71.7	6	122.4	6	9.6	9	14.3	5	8.0	1	1.6	1	1.6	10	15.9	7	11.1	4	6.4	2	3.2
DUNBARTON COUNTY	2,611	230	88.1	18	174.8	30	11.5	35	13.4	20	7.7	12	4.6	9	3.4	41	15.7	40	15.3	26	9.6	18	6.9
Clydebank Burgh	624	59	94.6	4	153.8	8	12.8	8	12.8	3	4.8	2	3.2	3	4.8	12	19.2	10	16.0	7	11.2	6	9.6
Dumbarton Burgh	441	58	120.2	3	200.0	6	13.6	8	18.1	7	15.9	3	6.8	1	2.3	10	22.7	8	18.1	5	11.3	5	11.3
Remainder of County	1,546	118	76.3	11	177.4	16	10.3	19	12.3	10	6.5	7	4.5	5	3.2	19	12.3	22	14.2	13	8.4	7	4.5
DUMFRIES COUNTY	1,550	111	71.6	15	105.6	18	11.6	23	14.8	6	3.9	4	2.6	5	3.2	22	14.2	21	13.5	9	5.8	3	1.9
Dumfries Burgh	528	36	68.2	5	122.0	6	11.4	5	9.5	2	3.8	2	3.8	1	1.9	7	13.3	10	18.9	3	5.7
Remainder of County	1,022	75	73.4	10	99.0	12	11.7	18	17.6	4	3.9	2	2.0	4	3.9	15	14.7	11	10.8	6	5.9	3	2.9
EAST LOTHIAN COUNTY	936	62	66.2	2	37.0	11	11.8	10	10.7	5	5.3	3	3.2	4	4.3	12	12.8	8	8.5	4	4.3	5	5.3
FIFE COUNTY	4,984	326	65.4	23	98.9	69	13.8	56	11.2	19	3.8	16	3.2	19	3.8	47	9.4	44	8.8	36	7.2	20	4.0
Dunfermline Burgh	695	49	70.5	3	85.7	7	10.1	16	23.0	1	1.4	2	2.9	3	4.3	9	12.9	5	7.2	4	5.8	2	2.9

INVERNESS COUNTY . Inverness Burgh . Remainder of County	1,413 481 932	65.1 79.0 57.9	8 1 7	66.7 20.0 100.0	22 9 13	15.6 13.7 13.9	17 4 13	12.0 8.3 13.9	7 4 8	5.0 8.3 3.2	6 3 3	4.2 6.2 3.2	4 2 2	2.8 4.2 2.1	13 6 7	9.2 12.5 7.5	9 3 6	6.4 6.2 6.4	7 5 2	5.0 10.4 2.1	7 5 5	5.0 4.2 5.4
KINCARDINE COUNTY	450	88.9	7	127.3	8	17.8	6	13.3	5	11.1	2	4.4	1	2.2	6	13.3	8	17.8	2	4.4	2	4.4
KINROSS COUNTY	132	53.0	1	76.9	2	15.2	2	15.2	1	7.6	1	7.6	1	7.6
KIRKCUDBRIGHT COUNTY	619	58.2	3	48.4	2	3.2	12	19.4	5	8.1	1	1.6	1	1.6	6	9.7	6	9.7	1	1.6	2	3.2
LAMARCK COUNTY	30,875	102.8	288	161.2	438	14.2	439	14.2	254	8.2	191	6.2	135	4.4	567	18.4	583	18.9	339	11.0	227	7.4
Atterlie Burgh	609	80.5	3	115.4	8	13.1	7	11.5	2	3.3	2	3.3	4	6.6	11	18.1	6	9.9	7	11.5	2	3.3
Coatbridge Burgh	1,024	100	5	178.6	13	12.7	10	9.8	6	5.9	3	2.9	4	3.9	17	16.6	21	20.5	17	16.6	9	8.8
Glasgow Burgh	20,363	111.2	237	176.6	282	13.8	301	14.8	182	8.9	141	6.9	95	4.7	422	20.7	436	21.4	289	11.7	167	8.2
Hamilton Burgh	879	99	5	104.2	12	13.7	12	13.7	7	8.0	8	9.1	6	6.8	18	20.5	17	19.3	12	13.7	7	8.0
Motherwell & Wishaw Burgh	1,382	101	5	98.0	13	9.4	19	13.7	2	1.4	2	1.4	3	4.3	23	16.6	20	14.5	9	6.5	5	5.1
Rutherglen Burgh	369	89.4	5	13.6	8	21.7	2	5.4	6	8.1	4	10.8	4	10.8	2	5.4	5	13.6
Remainder of County	6,249	84.2	53	118.3	105	16.8	82	13.1	55	8.8	33	5.3	17	2.7	72	11.5	79	12.6	53	8.5	30	4.8
MIDLOTHIAN COUNTY	8,541	65.4	68	115.3	97	11.4	95	11.1	30	3.5	30	3.5	25	2.9	95	11.1	87	10.2	55	6.4	45	5.8
Edinburgh Burgh	6,934	66.5	57	113.1	80	11.5	79	11.4	23	3.3	25	3.6	17	2.5	76	11.0	72	10.4	48	6.9	41	5.9
Remainder of County	1,607	61.0	11	127.9	17	10.6	16	10.0	7	4.4	5	3.1	8	5.0	19	11.8	15	9.3	7	4.4	4	2.5
MORAY COUNTY	899	70.1	13	110.2	10	11.1	12	13.3	6	6.7	4	4.4	3	3.3	13	14.5	7	7.8	4	4.4	4	4.4
NAIRN COUNTY	186	86.0	3	166.7	4	21.5	4	21.5	3	16.1	2	10.8	3	16.1
ORKNEY COUNTY	430	55.8	4	90.9	6	14.0	4	9.3	2	4.7	1	2.3	3	7.0	2	4.7	1	2.3	6	11.6
PEBBLES COUNTY	214	32.7	1	250.0	1	4.7	1	4.7	1	4.7	1	4.7	3	14.0
PERTH COUNTY	2,010	61.2	23	121.1	26	12.9	20	10.0	5	2.5	4	2.0	5	2.5	34	16.9	14	7.0	8	4.0	7	3.5
Perth Burgh	644	65.2	9	160.7	9	14.0	6	9.3	1	1.6	3	4.7	2	3.1	13	20.2	4	6.2	2	3.1	2	3.1
Remainder of County	1,366	59.3	14	104.5	17	12.4	14	10.2	4	2.9	1	0.7	3	2.2	21	15.4	10	7.8	6	4.4	5	3.7
RENFREW COUNTY	5,931	88.8	45	171.1	61	10.2	79	13.2	44	7.3	39	6.5	23	3.8	106	17.7	102	17.0	55	5.2	23	3.8
Greenock Burgh	1,517	90.3	10	147.1	12	7.9	17	11.2	8	5.3	6	4.0	8	5.3	30	19.8	35	23.1	13	8.6	3	5.3
Paigley Burgh	1,885	116.2	20	229.9	21	11.1	32	17.0	26	13.8	23	12.2	8	4.2	36	19.1	44	23.3	23	12.2	6	3.2
Port-Glasgow Burgh	509	61	3	136.4	9	17.7	8	15.7	2	3.9	2	3.9	2	3.9	18	35.4	8	15.7	9	17.7	3	5.9
Remainder of County	2,080	55.3	12	139.5	19	9.1	22	10.6	8	3.8	8	3.8	5	2.4	22	10.6	15	7.2	10	4.8	6	2.9
ROES AND CROMARTY COUNTY	1,019	56.9	10	131.6	12	11.8	12	11.8	4	3.9	4	3.9	1	1.0	17	16.7	4	3.9	2	2.0	2	2.0
ROXBURGH COUNTY	600	55.0	2	60.6	7	11.7	6	10.0	1	1.7	1	1.7	2	3.3	5	8.3	4	6.7	7	11.7
SELKIRK COUNTY	272	66.2	2	105.3	2	7.4	2	7.4	1	3.7	5	18.4	3	11.0	2	7.4	3	11.0
STIRLING COUNTY	3,326	68.6	15	86.2	46	13.8	36	10.8	8	2.4	6	1.8	10	3.0	39	11.7	46	13.8	23	6.9	14	4.2
Falkirk Burgh	606	47.9	2	64.5	8	13.2	5	8.3	2	3.3	3	5.0	1	1.7	2	3.3	3	5.0	1	1.7	4	6.6
Stirling Burgh	531	96.0	6	214.3	9	16.9	6	11.3	4	7.5	8	15.1	14	26.4	8	15.1	2	3.8
Remainder of County	2,189	67.6	7	60.9	29	13.2	25	11.4	6	2.7	3	1.4	5	2.3	24	13.2	29	13.2	14	6.4	8	3.7
SUTHERLAND COUNTY	266	78.9	3	136.4	8	30.1	2	7.5	1	3.8	1	3.8	3	11.3	2	7.5	1	3.8	1	3.8	2	7.5
WEST Lothian County	1,618	69.2	8	108.1	22	13.6	22	13.6	4	2.5	9	5.6	7	4.3	15	9.3	17	10.5	9	5.6	7	4.3
WIGTOWN COUNTY	706	70.8	8	95.2	12	17.0	9	12.7	4	5.7	5	7.1	2	2.8	8	11.3	6	8.5	2	2.8	2	2.8
ZETLAND COUNTY	291	30.9	1	47.6	2	6.9	1	3.4	2	6.9	3	10.3	1	3.4
UNALLOCATED	2	4	..	10	..	6	..	10	..

* Per 1000 Illegitimate Births.

Note.—Some of the above rates are based on very few observations and are therefore of limited value.

TABLE 34.—Meteorology of Scotland for 1941; also the Number of Births, Still-births, Deaths, Deaths under 1, and Marriages registered during each Month of the Year 1941.

	YEAR.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
Mean Barometer (inch)	29·939	29·978	29·514	29·907	30·012	29·963	30·076	29·911	29·701	30·199	30·101	29·865	30·043
Mean of Max. Temp.	53°·0	36°·2	41°·6	44°·6	48°·0	56°·0	64°·3	66°·7	63°·7	64°·3	55°·3	48°·3	46°·8
„ „ Min. „	40°·7	26°·9	31°·7	33°·0	36°·9	40°·9	48°·2	52°·9	49°·8	51°·1	43°·2	36°·9	36°·8
Mean Temperature.	46°·8	31°·5	36°·6	38°·8	42°·5	48°·5	56°·2	59°·8	56°·8	57°·7	49°·3	42°·6	41°·8
Absolute Maximum .	89°	48°	55°	61°	68°	82°	89°	85°	82°	79°	68°	60°	59°
Absolute Minimum .	-6°	-6°	7°	14°	16°	15°	24°	37°	35°	31°	19°	15°	13°
Rainfall (Normal 100)	88	56	122	85	80	89	47	98	133	57	123	103	62
Births (Living Children only)	89743	7746	6857	7651	7526	8184	7713	7673	7480	7503	7859	6546	7005
Still-births	3698	378	323	338	327	351	283	317	259	293	284	263	282
Deaths	72558	8153	7006	8173	6783	6574	5637	5031	4708	4725	4825	5179	5759
Deaths under 1	7426	687	699	1049	764	643	558	477	474	473	501	510	591
Marriages	47716	4417	2961	3376	4719	2440	5224	5129	3826	4123	3508	3057	4936
Rates per 1000 of Estimated Population	Births	17·5	17·8	17·4	17·6	17·9	18·8	17·6	17·2	17·8	18·0	15·5	16·1
	† Still-births	40	47	45	42	41	35	40	33	38	35	39	39
	Deaths	14·7	19·7	18·6	19·6	16·8	15·7	13·9	11·9	11·2	11·6	12·8	13·7
	(Civilian)	83	89	102	137	102	79	72	62	63	64	78	84
	* Infantile Mortality	9·3	10·1	7·5	7·7	11·2	5·6	12·4	11·8	9·8	8·1	7·3	11·3

* Rate per 1000 live births.

† Rate per 1000 births (including Still-births).

TABLE 35.—Deaths, Temperature, and Rainfall in Sixteen Large Burghs of Scotland during each Week of 1941.

No. of Week.	Week ended	Deaths (Corrected for Transfers).	Civilian Death-rate per 1000 of Population.	TEMPERATURE.			RAIN, in inches	No. of Week.	Week ending	Deaths (Corrected for Transfers).	(Civilian) Death-rate per 1000 of Population	TEMPERATURE.			RAIN, in inches		
				Maxi-mum.	Mini-mum.	Mean.						Maxi-mum.	Mini-mum.	Mean.			
1	January	4	730	15·9	52·0	5·0	30·6	0·63	27	July	5	584	12·7	80·0	40·0	60·8	0·0
2		11	1034	22·5	44·3	6·0	28·8	0·04	28		12	565	12·3	82·2	44·0	62·0	0·0
3		18	1014	22·1	45·0	8·2	31·4	0·27	29		19	534	11·6	77·0	41·4	58·2	1·0
4		25	1044	22·7	43·0	11·8	34·6	1·03	30		26	560	12·2	74·0	43·4	58·4	0·0
5	February	1	1006	21·9	41·0	30·0	35·0	0·33	31	August	2	573	12·5	80·0	46·0	61·5	0·0
6		8	996	21·7	53·0	20·2	36·4	0·88	32		9	518	11·3	69·0	40·0	55·8	0·0
7		15	912	19·9	49·0	27·0	39·6	1·51	33		16	530	11·5	71·0	42·0	56·0	2·0
8		22	837	18·2	45·0	18·8	34·1	0·59	34		23	549	12·0	69·0	40·0	55·3	0·0
9	March	1	888	19·3	50·0	20·8	36·5	0·69	35	September	30	517	11·3	70·0	42·8	57·2	0·0
10		8	937	20·4	48·0	25·0	37·4	0·79	36		6	527	11·5	79·0	41·0	60·1	0·0
11		15	841	18·3	60·2	26·0	39·7	0·01	37		13	535	11·6	78·0	40·0	58·3	0·0
12		22	843	18·4	60·2	26·0	40·1	0·06	38		20	512	11·1	73·7	35·0	56·0	0·0
13	April	29	798	17·4	53·8	27·0	37·9	1·18	39	October	27	514	11·2	71·0	40·0	57·6	0·0
14		5	859	18·7	46·0	25·0	37·6	0·97	40		4	505	11·0	69·0	40·0	55·5	0·0
15		12	809	17·6	63·0	26·8	41·4	0·18	41		11	509	11·1	65·8	41·6	53·6	1·0
16		19	749	16·3	60·0	34·0	46·1	1·03	42		18	548	11·9	60·0	26·0	48·5	1·0
17	May	26	698	15·2	60·6	28·0	43·4	0·09	43	November	25	520	11·3	59·0	25·4	45·2	0·0
18		3	692	15·1	62·4	26·0	43·2	0·07	44		1	558	12·1	58·0	29·0	43·6	0·0
19		10	710	15·5	66·3	30·0	45·3	0·06	45		8	564	12·3	55·0	22·2	40·9	0·0
20		17	692	15·1	65·0	25·8	47·5	0·32	46		15	647	14·1	55·0	23·0	42·2	1·0
21	June	24	680	14·8	67·8	37·0	50·6	2·00	47	December	22	630	13·7	55·2	26·0	41·5	0·0
22		31	654	14·2	82·4	38·0	52·0	0·47	48		29	651	14·2	56·3	25·0	45·1	0·0
23		7	664	14·5	76·4	34·0	50·8	0·01	49		6	592	12·9	51·7	26·0	41·8	0·0
24		14	638	13·9	72·0	33·2	52·6	0·23	50		13	621	13·5	54·0	31·0	44·7	0·0
25		21	626	13·6	81·8	41·0	59·1	0·29	51		20	620	13·5	51·2	27·0	41·1	0·0
26		28	576	12·5	78·0	46·0	60·2	0·44	52		27	638	13·9	56·0	27·0	42·3	0·0
									53	Jan. (1942)	3	632	13·8	53·0	19·0	39·3	1·0

This Table is compiled from Weekly Returns for 1941. Deaths and Death-rates (civilian) have been provisionally corrected by allocation to place of usual residence. Civilian deaths from enemy action have been excluded.

TABLE 36.—VACCINATIONS in SCOTLAND.

Year	Total Births Registered.	Number Surviving.	Successfully Vaccinated.	Insusceptible of Vaccine Disease.			Died before Vaccination.	Statutory Declaration of Conscientious Objection.	Vaccination Postponed.	Removed from District before Vaccination, or otherwise unaccounted for.
				From previous Vaccination.	From Constitutional Insusceptibility.	From having had Small-pox				
NUMBERS.										
1930	94,571	88,329	47,571	225	1,325	0	6,242	34,079	1,918	3,211
1931	92,188	86,328	44,333	254	1,677	0	5,860	35,415	1,746	2,903
1932	91,019	85,092	41,399	317	2,142	0	5,927	36,717	1,639	2,878
1933	86,539	81,056	37,741	166	1,971	0	5,483	36,654	1,611	2,913
1934	88,788	83,389	38,184	170	1,601	0	5,399	38,993	1,640	2,801
1935	87,935	82,356	37,049	214	1,378	0	5,579	39,522	1,502	2,691
1936	88,932	83,310	36,809	213	1,105	0	5,622	40,796	1,489	2,898
1937	87,805	82,267	35,394	157	1,087	0	5,538	41,484	1,400	2,745
1938	88,606	83,586	35,103	178	1,200	0	5,020	42,248	1,522	3,335
1939	86,900	81,644	35,061	237	1,146	0	5,256	39,530	1,663	4,007
1940	86,399	81,065	38,102	163	1,129	0	5,334	35,184	1,815	4,672
RATE PER CENT. OF TOTAL BIRTHS.										
1930	100·00	—	50·30	0·24	1·40	0·00	6·60	36·03	2·03	3·40
1931	100·00	—	48·09	0·27	1·82	0·00	6·36	38·42	1·89	3·15
1932	100·00	—	45·48	0·35	2·35	0·00	6·51	40·34	1·80	3·16
1933	100·00	—	43·61	0·19	2·28	0·00	6·34	42·86	1·86	3·37
1934	100·00	—	43·01	0·19	1·80	0·00	6·08	43·92	1·85	3·15
1935	100·00	—	42·13	0·24	1·57	0·00	6·34	44·95	1·71	3·06
1936	100·00	—	41·39	0·24	1·24	0·00	6·32	45·87	1·67	3·26
1937	100·00	—	40·31	0·18	1·24	0·00	6·31	47·25	1·59	3·13
1938	100·00	—	39·62	0·20	1·35	0·00	5·66	47·68	1·72	3·76
1939	100·00	—	40·35	0·27	1·32	0·00	6·05	45·49	1·91	4·61
1940	100·00	—	44·10	0·19	1·31	0·00	6·17	40·72	2·10	5·41
RATE PER CENT. OF CHILDREN SURVIVING.										
1864-1873	—	100·00	96·19	0·22	0·28	0·05	—	—	0·77	2·49
1874-1883	—	100·00	96·12	0·29	0·16	0·01	—	—	1·21	2·21
1884-1893	—	100·00	94·72	0·25	0·24	0·00	—	—	2·13	2·66
1894-1903	—	100·00	93·84	0·32	0·47	0·00	—	—	2·36	3·01
1904-1913	—	100·00	76·24	0·57	0·58	0·00	—	14·88	2·69	5·04
1914-1923	—	100·00	59·94	0·33	0·67	0·00	—	32·44	2·46	4·16
1924-1933	—	100·00	55·99	0·30	1·60	0·00	—	36·15	2·38	3·59
1930	—	100·00	53·86	0·25	1·50	0·00	—	33·58	2·17	3·64
1931	—	100·00	51·36	0·30	1·94	0·00	—	41·02	2·02	3·36
1932	—	100·00	48·65	0·37	2·52	0·00	—	43·15	1·93	3·38
1933	—	100·00	46·56	0·20	2·43	0·00	—	45·22	1·99	3·59
1934	—	100·00	45·79	0·20	1·92	0·00	—	46·76	1·97	3·36
1935	—	100·00	44·99	0·26	1·67	0·00	—	47·99	1·82	3·27
1936	—	100·00	44·18	0·26	1·33	0·00	—	48·97	1·70	3·48
1937	—	100·00	43·02	0·19	1·32	0·00	—	50·43	1·70	3·34
1938	—	100·00	42·00	0·21	1·44	0·00	—	50·54	1·82	3·99
1939	—	100·00	42·94	0·29	1·40	0·00	—	48·42	2·04	4·91
1940	—	100·00	47·00	0·20	1·39	0·00	—	43·40	2·24	5·76

TABLE 37.—Deaths from Small-pox in Scotland, 1855-1940, with Vaccination Particulars, 1864-1940.

State of Vaccination of Children whose Births were Registered during the Years 1864 to 1940; Percentages (excluding those who Died before Vaccination).						Deaths from Small-pox, 1855 to 1940.					Deaths from Cow-pox and Effects of Vaccination, 1883-1940.
Year.	Successfully Vaccinated.*	Vaccination Postponed.†	Insusceptible of Vaccination.	Statutory Declarations of Conscientious Objection.	Unaccounted for.	Total (including Age Not Stated).	0-4 Years.	5-24 Years.	25-64 Years.	65 Years and upwards.	
Average 1855-1863	979	690	183	102	3	
1864-1873	96·4	0·8	0·3	..	2·5	763	259	282	216	6	
1874-1883	96·4	1·2	0·2	..	2·2	145	33	64	47	1	
1884-1893	95·0	2·1	0·2	..	2·7	18	2	5	11	0	3
1894-1903	94·2	2·4	0·5	..	3·0	64	9	10	44	1	1
1904-1913	76·8	2·7	0·6	14·9	5·0	22	4	2	15	1	1
1914-1923	60·3	2·5	0·7	32·4	4·2	18	3	4	10	1	1
1924-1933	56·3	2·4	1·6	36·1	3·6	1
1929	54·8	2·5	2·5	36·1	4·1
1930	54·1	2·2	1·5	38·6	3·6	2	..	1	1	..	1
1931	51·7	2·0	1·9	41·0	3·4	1
1932	49·0	1·9	2·5	43·1	3·4
1933	46·8	2·0	2·4	45·2	3·6
1934	46·0	2·0	1·9	46·8	3·4
1935	45·2	1·8	1·7	48·0	3·3
1936	44·4	1·8	1·3	49·0	3·5
1937	43·2	1·7	1·3	50·4	3·5	1
1938	42·2	1·8	1·4	50·6	4·0	1
1939	43·2	2·1	1·4	48·4	4·9	2
1940	47·2	2·2	1·4	43·4	5·8	1

* Including such as were certified as Insusceptible of Vaccination "on the ground of previous successful vaccination," the children having been vaccinated by persons unauthorised to grant certificates.

† At the end of the year following that of registration of birth.

GENERAL REGISTRATION SUMMARY.

GENERAL REGISTRATION SUMMARY.

1. EVENTS REGISTERED IN 1941. 2. VACCINATIONS OF CHILDREN WHOSE BIRTHS WERE REGISTERED IN 1940.
(Figures in this Table show actual numbers as **Registered**, and are not "Corrected for Residence." See pp. 112-137.)

No.	COUNTIES AND LARGE BURGHs.	POPULATION * (Enumerated at Census of)		REGISTERED BIRTHS, STILL BIRTHS, DEATHS AND MARRIAGES, 1941.					VACCINATIONS, 1940.							Total Births, 1940. (Not corrected for Transfers.)		
		1931	1921	Live Births.		Still Births.	Deaths.		Marr- iages.	Insusceptible of Vaccine Disease.				Died before Vaccination.	Statutory Declara- tions of Conscientious Objection.		Medical Certificate of Postponement.	Unaccounted for through removal from District before Vaccin- ation, or otherwise.
				Total.	Illeg- itimate.		Total.	From Uncer- tified Causes.		On the ground of previous Vaccination.	On the ground of Constitu- tional Insusceptibility.	In respect of the children having already had Smallpox.						
	SCOTLAND . . .	4,842,980	4,882,497	89,743	5904	3698	72,558	218	47,716	38,102	163	1,129	...	5334	35,184	1,815	4,672	86,399
	COUNTIES. (Large Burghs included.)																	
1	Zetland . . .	21,421	25,520	292	19	11	409	14	193	23	...	1	...	6	248	...	3	281
2	Orkney . . .	22,077	24,111	420	39	13	425	...	228	76	...	3	...	15	254	4	9	361
3	Caithness . . .	25,656	28,285	539	57	17	477	1	199	125	...	2	...	25	267	5	37	461
4	Sutherland . . .	16,101	17,802	229	20	9	290	11	70	91	...	4	...	7	92	3	9	206
5	Ross and Cromarty . . .	62,799	70,818	912	60	30	994	69	373	404	...	6	...	37	246	33	148	874
6	Inverness . . .	82,108	82,455	1,539	126	66	1,431	72	657	566	11	6	...	66	502	35	249	1,435
7	Nairn . . .	8,294	8,790	179	15	7	143	...	75	101	4	35	5	4	149
8	Moray . . .	40,806	41,558	917	118	17	672	4	377	523	...	16	...	47	153	6	36	781
9	Banff . . .	54,907	57,298	946	92	47	690	...	346	402	...	5	...	38	399	6	24	874
10	Aberdeen + . . .	313,521	313,018	5,862	582	190	4,436	3	3,052	3,890	18	46	...	361	876	84	214	5,489
11	Kincardine + . . .	26,780	29,777	348	30	10	360	...	174	258	...	2	...	16	49	8	25	358
12	Angus . . .	270,190	271,052	4,571	390	185	4,240	1	2,390	1,715	1	48	...	230	2,271	34	74	4,373
13	Perth . . .	120,793	125,503	2,166	224	64	1,867	5	1,013	1,226	...	52	...	78	373	12	56	1,797
14	Fife . . .	276,368	292,925	4,857	237	186	3,431	1	2,652	1,502	19	42	...	212	2,412	231	112	4,530
15	Kinross . . .	7,454	7,963	96	6	5	124	...	58	46	...	2	...	5	30	1	1	85
16	Clackmannan . . .	31,948	32,542	526	30	25	387	...	321	203	5	4	...	25	242	5	2	486
17	Stirling . . .	166,447	161,721	3,740	180	153	2,383	2	1,562	1,300	4	46	...	184	1,448	79	116	3,177
18	Dunbarton . . .	146,723	149,666	1,833	58	58	2,196	...	1,348	626	8	12	...	112	1,238	19	167	2,182
19	Argyll . . .	63,050	76,862	1,032	84	40	1,157	18	481	388	5	3	...	27	270	10	110	813
20	Bute . . .	18,823	33,711	402	22	5	439	...	137	127	...	2	...	10	73	1	13	226

21	Renfrew	287,991	286,387	5,705	237	265	4,766	...	3,035	1,764	6	53	...	439	2,986	257	214	5,719
22	Ayr	285,217	299,273	6,200	296	271	4,176	2	2,818	2,131	7	54	...	299	2,616	131	297	5,535
23	Lanark	1,587,663	1,553,154	30,803	1,863	1,420	23,751	9	17,382	12,421	63	517	...	2,334	13,337	606	2,277	31,555
24	West Lothian	81,431	83,960	1,333	53	43	749	...	689	378	2	14	...	57	738	15	40	1,244
25	Midlothian	526,296	506,377	9,226	682	391	8,370	...	5,634	5,082	8	147	...	485	2,807	116	276	8,921
26	East Lothian	47,338	47,487	754	35	21	564	1	367	422	1	6	...	27	229	25	5	715
27	Berwick	26,612	28,246	328	27	6	340	...	196	200	...	4	...	16	67	...	5	292
28	Peebles	15,051	15,332	264	7	8	159	...	110	119	3	25	5	7	159
29	Selkirk	22,608	22,607	294	12	9	304	...	191	193	...	3	...	14	72	1	5	288
30	Roxburgh	45,788	44,989	553	23	25	623	...	366	377	...	8	...	20	168	12	11	596
31	Dumfries	81,047	81,464	1,699	163	75	1,337	5	765	765	...	12	...	80	432	49	41	1,379
32	Kirkcudbright	30,341	31,061	523	44	10	390	..	198	321	...	3	...	21	87	7	12	451
33	Wigtown	29,331	30,783	655	73	16	478	...	259	337	5	6	..	34	142	10	73	607
LARGE BURGHs.																		
	Glasgow	1,093,337	1,056,436	20,303	1,461	1,005	17,903	9	12,757	9,455	45	406	...	1,765	8,034	343	1,936	21,984
	Edinburgh	439,010	420,264	8,052	640	363	7,555	...	4,882	4,540	7	141	...	434	2,306	94	256	7,778
	Dundee	176,424	169,123	3,105	288	151	2,651	1	1,661	854	1	83	...	161	1,945	17	38	3,049
	Aberdeen	169,803	161,193	3,240	285	128	2,793	...	2,055	2,326	17	28	...	232	349	47	81	3,080
	Paisley	86,445	84,837	1,874	77	95	1,507	...	997	497	1	9	...	169	901	162	16	1,755
	Greenock	79,012	81,207	1,464	65	67	1,403	...	812	309	...	25	...	109	1,119	21	68	1,651
	Motherwell & Wishaw	65,611	69,956	1,385	45	51	606	...	660	353	...	6	...	67	741	120	11	1,298
	Clydebank	46,991	46,626	255	9	7	637	...	347	158	4	33	393	6	90	684
	Kirkcaldy	44,559	44,935	1,139	54	44	517	...	414	246	2	6	...	42	555	154	...	1,005
	Coatbridge	43,312	44,223	753	17	36	534	...	417	253	6	10	...	53	388	17	40	767
	Kilmarnock	38,681	36,658	936	43	37	593	...	394	350	...	13	...	55	440	29	...	887
	Hamilton	38,112	39,746	987	47	29	475	...	410	278	...	9	...	45	604	9	32	977
	Ayr	38,905	37,504	1,336	79	120	872	1	494	495	5	13	...	83	404	32	86	1,118
	Falkirk	36,566	34,419	972	50	62	570	...	377	325	...	14	...	39	478	44	4	904
	Dunfermline	35,058	39,899	1,143	57	55	665	...	492	384	13	49	514	51	40	1,051
	Perth	35,051	33,339	983	99	44	736	1	485	491	...	38	...	36	198	4	26	793
	Airdrie	26,734	26,215	863	31	28	348	...	317	294	8	3	...	66	387	12	22	792
	Rutherglen	25,182	24,777	257	4	9	211	...	325	100	...	13	...	14	83	13	19	242
	Dumfries	22,818	21,857	855	89	45	476	...	349	292	...	4	...	55	232	...	22	605
	Stirling	24,547	23,145	870	57	44	539	...	291	389	...	14	...	63	214	3	84	767
	Inverness	22,583	20,944	794	73	42	552	...	416	273	8	41	212	...	100	634
	Dumbarton	21,764	23,176	385	11	13	455	...	226	105	...	3	...	22	244	5	15	394
	Port-Glasgow	19,588	21,038	379	17	11	281	...	224	114	2	39	194	...	53	402
	Arbroath	17,653	19,521	341	20	7	323	...	185	138	...	6	...	24	114	2	13	297
TOTAL (Large Burghs)																		
		2,647,746	2,581,038	52,671	3,618	2,493	43,202	13	29,937	23,019	119	794	...	3,696	21,049	1,185	3,052	52,914

* Adjusted for alterations of boundary.

+ The portion of Aberdeen Burgh in Kincardine County is included with Aberdeen County.

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)
	Tuberculosis—	<i>M.</i> 2112 <i>F.</i> 2013	53 39	145 151	64 52	64 82	203 377	196 364	237 263	188 177	184 113	173 116	158 78	165 61	119 47	169 43	65 26	24 14	11 6	4 2	—	—	—	—
13	Respiratory system	<i>M.</i> 1646 <i>F.</i> 1471	10 8	27 25	10 5	15 34	124 258	157 314	193 238	180 165	173 109	161 91	147 64	151 49	107 39	96 34	60 21	22 9	10 5	3 2	—	—	—	—
14	Central nervous system	<i>M.</i> 267 <i>F.</i> 300	24 25	83 96	40 38	28 32	43 74	16 19	19 5	1 2	4 —	2 4	1 3	4 —	1 2	1 —	—	—	—	—	—	—	—	—
15	Intestines and peritoneum	<i>M.</i> 69 <i>F.</i> 65	6 2	12 7	5 4	8 1	8 18	3 7	8 5	1 1	2 3	4 6	2 3	4 3	2 3	2 1	1 1	—	—	—	—	—	—	—
16	Vertebral column	<i>M.</i> 22 <i>F.</i> 23	—	1 —	2 —	1 4	2 4	1 3	4 3	1 —	—	2 3	3 —	1 2	—	2 1	1 1	1 2	—	—	—	—	—	—
17	Other bones and joints	<i>M.</i> 14 <i>F.</i> 13	2 —	— 2	1 1	— 1	2 —	— —	— 1	— —	— —	1 —	1 —	— 2	1 2	3 —	1 1	1 1	1 1	—	1 —	—	—	—
18	Skin and sub-cutaneous tissues	<i>M.</i> — <i>F.</i> 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
19	Lymphatic system	<i>M.</i> 4 <i>F.</i> 5	— —	1 —	— —	1 —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 1	— —	— —	— —	— —	— —	— —	— —
20	Genito-urinary system	<i>M.</i> 24 <i>F.</i> 17	— —	— —	— —	1 —	4 —	5 3	2 1	1 7	2 1	— 2	1 2	2 1	4 —	2 —	— —	— —	— —	— —	— —	— —	— —	— —
21.a	Addison's disease (spec. as tuberc.)	<i>M.</i> — <i>F.</i> —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
b	Other organs	<i>M.</i> 2 <i>F.</i> —	— —	— —	— —	— —	— —	2 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
22	Disseminated	<i>M.</i> 114 <i>F.</i> 117	11 4	21 21	6 4	10 10	19 23	12 18	11 9	4 2	3 —	3 9	3 6	3 4	4 1	3 4	1 1	— —	— —	— —	— —	— —	— —	— —
24	Purulent infection and septicaemia	<i>M.</i> 55 <i>F.</i> 49	18 7	3 4	4 2	1 2	1 3	5 1	1 3	1 1	2 1	1 3	3 2	2 5	1 3	3 5	3 3	1 1	2 1	2 2	—	—	—	—
26	Other bacterial diseases (3-5, 7, 23, 25)	<i>M.</i> 4 <i>F.</i> 1	2 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	1 —	— —	— —	— —	— —	— —	— —

Note.—Sub-headings indicated by letters (a, b, c, &c.) correspond with the International List. Those indicated by numbers (1, 2, 3, &c.) apply to the Scottish List only.
 * 83 age not stated.
 † 1 age not stated.

CAUSES OF DEATH IN SCOTLAND DURING THE YEAR 1941—continued.

Internal Nos. Detailed Long List.	CAUSES OF DEATH.	All Ages.	Ages.																								
			-1	1-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95-	100 and over			
I. INFECTIVE AND PARASITIC DISEASES—continued.																											
<i>Dysentery.</i>																											
27	Dysentery	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		24	6	1	-	-	1	-	-	-	-	-	-	2	1	3	-	1	4	2	-	-	-	-	-	-	-
		24	5	-	1	-	-	-	-	-	-	-	1	1	1	-	2	4	3	-	-	-	-	-	-	-	-
<i>Diseases due to Protozoa.</i>																											
28	Malaria (29)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<i>Diseases due to Spirochaetes.</i>																											
30.a	Locomotor ataxia (tabes dorsalis)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
b	General paralysis of insane	-	-	-	-	-	1	1	-	-	3	9	8	2	10	11	7	-	-	-	-	-	-	-	-	-	-
		53	-	-	-	-	-	-	-	-	1	2	5	4	5	2	1	-	-	-	-	-	-	-	-	-	-
		21	-	-	-	-	1	1	-	-	1	2	5	2	2	2	1	-	-	-	-	-	-	-	-	-	-
c	Aneurysm of aorta	-	-	-	-	-	-	-	-	-	2	-	2	10	12	14	9	8	2	2	-	-	-	-	-	-	-
		61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		15	-	-	-	-	-	-	-	-	-	-	-	2	1	1	4	1	2	2	-	-	-	-	-	-	-
d	Syphilis, congenital or unspecified	-	-	-	-	-	-	2	1	2	1	7	4	4	7	6	7	1	2	2	-	-	-	-	-	-	-
		56	-	-	-	-	-	-	-	-	-	-	-	2	4	2	1	-	-	-	-	-	-	-	-	-	-
		28	10	-	1	-	-	-	-	-	-	-	3	2	2	2	1	-	-	-	-	-	-	-	-	-	-
32	Other spirochaetal diseases (31)	-	-	-	-	2	-	-	-	1	1	-	2	1	-	1	-	1	-	-	-	-	-	-	-	-	-
		9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)			

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)
49	Other female genital organs - F.	205	-	-	-	-	2	2	1	6	6	10	21	23	28	30	24	29	15	8	-	-	-	-
50	Breast - { M. 3 F. 728	731	-	-	-	-	-	-	2	7	21	50	77	70	101	98	109	79	60	31	18	5	-	-
51	Male genital organs - M.	256	-	-	-	1	-	1	1	5	-	1	4	5	14	36	48	64	46	24	5	1	-	-
52	Urinary organs - { M. 165 F. 99	264	-	2	-	1	-	1	1	1	1	2	8	14	12	23	35	22	34	6	3	-	-	
53	Skin (scrotum excepted) - { M. 42 F. 59	101	-	-	-	-	-	-	2	1	1	1	2	-	4	4	3	9	8	3	5	1	-	-
54	Brain and nervous system - { M. 30 F. 32	62	-	1	-	-	-	-	1	3	4	5	6	5	4	1	-	-	-	-	-	-	-	-
55	Other or unspecified organs - { M. 134 F. 121	255	-	3	3	1	3	3	3	2	5	7	6	10	6	23	21	23	9	4	1	1	-	-
Tumours, non-malignant, or of undetermined nature (56) -																								
57.a	Ovaries - F.	38	-	-	-	-	2	1	-	2	1	2	6	3	1	3	6	4	3	4	-	-	-	-
b	Uterus - F.	41	-	-	-	-	-	-	-	-	7	12	11	8	1	1	-	1	-	-	-	-	-	-
c	Other female genital organs - F.	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
d	Brain and nervous system - { M. 68 F. 57	125	1	1	6	4	4	3	2	3	8	3	6	10	9	6	1	1	2	1	-	-	-	-
e.1	Bladder - { M. 16 F. 4	20	1	1	1	3	2	2	2	4	5	3	2	10	6	3	5	1	2	2	2	1	-	-
2	Other and unspecified organs - { M. 13 F. 13	26	4	-	-	-	1	-	1	1	2	-	1	-	-	1	1	1	1	-	-	-	-	-
III. RHEUMATISM, DISEASES OF NUTRITION AND OF ENDOCRINE GLANDS, OTHER GENERAL DISEASES AND VITAMIN DEFICIENCY DISEASES.																								
TOTAL - { M. 393 F. 803		1196	12	8	13	10	16	8	12	13	7	19	22	22	33	38	54	52	30	17	5	2	-	-
58.c	Acute rheumatic heart conditions (a, b) { M. 42 F. 53	95	11	13	13	15	24	19	17	18	19	28	37	39	64	104	121	120	88	34	15	3	1	-
d	Other forms of acute rheumatism - { M. 9 F. 17	26	-	1	9	6	8	3	2	2	2	3	2	1	3	1	1	2	-	-	-	-	-	-

CAUSES OF DEATH IN SCOTLAND DURING THE YEAR 1941—continued.

International Nos. Detailed Long List.	CAUSES OF DEATH.	All Ages.	Ages																100 and over								
			-1	1-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-		75-	80-	85-	90-	95-			
III. RHEUMATISM, ETC.—continued.																											
59	Chronic rheumatism and other rheu- matic diseases - - - - - { M. F. }	48 125	-	-	-	1	-	-	2	1	-	-	3	2	2	7	10	7	6	6	1	1	-	-	-	-	-
61	Diabetes mellitus - - - - - { M. F. }	224 451	-	1	2	2	6	3	6	4	9	11	13	16	18	27	38	40	24	9	3	1	1	-	-	-	-
62	Diseases of the pituitary gland - - - { M. F. }	7 7	-	-	-	-	1	1	-	2	-	2	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-
63.b	Exophthalmic goitre - - - - - { M. F. }	17 55	-	-	-	-	-	-	-	3	4	1	6	2	3	5	1	2	-	-	-	-	-	-	-	-	-
c	Myxoedema and cretinism - - - - - { M. F. }	4 38	-	1	1	-	-	-	-	-	-	-	1	-	-	5	9	2	5	3	1	-	-	-	-	-	-
e	Other diseases of thyroid and para- thyroid (a, d) - - - - - { M. F. }	3 14	-	-	-	1	1	-	1	-	-	2	3	1	2	1	1	1	1	1	-	-	-	-	-	-	-
64	Diseases of thymus (including status lymphaticus) - - - - - { M. F. }	6 8	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65.a	Addison's disease (not tuberculous) - { M. F. }	8 17	-	-	-	-	-	-	-	1	1	1	1	-	2	1	-	1	1	1	-	-	-	-	-	-	-
b	Other diseases of adrenal glands - - { M. F. }	2 1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
66	Other general diseases (60) - - - { M. F. }	16 8	3	3	1	-	-	-	-	-	1	2	-	-	3	1	3	-	-	-	-	-	-	-	-	-	-
70	Rickets - - - - - { M. F. }	5 4	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	Other vitamin deficiency diseases (67, 68, 69) - - - - - { M. F. }	2 5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)		

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)
IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.																								
	TOTAL	-	{ M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
72	Purpura, hæmophilia	289 435	18 4	10 6	7 1	1 5	7 7	7 9	4 9	8 7	6 15	6 14	12 27	14 23	24 46	41 55	45 54	42 65	24 53	16 26	2 8	- 1	- -	
73. ^a	Pernicious anæmia (b)	18 15	-	2 -	-	-	1 1	1 -	1 -	2 3	2 4	3 8	11 10	7 10	9 28	23 27	28 39	29 52	17 41	10 14	2 7	- 1	- -	
d	Other anæmias (c)	48 81	3 4	1 2	-	2 2	1 2	6 5	3 1	1 -	1 4	2 4	2 3	3 2	7 7	6 7	4 7	8 7	6 8	4 10	-	-	-	
74	Leukæmia, aleukæmia	78 59	2 -	6 3	5 1	1 2	5 1	7 1	4 1	4 2	3 4	1 4	9 5	2 7	6 8	7 11	8 4	5 2	1 2	2 1	1 1	-	-	
75	Diseases of spleen	7 19	-	1 -	-	-	2 1	1 -	-	1 -	2 -	1 -	-	3 1	1 1	3 5	2 -	4 -	2 -	-	-	-	-	
76	Other diseases of blood and of blood-forming organs	7 10	-	1 -	-	-	-	1 -	-	1 -	-	-	1 -	1 1	1 -	3 5	2 -	-	-	-	-	-	-	
V. CHRONIC POISONING AND INTOXICATION.																								
	TOTAL	-	{ M. F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
77	Alcoholism	34 8	-	-	-	-	-	-	-	2 -	3 -	3 -	4 -	6 -	4 -	3 1	5 3	4 2	-	2 -	-	-	-	
78	Lead poisoning	33 8	-	-	-	-	-	-	-	2 -	3 -	3 -	4 -	6 -	4 -	3 1	4 3	4 2	-	2 -	-	-	-	
79	Chronic poisoning by other mineral and organic substances	1 -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1 -	-	-	-	-	-	-	

CAUSES OF DEATH IN SCOTLAND DURING THE YEAR 1941—continued.

International Nos. Detailed Long List	CAUSES OF DEATH.	All Ages.	Ages.																					
			-1	1-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95-	100 and ove
	VI. DISEASES OF NERVOUS SYSTEM AND OF SENSE ORGANS.																							
	TOTAL - { M. F.	*3974 4866	200 150	76 59	27 16	20 13	30 11	26 22	34 32	41 39	41 52	68 82	99 156	156 219	264 328	429 490	601 652	674 851	626 821	403 552	127 232	29 75	1 13	- 1
80.α	Intra-cranial abscess - { M. F.	26 13	1 -	3 -	1 -	2 -	1 1	5 1	- 1	1 3	4 2	1 2	1 -	3 1	2 1	1 1	- -	- -	- -	- -	- -	- -	- -	- -
b	Other forms of encephalitis (non- epidemic) - { M. F.	24 22	2 1	3 8	3 -	1 -	- 1	- 1	2 1	1 1	- 1	1 1	3 1	1 1	1 -	4 1	1 3	1 1	- -	- -	- -	- -	- -	- -
81	Meningitis (not meningococcal) - { M. F.	118 86	37 22	30 19	11 8	3 3	7 2	3 5	1 3	- 2	9 3	1 2	5 2	3 5	3 4	1 2	2 1	- 2	- 1	- -	- -	- -	- -	- -
82.1	Motor neurone disease - { M. F.	39 42	- -	- -	- -	1 -	- -	1 1	1 1	1 -	1 1	1 3	3 -	6 5	5 3	5 5	5 6	4 3	4 7	1 5	- 1	- 1	- -	- -
2	Sub-acute combined degeneration - { M. F.	10 7	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	1 -	1 -	- 2	3 1	3 4	- -	- -	- -	- -	- -	- -
3	Myelitis of unstated origin - { M. F.	13 15	- -	- -	- -	1 -	- 1	- -	- -	1 1	- -	1 2	- -	1 2	1 -	2 2	1 -	2 2	3 1	- 3	- 1	- -	- -	- -
4	Other diseases of medulla and of spinal cord - { M. F.	19 19	- -	1 -	- -	1 -	- -	- -	1 -	- -	1 -	- 3	3 -	2 2	2 4	3 3	2 4	1 1	2 2	- -	- -	- -	- -	- -
83.α	Cerebral hæmorrhage, apoplexy - { M. F.	+2033 2578	6 2	7 -	1 2	1 -	6 1	2 2	7 5	9 7	7 13	27 34	56 83	91 121	153 214	268 295	349 396	378 509	356 453	230 284	64 112	14 44	- 1	- -
b	Cerebral embolism and thrombosis - { M. F.	892 1247	2 1	- 1	- -	1 1	1 1	- 3	- 1	1 3	2 4	8 9	11 21	13 38	49 66	80 108	148 157	198 242	185 268	130 197	51 93	11 24	1 9	- 1
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)
83.c	Softening of brain - - -	{ M. F. 89 89	- -	- -	- -	- -	- -	1 -	- -	2 -	- -	1 1	- 1	3 1	4 2	7 3	19 13	12 15	15 22	18 18	6 9	1 3	- 1	- -
d	Hemiplegia and other paralyses of unstated origin - - -	+172 227 { M. F.	- -	1 -	1 -	- -	1 -	1 1	- -	- -	1 1	2 -	8 8	7 12	9 9	17 31	37 33	45 39	30 44	12 32	5 9	2 4	- 1	- -
e	Other intra-cranial effusions -	{ M. F. 3 4	- -	1 -	1 -	1 -	- -	1 -	- -	- -	- -	- -	- -	- -	1 -	- -	1 -	- -	1 -	- -	- -	- -	- -	- -
84	Mental disorders and deficiency	{ M. F. 36 43	1 4	2 -	- -	1 -	2 -	1 -	2 3	1 5	6 -	4 1	3 7	4 9	3 4	3 2	4 -	3 -	1 -	- -	- -	- -	- -	- -
85	Epilepsy - - -	{ M. F. 110 94	2 5	4 4	6 2	2 3	9 1	8 3	11 11	11 8	6 11	8 4	5 9	7 7	9 3	9 7	6 8	4 3	1 2	1 3	- 2	- -	- -	- -
86	Convulsions (age under 5 yrs.) -	{ M. F. 159 126	141 109	18 17	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
87.a	Chorea - - -	{ M. F. 1 4	- -	- -	1 -	- -	- -	- -	1 -	- -	- -	- -	1 -	- -	- -	1 -	1 -	- -	- -	- -	- -	- -	- -	- -
b	Neuritis - - -	{ M. F. 7 6	- -	- -	1 -	- -	- -	- -	1 -	1 -	- -	1 -	- -	- -	3 1	1 1	- -	1 -	1 -	- 1	- -	- -	- -	- -
c	Paralysis agitans - - -	{ M. F. 60 66	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	1 2	- 1	4 4	6 8	12 12	16 19	11 15	8 3	1 2	- -	- -	- -
d	Disseminated sclerosis - - -	{ M. F. 81 89	- -	- -	- -	- -	1 -	1 1	2 2	5 7	7 9	9 13	3 18	10 10	8 9	13 8	7 4	5 6	7 2	3 -	- -	- -	- -	- -
e	Other diseases of nervous system	{ M. F. 36 52	1 1	2 -	2 2	2 1	2 -	1 2	2 1	2 1	2 -	2 4	1 2	3 4	2 3	6 8	2 9	2 2	6 6	- 2	1 -	- -	- -	- -
88	Diseases of organs of vision -	{ M. F. 1 4	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	1 -	1 -	1 -	- 1	- -	- -	- -	- -
89.a	Otitis and other diseases of ear -	{ M. F. 20 16	5 5	2 3	1 -	1 1	1 -	1 -	- -	1 -	1 -	2 1	2 1	- -	1 1	1 1	1 2	1 1	1 -	- -	- -	- -	- -	- -
b	Diseases of mastoid - - -	{ M. F. 25 17	2 2	2 4	- -	3 4	1 1	3 -	4 2	3 -	- 1	1 -	1 -	1 -	1 -	1 1	1 1	1 1	- -	- -	- -	- -	- -	- -

* 2 age not stated. † 1 age not stated.

CAUSES OF DEATH IN SCOTLAND DURING THE YEAR 1941—continued.

International Nos. Detailed Long List.	CAUSES OF DEATH.	All Ages.	Ages.																			100 and over		
			1-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-		95-	
			-1	1-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-		90-	95-
VII. DISEASES OF CIRCULATORY SYSTEM.																								
	TOTAL - - { M. F.	8726 8802	7 6	13 6	12 17	30 33	39 43	37 63	67 82	98 124	161 173	272 239	455 313	650 436	938 794	1377 1081	1576 1536	1444 1592	1002 1260	430 732	95 231	14 35	2 4	
	(Total) { M. F.	8034 8166	5 4	13 5	12 17	27 31	34 41	33 62	62 79	96 121	156 164	263 230	432 303	614 408	887 747	1287 1018	1457 1440	1303 1460	890 1141	365 663	79 197	12 30	2 4	
90.a	Chronic rheumatic pericarditis - { M. F.	2 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- 1	- -	- -	1 -	- -	- -	- -	- -	- -	
b	Other pericarditis - - { M. F.	21 11	1 -	1 1	1 2	2 -	2 -	2 1	- -	1 1	1 1	1 2	4 -	1 -	- -	2 1	4 -	1 -	- -	- -	- -	- -	- -	
91.a	Acute bacterial endocarditis (b) - { M. F.	38 43	1 -	- -	1 2	3 6	5 3	4 7	6 6	2 4	2 2	2 2	2 -	3 4	4 3	3 2	2 -	- -	- -	- -	- -	- -	- -	
c	Other acute endocarditis - - { M. F.	24 17	- 1	3 2	1 2	3 1	2 -	1 -	2 1	1 1	1 3	1 -	- -	- 3	1 2	3 -	3 1	2 -	- -	- -	- -	- -	- -	
92.a	Aortic valvular disease (without mitral) - - { M. F.	106 60	- -	- -	- -	1 -	1 1	1 1	2 1	2 2	6 1	9 4	9 -	15 8	20 11	20 6	11 11	5 6	4 5	1 2	- 1	- -	- -	
b	Mitral and other specified valvular dis. (inc. sequelæ of rheumatic fever) { M. F.	284 473	- -	2 -	2 3	9 10	6 17	5 14	11 32	15 27	20 43	19 37	19 35	26 38	28 46	32 46	40 45	25 39	17 23	6 17	2 1	- -	- -	
c	Valvular disease, endocarditis—un- specified - - { M. F.	580 755	- -	3 1	6 8	5 7	8 10	8 15	12 22	16 25	16 39	25 35	38 51	50 45	73 71	90 103	95 128	66 103	43 57	22 24	- 11	2 -	- -	
93.a	Acute myocarditis - - { M. F.	79 93	4 1	- -	1 1	- -	1 1	1 -	2 -	4 3	3 6	1 4	4 7	6 7	5 11	15 14	19 37	8 6	4 11	2 2	- -	- -	- -	
b	Chronic rheumatic myocarditis - { M. F.	13 27	- -	- -	- -	1 1	- -	- -	- -	- 1	3 2	2 5	2 -	- 4	- 3	2 4	1 5	- 1	1 1	1 -	- -	- -	- -	
cl	Cardio-vascular degeneration - { M. F.	1163 1361	- -	- -	- -	- -	- -	1 -	2 -	2 4	5 2	9 6	19 21	55 37	83 60	161 149	229 229	251 306	229 281	92 192	22 62	3 10	2 -	
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)
c2	Fatty degeneration of heart - - { M. F.	39 77	-	-	-	-	-	-	-	-	-	1 4	5 8	3 4	4 11	6 9	5 15	6 9	6 6	3 7	-	-	-	-
3	Chronic myocarditis, other myocar- dial degeneration - - { M. F.	2016 2215	-	-	-	-	1	3	5	4	6	17 20	36 34	62 59	119 73	170 161	286 248	369 394	453 472	291 411	153 241	34 66	5 16	2 2
d	Myocarditis not specified as acute or chronic - - { M. F.	1424 1460	1	1	2	-	2	2	1	4	12	25 15	37 36	72 61	108 73	187 140	244 177	267 278	234 279	155 199	55 122	14 41	1 2	-
94.1	Diseases of coronary arteries - { M. F.	1624 995	-	-	-	1	-	2	1	10	29 10	42 16	85 32	150 43	175 60	236 163	303 179	312 210	173 150	87 79	16 36	2 7	1 1	-
2	Angina pectoris - - { M. F.	124 60	-	-	-	-	1	-	-	-	1	5	8 1	11 2	16 5	7 8	27 9	20 12	20 14	4 5	3 2	1 1	-	-
95.b	Rheumatic heart disease (undefined) { M. F.	9 18	-	-	1	-	1	-	2	1	-	-	2	-	2	-	2	-	-	-	-	-	-	-
c	Other diseases of heart (a) - - { M. F.	488 500	1	1	1	-	-	3	1	6	5 11	9 13	23 22	37 20	34 33	67 57	92 63	81 98	59 77	52 61	14 23	4 8	-	-
96	Aneurysm (heart and aorta excepted) { M. F.	16 8	-	-	1	-	1	3	2	1	-	-	1	1	1	2	1	2	-	-	-	1	-	-
97	Arterio-sclerosis - - { M. F.	437 358	-	-	-	-	-	-	-	-	-	2	3	7 1	12 8	23 19	61 27	86 58	93 80	88 83	52 49	12 24	1 4	-
98	Gangrene - - { M. F.	102 113	-	-	-	-	-	-	-	-	-	-	-	-	2	5	10	18	32	20	11	3	1	-
99	Other diseases of arteries - - { M. F.	39 35	1	-	-	-	-	1	1	-	1	3	3	4	5	5	5	2	7	2	-	-	-	-
100	Diseases of veins - - { M. F.	18 45	-	-	-	-	1	-	-	1	-	3	1	2	6	5	1	1	1	-	1	-	-	-
101	Diseases of lymphatic system - { M. F.	4 6	1	1	-	-	1	1	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-
102	High blood pressure (idiopathic) - { M. F.	73 70	-	-	-	-	1	1	1	3	1	2	3	9	10	9	12	10	8	2	2	-	-	-
103	Other diseases of circulatory system - { M. F.	3 1	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-

CAUSES OF DEATH IN SCOTLAND DURING THE YEAR 1941—continued.

International Nos. Detailed Long List.	CAUSES OF DEATH.	All Ages.	Ages.																100 and over					
			-1	1-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-		75-	80-	85-	90-	95-
	VIII. DISEASES OF RESPIRATORY SYSTEM.																							
	TOTAL - { M. F. }	*4267 3414	919 664	186 199	27 16	8 16	29 18	33 30	40 37	59 35	105 49	135 57	202 67	260 126	332 138	363 195	420 299	433 385	350 437	222 358	116 198	21 78	6 11	(x)
104	Diseases of nasal fossæ and annexa - { M. F. }	16 9	5 3	- 1	- -	- -	- -	- -	3 -	1 -	2 -	1 1	1 1	- -	3 -	- -	- -	1 -	1 -	- -	- -	- -	- -	- -
105	Diseases of larynx - { M. F. }	16 16	3 5	6 7	4 -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	2 -	- 2	- -	- 1	- -	- -	- -
106	Bronchitis— (Total) { M. F. }	1719 1373	177 88	27 19	4 1	3 -	4 3	8 7	6 7	22 9	34 9	43 12	76 17	126 45	144 65	174 112	211 154	239 196	208 243	132 200	69 124	11 50	4 8	(y)
1	With heart disease secondary— { M. F. }	670 547	5 1	1 2	- -	- -	1 -	1 -	5 4	7 4	13 2	19 4	32 6	53 20	73 31	82 56	96 79	119 100	95 104	49 73	19 37	3 21	2 1	- -
2	With chronic nephritis secondary - { M. F. }	10 4	- -	- -	- -	- -	- -	1 -	- -	- -	- -	1 -	- -	1 -	2 2	2 -	- -	3 -	1 1	- -	- -	- -	- -	- -
3	Otherwise defined - { M. F. }	1039 822	172 87	26 17	4 1	3 -	3 3	7 5	6 2	15 5	21 7	23 8	44 11	72 25	69 32	90 56	115 75	117 96	112 138	83 127	50 87	8 29	2 7	- 1
107	Broncho-pneumonia - { M. F. }	*1156 1063	596 456	111 130	10 8	4 3	11 6	7 8	5 10	8 10	24 8	14 8	29 11	29 16	43 30	53 25	52 62	61 70	53 82	24 74	17 29	4 15	2 -	- -
108	Lobar pneumonia - { M. F. }	552 321	45 38	11 25	5 1	1 7	4 4	8 9	12 10	14 9	22 15	39 4	45 14	51 25	69 16	60 16	56 23	46 46	31 30	24 20	8 7	1 2	- -	- -
109	Pneumonia (unspecified) - { M. F. }	288 193	77 56	16 12	1 4	2 1	5 -	4 2	1 5	3 1	6 7	13 8	14 4	22 8	22 7	23 10	32 11	19 20	15 18	10 11	2 6	1 2	- -	- -
110	Pleurisy - { M. F. }	86 46	- 1	7 2	2 1	1 -	3 -	3 1	5 2	5 1	3 2	5 4	8 2	9 2	7 1	7 2	9 2	7 4	3 11	5 4	1 -	- -	- -	- -
111.a	Pulmonary embolism, thrombosis, infarct. - { M. F. }	21 25	- -	- -	- -	- -	- -	- -	1 -	1 -	1 -	3 2	- 2	1 7	1 2	2 4	2 3	5 1	3 1	1 1	1 -	- -	- -	- -
c	Congestion of lung (b) - { M. F. }	163 197	12 17	5 2	- -	- -	1 1	1 -	1 1	1 1	3 2	2 2	3 1	4 2	3 10	10 4	23 21	28 25	22 39	23 36	16 25	4 7	2 1	(x)
(a)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(y)	(y)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)
112	Asthma - - - - -	{ M. 156 F. 147	1 1	1 2	1 1	1 1	2 -	1 -	3 2	4 3	4 6	12 15	14 14	10 19	27 6	25 18	18 22	18 15	12 7	2 10	2 4	-	-	-
113	Pulmonary emphysema - - - - -	{ M. 16 F. 4	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	3 -	3 1	- -	1 1	2 -	3 2	3 -	- -	- -	- -	- -	-
114.a	Occupational diseases of respiratory system (b) - - - - -	{ M. 27 F. -	- -	- -	- -	- -	- -	- -	- -	- -	2 -	- -	3 -	- -	6 -	3 -	9 -	3 -	- -	1 -	- -	- -	- -	-
e.1	Chronic interstitial pneumonia (not occupational) - - - - -	{ M. 14 F. 11	- -	- -	- -	- -	- -	1 -	- -	- -	1 -	- -	2 1	2 1	2 -	4 2	3 -	3 3	3 -	- -	- -	- -	- -	-
2	Other diseases of respiratory system (c, d) - - - - -	{ M. 37 F. 9	3 -	1 1	1 -	1 -	2 1	1 -	3 -	2 -	2 -	4 1	4 -	3 -	5 1	1 1	2 1	2 2	- -	1 1	1 -	- -	- -	-
IX. DISEASES OF DIGESTIVE SYSTEM.																								
TOTAL - - - - -		{ M. 2039 F. 1497	549 324	83 71	29 17	29 22	30 13	33 17	37 19	58 23	85 39	106 61	99 54	127 72	139 80	150 131	151 160	138 143	122 115	55 86	18 38	1 11	7 1	- -
115.a	Diseases of teeth and gums - - - - -	{ M. 9 F. 6	3 -	2 1	- -	- -	- -	1 -	- -	1 1	- -	1 -	- -	- -	1 -	- -	- -	1 1	- -	- -	- -	- -	- -	-
b	Septic sore throat - - - - -	{ M. 11 F. 12	- -	1 3	1 2	1 2	1 1	2 -	- -	2 -	1 -	1 -	1 -	- -	- -	- -	1 2	1 1	- -	- -	- -	- -	- -	-
c	Other diseases of pharynx and tonsils - - - - -	{ M. 29 F. 14	7 2	4 2	3 1	1 -	1 1	3 -	1 -	2 -	- -	- -	1 1	2 -	- -	1 -	3 2	- 1	- -	1 2	- -	1 -	- -	-
d	Other diseases of buccal cavity - - - - -	{ M. 9 F. 15	2 -	1 -	- -	- -	- -	- -	- -	- -	- -	1 -	1 -	- -	1 -	1 -	- 1	- 3	5 5	- 3	- -	- -	- -	-
116	Diseases of oesophagus - - - - -	{ M. 5 F. 7	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	1 1	- 1	- -	1 1	- 2	3 -	1 -	- -	- -	- -	-
117.a	Ulcer of stomach - - - - -	{ M. 294 F. 108	1 -	- -	- -	- -	2 -	2 1	8 3	10 2	26 6	29 2	34 4	38 3	28 12	29 16	29 18	20 15	28 17	7 5	3 4	- -	- -	-
b	Ulcer of duodenum - - - - -	{ M. 300 F. 44	- 2	- -	- -	- -	2 -	5 -	6 2	19 1	21 2	31 6	17 2	40 7	45 3	37 5	27 6	29 3	14 3	6 1	1 1	- -	- -	-
118	Other diseases of stomach - - - - -	{ M. 51 F. 60	17 9	6 6	- 1	- -	- -	2 -	1 1	1 -	3 -	1 2	1 2	4 2	3 2	4 3	5 3	1 6	3 6	- 7	1 5	2 -	1 -	-

* 1 age not stated.

CAUSES OF DEATH IN SCOTLAND DURING THE YEAR 1941—continued.

International Nos. Detailed Long List.	CAUSES OF DEATH.	All Ages.	Ages.														100 and over								
			-1	1-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-		65-	70-	75-	80-	85-	90-	95-	
			(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)		(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)
IX. DISEASES OF DIGESTIVE SYSTEM—continued.																									
119	Diarrhoea, enteritis (under 2 years of age) { M. F.	514 322	479 295	35 27	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
120. <i>a</i>	Diarrhoea, enteritis (over 2 years of age) { M. F.	88 146	- -	17 22	3 4	4 2	2 -	1 2	2 5	1 3	4 3	4 10	3 7	1 3	5 8	4 11	- 15	11 16	14 14	11 14	1 5	2 -	- -	- -	
<i>b</i>	Ulceration of intestines - { M. F.	30 54	- -	- -	- -	3 -	1 2	2 2	1 2	- 4	- 6	2 7	7 3	2 6	2 2	1 7	5 4	2 4	2 4	- -	1 -	- -	- -	- -	
121	Appendicitis - { M. F.	163 95	- 1	12 5	20 8	16 16	15 4	10 5	8 3	8 3	14 5	9 2	5 5	5 5	12 4	8 12	8 13	8 1	3 2	1 1	1 -	2 3	- -	- -	
122. <i>a</i>	Hernia - { M. F.	122 134	7 -	- -	- -	- -	- -	- -	3 -	3 -	2 2	1 3	6 6	7 4	10 16	17 12	19 13	18 31	18 22	9 20	2 3	2 1	- -	- -	
<i>b</i>	Intestinal obstruction - { M. F.	133 119	28 5	3 1	- -	2 -	3 4	3 2	1 1	5 4	5 3	8 10	7 7	6 5	8 8	14 15	11 15	16 15	4 10	4 5	2 5	1 -	- -	- -	
123	Other diseases of intestines - { M. F.	54 50	3 4	2 -	- -	1 -	- -	1 -	1 -	2 -	2 3	2 2	5 2	4 4	3 1	8 7	5 9	6 6	9 2	2 4	4 -	- -	- -	- -	
124	Cirrhosis of liver - { M. F.	93 52	- -	1 -	2 -	- -	1 1	2 -	- -	2 1	3 3	10 3	3 2	12 9	6 6	10 5	18 9	14 3	6 5	3 1	2 1	- -	- -	- -	
125. <i>a</i>	Acute yellow atrophy of liver (not associated with pregnancy) - { M. F.	4 9	- -	- -	- -	- -	- -	1 -	2 -	- -	1 -	1 1	- -	- 1	- -	- 2	- 2	1 -	- -	- -	1 -	- -	- -	- -	
<i>b</i>	Other diseases of liver - { M. F.	20 11	- 2	- -	- -	- -	1 -	1 -	1 -	3 -	2 -	1 2	2 -	- 3	1 -	4 1	1 1	- -	2 1	1 1	- -	- -	- -	- -	
126	Biliary calculi - { M. F.	21 69	- -	- -	- -	- -	- -	- -	- -	- -	- 2	1 3	- 5	- 3	5 6	2 11	6 10	2 8	4 11	1 7	1 5	2 -	- -	- -	
127	Other diseases of gall bladder and bile ducts - { M. F.	53 140	- -	1 -	- -	1 -	- -	- -	1 1	2 -	1 1	6 3	4 3	2 13	8 8	8 18	6 30	3 25	5 14	8 9	5 7	2 -	- -	- -	
128	Diseases of pancreas - { M. F.	15 8	- -	- -	- -	1 -	- -	1 -	1 -	- -	- -	2 -	- -	1 1	1 1	2 3	3 2	2 -	2 -	- -	- -	- -	- -	- -	
129	Peritonitis without stated cause - { M. F.	21 22	2 3	1 1	1 1	1 1	1 -	- -	1 -	1 -	1 1	1 1	2 2	3 2	1 1	3 -	3 4	4 1	- -	- -	- -	- -	- -	- -	
(<i>a</i>)	(<i>b</i>)	(<i>c</i>)	(<i>d</i>)	(<i>e</i>)	(<i>f</i>)	(<i>g</i>)	(<i>h</i>)	(<i>i</i>)	(<i>j</i>)	(<i>k</i>)	(<i>l</i>)	(<i>m</i>)	(<i>n</i>)	(<i>o</i>)	(<i>p</i>)	(<i>q</i>)	(<i>r</i>)	(<i>s</i>)	(<i>t</i>)	(<i>u</i>)	(<i>v</i>)	(<i>w</i>)	(<i>x</i>)	(<i>y</i>)	

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)
	X. DISEASES OF URINARY AND GENITAL SYSTEMS (not Venereal or connected with Pregnancy or the Puerperium).																							
	TOTAL	M. F.																						
130	Acute nephritis	1550 948	15 5	5 3	8 3	6 11	13 15	9 19	24 26	23 35	34 37	35 50	50 68	71 66	106 70	146 116	251 131	247 107	259 96	157 49	73 33	17 7	-	-
131	Chronic nephritis	491 505	-	2 1	1 -	2 4	11 6	4 4	14 8	15 8	24 19	14 21	24 37	33 39	50 38	48 66	75 75	57 65	60 62	41 29	12 20	3 3	-	-
132	Nephritis unspecified (over 10 years of age)	163 158	-	-	-	1 3	1 5	-	2 6	3 3	2 3	10 6	14 14	16 10	18 12	18 18	26 24	21 20	14 11	15 8	7 8	3 4	-	-
133	Other diseases of kidney and ureters	79 88	8 3	1 -	-	-	-	2 3	3 2	2 3	5 2	2 5	8 4	3 8	6 8	10 16	12 8	4 10	8 9	3 3	2 2	-	-	
134	Calculi of urinary passages	35 18	-	-	-	-	-	1 -	-	1 3	2 1	1 2	3 2	6 -	1 3	4 -	6 -	5 2	2 1	3 1	-	-	-	-
135	Diseases of bladder	91 42	-	-	1 -	-	-	-	-	1 1	1 -	1 1	3 1	1 2	6 1	7 4	13 8	14 7	25 9	11 6	6 2	1 -	-	-
136	Diseases of urethra, urinary abscess	31 1	1 -	-	-	-	-	-	1 -	1 -	-	-	-	4 -	4 -	8 -	6 -	5 -	2 -	-	-	-	-	-
137	Diseases of prostate	596	-	-	-	-	-	-	-	-	-	3	2	3	13	46	105	140	144	84	46	10	-	-
138	Diseases of other male genital organs	8	3	-	-	1	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-
139.a	Diseases of ovaries, Fallopian tubes and parametria	29	-	-	-	-	-	3	4	8	5	3	2	1	-	-	2	1	-	-	-	-	-	-
b	Diseases of uterus	43	-	-	-	-	2	1	-	6	2	3	6	4	5	6	7	-	1	-	-	-	-	-
c	Diseases of breast	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
d	Other diseases of female genital organs	6	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	1	1	-	-	-	-	-

* 1 age not stated.

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)
147. b	Puerperal sepsis (a) - - - F.	89	-	-	-	-	1	14	22	23	22	7	-	-	-	-	-	-	-	-	-	-	-	-
d	Puerperal embolism and thrombo-phlebitis (c) - - - F.	37	-	-	-	-	-	3	10	11	8	5	-	-	-	-	-	-	-	-	-	-	-	-
148. a	Puerperal eclampsia - - - F.	21	-	-	-	-	-	6	7	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-
b	Puerperal albuminuria and nephritis - F.	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
c	Acute yellow atrophy of liver (post partum) - - - F.	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
d	Other puerperal toxæmias - - - F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
149	Other accidents of childbirth - - - F.	66	-	-	-	-	-	6	24	16	9	11	-	-	-	-	-	-	-	-	-	-	-	-
150	Other or unspecified conditions of childbirth and the puerperal state - - F.	9	-	-	-	-	-	2	3	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
XII. DISEASES OF SKIN AND CELLULAR TISSUE.																								
TOTAL - - - { M. F.		135 99	35 24	8 4	- 2	- 3	2 2	3 2	2 2	3 1	3 3	3 6	5 7	7 3	10 5	8 4	10 4	13 8	11 11	8 7	4 1	-	-	-
151	Carbuncle, boils - - - { M. F.	32 5	4 -	- -	- -	- -	- -	- -	1 -	1 1	1 -	1 -	2 1	2 2	2 1	- 1	3 1	8 -	3 3	3 -	1 1	-	-	-
152	Cellulitis, acute abscess - - - { M. F.	61 59	17 17	4 3	- 1	- 1	1 2	2 2	- 2	2 -	1 1	2 4	1 2	2 2	3 3	7 2	6 1	3 3	5 8	3 4	2 1	-	-	-
153	Other diseases of skin and cellular tissue - - - { M. F.	42 35	14 7	4 1	- 1	- 2	1 -	1 -	1 -	- -	1 2	- 2	2 4	3 1	5 1	1 1	1 2	2 5	3 3	2 3	1 -	-	-	-
XIII. DISEASES OF BONES AND OF ORGANS OF MOVEMENT.																								
TOTAL - - - { M. F.		72 37	1 2	8 2	5 4	10 3	10 2	1 1	2 2	4 2	- 2	- -	3 1	5 3	5 1	3 1	7 2	5 3	3 2	- 4	- -	-	-	-
154	Osteomyelitis and periostitis - - - { M. F.	40 17	1 1	6 1	5 2	6 3	7 2	1 -	2 1	2 -	- 2	- -	2 -	2 -	1 -	- 1	2 1	2 1	1 1	- 1	- -	-	-	-
155	Other diseases of bones - - - { M. F.	5 6	- -	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- 1	- 1	- 1	- -	- -	1 1	1 -	- 2	- -	-	-	-
156	Diseases of joints and other organs of movement - - - { M. F.	27 14	- 1	2 -	- 2	4 -	3 -	- 1	- 1	2 2	- -	- -	1 1	3 2	3 1	2 -	4 1	2 1	1 1	- 1	- -	-	-	-

CAUSES OF DEATH IN SCOTLAND DURING THE YEAR 1941—continued.

International Nos. Detailed Long List.	CAUSES OF DEATH.	All Ages.	Ages.																						
			-1	1-	5-	10-	15-	20-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75-	80-	85-	90-	95-	100 and over	
157. <i>a</i>	XIV. CONGENITAL MALFORMATIONS.																								
	TOTAL - { M. F.	388 321	342 269	13 16	4 8	4 2	4 2	1 4	3 1	3 1	2 3	5 4	1 1	1 5	3 1	3 4	1 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
	Congenital hydrocephalus - { M. F.	39 30	33 24	3 5	1	2	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Spina bifida and meningocele - { M. F.	90 102	88 96	2 3	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Congenital malformation of heart - { M. F.	117 92	101 78	6 2	3 4	1 1	1 1	2	1	2	1	3	-	1	1	-	-	-	-	-	-	-	-	-	
158	Congenital pyloric stenosis - { M. F.	36 10	35 10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Other or unspecified congenital mal- formations (<i>d, f, g, h, i</i>) - { M. F.	106 87	85 61	2 6	1 3	1 1	1 1	1 1	1 1	1 1	1 1	4 1	1 1	1 4	2 1	3 4	1 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	
159	XV. DISEASES PECULIAR TO THE FIRST YEAR OF LIFE.																								
	TOTAL - { M. F.	1693 1234	1693 1234	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Congenital debility - { M. F.	370 228	370 228	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Premature birth - { M. F.	895 713	895 713	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Injury at birth - { M. F.	207 144	207 144	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
160	Asphyxia at birth, atelectasis - { M. F.	112 75	112 75	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Maternal toxæmia - { M. F.	13 9	13 9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
161. <i>a</i>	(<i>a</i>)	(<i>c</i>)	(<i>d</i>)	(<i>e</i>)	(<i>f</i>)	(<i>g</i>)	(<i>h</i>)	(<i>i</i>)	(<i>j</i>)	(<i>k</i>)	(<i>l</i>)	(<i>m</i>)	(<i>n</i>)	(<i>o</i>)	(<i>p</i>)	(<i>q</i>)	(<i>r</i>)	(<i>s</i>)	(<i>t</i>)	(<i>u</i>)	(<i>v</i>)	(<i>w</i>)	(<i>x</i>)	(<i>y</i>)	

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)
c	Infections of newly born -	{ M. F. 12 11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
d	Melaena neonatorum -	{ M. F. 32 27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
e	Other specified diseases -	{ M. F. 52 27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
162	XVI. SENILITY. Senility, senile dementia -	{ M. F. 858 1457	-	-	-	-	-	-	-	-	-	-	-	-	2	7	20	108	207	249	186	66	10	3
164	XVII. DEATHS FROM VIOLENCE. TOTAL	{ M. F. *4626 +2001	92 70	176 140	196 141	160 87	312 98	546 100	463 88	344 101	309 86	288 100	265 93	280 100	277 113	234 83	236 124	148 127	110 129	77 132	29 59	6 25	1 3	1
168	Suicide (163) -	{ M. F. 266 139	-	-	-	1	7	20	20	21	17	28	23	27	37	22	24	11	5	3	-	-	-	-
168	Homicide (165-167) -	{ M. F. 14 8	2 1	-	1	-	1 2	3 2	-	-	2	2	2	-	-	1	1	-	-	-	-	-	-	-
169	Accidental Deaths. Railway accidents -	{ M. F. 93 13	-	4 2	4 2	6	4 1	4 2	6	5 1	9	8	7	5	12	10	6	2	1	-	-	-	-	-
170	Motor vehicle accidents -	{ M. F. 803 220	-	48 26	77 39	36 16	51 12	79 5	63 11	49 4	42 8	42 8	36 6	43 11	43 9	55 10	56 19	39 15	24 9	15 9	5 3	-	-	-
171	Other road transport accidents -	{ M. F. 106 21	1	1 1	3 1	2 1	6 1	2	3	2	7	8	10	12	14	11	8	7	6	-	3	-	-	-
172	Water transport accidents— 1. Drowning -	{ M. F. +92 -	-	-	-	-	2	10	8	10	15	16	7	7	7	3	4	1	-	-	-	-	-	-
172	2. Otherwise -	{ M. F. +60 -	-	-	-	1	7	6	5	4	4	11	4	7	1	7	2	-	-	-	-	-	-	-
173	Air transport accidents -	{ M. F. \$61 -	-	-	-	-	-	7	19	12	9	2	1	3	-	-	-	-	-	-	-	-	-	-
174	Accidents in mines and quarries -	{ M. F. 130 -	-	-	-	2	10	5	14	16	15	13	20	12	11	7	4	1	-	-	-	-	-	-

* 77 age not stated.

+ 1 age not stated.

+ 2 age not stated.

\$ 5 age not stated.

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)
189	Hunger or thirst	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
190	Weather agencies (191, 192)	{ M. F. }	15 4	-	-	-	1	1	-	2	1	3	1	2	1	-	3	1	-	1	-	-	-	-
193	Electricity (lightning excepted)	{ M. F. }	13 1	-	3	-	5	1	-	1	1	-	-	-	1	-	-	1	-	-	-	-	-	-
195.a	Vaccinia	{ M. F. }	1 -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
197	Other and unspecified accidents (175, 185, 187, 188, 194, 195 b, c)	{ M. F. }	106 24	4 4	2 1	3 2	5 1	4	12	10	10	5	9	9	9	5	8 3	5 1	2 3	3 4	1 1	-	-	-
<i>Other Violent Deaths—</i>																								
196	War operations—																							
	Military	{ M. F. }	746 1	-	-	-	61	320	181	69	20	20	7	5	4	-	-	-	1	-	-	-	-	-
197	Civilian	{ M. F. }	1043 862	16 14	61 75	75 62	106 66	36 75	74 58	93 68	107 63	64 58	64 62	82 47	65 55	48 30	49 32	27 21	11 10	8 8	2 2	1 3	-	-
198	Execution	{ M. F. }	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
XVIII. ILL-DEFINED CAUSES OF DEATH.																								
	TOTAL	{ M. F. }	750 440	44 22	3 1	1 1	5 3	4 2	6 3	7 3	12 8	25 12	42 14	41 21	78 24	105 46	126 74	118 75	82 59	39 44	5 19	1 6	-	-
199	Sudden death	{ M. F. }	75 39	1 -	-	-	1 -	1 -	1 -	-	2 -	3 2	6 2	8 2	13 2	13 4	13 10	7 5	6 3	2 4	-	1 1	-	-
200a.1	Heart failure	{ M. F. }	475 275	9 4	1 1	1 1	3 2	3 1	3 2	4 2	9 3	15 8	32 10	25 15	56 20	65 36	78 53	84 49	57 39	27 21	3 10	1 4	-	-
200a.2	Other ill-defined causes	{ M. F. }	183 112	33 16	2 -	1 -	-	1 -	1 1	2 1	2 3	7 1	3 2	7 4	7 2	26 10	32 9	26 21	17 15	10 16	2 7	1 1	-	-
c	Cause not specified (b)	{ M. F. }	*17 14	1 2	-	-	1 1	-	1 -	1 -	1 -	1 -	1 -	1 -	2 -	1 2	3 2	1 -	2 2	1 3	-	1 1	-	-

* 1 age not stated.

† 5 age not stated.

‡ 58 age not stated.

CAUSES OF DEATH IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND (BOTH SEXES)—1941.

INTERNATIONAL LONG LIST.	SCOTLAND.	Aberdeen B.	Remr. of Aberdn. Co.	Arbroath B.	Dundee B.	Remr. of Angus Co.	Argyll Co.	Ayr B.	Kilmarnock B.	Remainder of Ayr Co.	Barr Co.	Berwick Co.	Bute Co.	Gaithness Co.	Clackmannan Co.	Clydebank B.	Dumbarton B.	Remr. of Dumb. Co.	Dumfries B.	Remr. of Dumf. Co.	East Lothian Co.	Dunfermline B.	Kirkcaldy B.	Remainder of Fife Co.	Inverness B.	Remr. of Inver. Co.	Kincardine Co.	Kinross Co.	Kirkcudbright Co.
All Causes	72,558	2,257	1,831	308	2,488	1,156	1,100	602	496	2,987	718	401	364	440	445	505	375	1153	368	822	631	503	542	2,559	369	878	366	100	441
I. INFECTIVE AND PARASITIC DISEASES.	7,276	195	136	22	290	78	95	56	37	270	49	17	13	44	33	68	51	98	36	64	48	23	34	177	38	79	15	4	26
<i>Diseases due to Bacteria.</i>																													
1. Typhoid fever	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
2. Paratyphoid fevers	16	5	11	1	9	4	4	6	3	20	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
6. Cerebro-spinal (meningococcal) meningitis	332	5	11	1	9	4	4	6	3	20	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
8. Scarlet fever	26	7	10	1	17	5	6	7	4	44	3	2	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
9. Whooping-cough	720	19	6	1	53	7	6	7	1	19	2	2	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
10. Diphtheria	517	19	6	1	53	7	6	7	1	19	2	2	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
11. Erysipelas	20	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
12. Tetanus	13	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
<i>Tuberculosis—</i>																													
13. Respiratory system	4,175	103	59	15	146	35	45	30	20	114	21	8	8	27	20	41	25	45	15	27	25	17	17	78	22	39	19	2	17
14. Central nervous system	3,117	80	40	12	106	25	34	20	16	76	14	4	4	17	12	34	20	33	13	22	19	12	12	46	18	36	5	2	7
15. Intestines and peritoneum	567	9	10	2	11	4	3	6	4	12	5	2	1	4	4	4	2	7	1	3	3	2	1	11	2	2	1	2	2
16. Vertebral column	134	5	3	1	5	2	2	1	1	5	2	1	2	2	1	1	1	1	1	1	1	1	1	8	1	1	1	1	1
17. Other bones and joints	45	1	1	1	2	1	1	1	1	6	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1
18. Skin and sub-cutaneous tissue	27	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
19. Lymphatic system	2	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
20. Genito-urinary system	9	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
21. Addison's disease (specified as tuberculous)	41	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
<i>b. Other organs</i>																													
22. Disseminated	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
24. Purulent infection and septicaemia	231	7	4	1	16	4	4	2	1	12	1	1	1	1	1	1	1	2	1	1	1	1	1	8	1	1	1	1	1
26. Other bacterial dis. (3-5, 7, 23, 25)	104	10	3	1	5	3	1	1	1	5	1	1	1	1	1	1	1	2	1	1	1	1	1	5	1	1	1	1	1
<i>Dysentery.</i>																													
27. Dysentery	48	7	3	1	5	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
<i>Diseases due to Protozoa.</i>																													
28. Malaria (29)	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

Note.—Sub-headings indicated by letters (a, b, c, &c.) correspond with the International List. Those indicated by numbers (1, 2, 3, &c.) apply to the Scottish List only.

INTERNATIONAL LONG LIST.	Airdrie B.	Coatbridge B.	Glasgow B.	Hamilton B.	Motherwell and Wishaw B.	Rutherglen B.	Remr. of Lanark Co.	Edinburgh B.	Remr. of Midloth. Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Remr. of Perth Co.	Greenock B.	Paisley B.	Port-Glasgow B.	Remr. of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Selkirk Co.	Falkirk B.	Stirling B.	Remr. of Stirling Co.	Sutherland Co.	West Lothian Co.	Wigtown Co.	Zetland Co.	Unallocated Deaths.*			
All Causes	349	604	16,297	532	778	348	3,828	6,545	1,005	629	144	383	186	496	1,297	1,143	1,370	265	1,625	1,010	641	313	424	372	1,319	268	922	462	376	3422			
I. INFECTIVE AND PARASITIC DISEASES.	33	74	2,258	86	93	33	409	655	76	36	6	42	14	32	93	153	180	29	185	86	38	19	38	40	126	21	95	36	70	124			
<i>Diseases due to Bacteria.</i>																																	
1. Typhoid fever			2		1		1	4											1		1												
2. Paratyphoid fevers			81	1	3	2	16	36	5	1		1	1	2	6	2	6		11	7	3	1	1	1	8	1	5	1	2	12			
6. Cerebro-spinal (meningococcal) meningitis	1																																
8. Scarlet fever				2			4	3	2	1			1			1	24		1											1			
9. Whooping-cough	8	23	287	14	16	3	54	44	11	1		6	1		4	3	21	2	15	1	3	4		8	9		8	6	1	4			
10. Diphtheria	1	3	155	3	3	8	31	28	4	1		2		3	6	5			16	3	2	2	2	4	7		6						
11. Erysipelas			2		2		1	8								1			2	1					2		1						
12. Tetanus			2				1	1											1						2								
Tuberculosis—(Total)	13	35	1,466	53	56	19	224	377	46	17	4	14	6	15	46	114	114	22	109	55	16	10	31	23	68	17	4	14	25	93			
18. Respiratory system	11	28	1,132	32	37	14	159	301	26	13	3	12	6	12	35	90	88	16	82	48	13	8	23	14	48	11	29	9	23	64			
14. Central nervous system	2	2	205	14	12	4	43	34	9	2	1	1		1	6	13	21	1	14	4	3	1	5	8	12	5	9	1	1	17			
15. Intestines and peritoneum			35	2			8	9	2	1					2	3	6			1					2	1	4	3		2			
16. Vertebral column			14		1		1	2							1	3	1	2															
17. Other bones and joints			5			1		5											3									1					
18. Skin and sub-cutaneous tissue			1																														
19. Lymphatic system			3	1																1													
20. Genito-urinary system			9		3			5	3										1			1			1		2						
21. a. Addison's disease (specified as tuberculous)																																	
b. Other organs			1																														
22. Disseminated		3	61	4	3		13	21	6	1		1			2	5	2	3	9	5			1	1	5		4	1	1	10			
24. Purulent infection and septicaemia	1	1	22				5	10	1	1		1		1	4		1		2	2	2				1		3	1		5			
25. Other bacterial dis. (3.5, 7, 23, 25)						1																											
<i>Dysentery.</i>																																	
27. Dysentery			10					5									1			2									1		1		
<i>Diseases due to Protozoa.</i>																																	
28. Malaria (20)																	2																

Note.—Sub-headings indicated by letters (a, b, c, &c.) correspond with the International List. Those indicated by numbers (1, 2, 3, &c.) apply to the Scottish List only.
 * Deaths of members of H.M. Forces from all causes, and of others from war operations.

CAUSES OF DEATH IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND (BOTH SEXES)—1941—continued.

INTERNATIONAL LONG LIST.	Public Health Districts																	Deaths*													
	Airdrie B.	Coatbridge B.	Glasgow B.	Hamilton B.	Motherwell B. and Wishaw B.	Rutherglen B.	Remr. of Lanark Co.	Edinburgh B.	Remr. of Midloth. Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Remr. of Perth Co.	Greenock B.	Paisley B.	Port-Glasgow B.	Remr. of Renfrew Co.	Ross and Cromarty Co.	Roxburgh Co.	Seikirk Co.	Falkirk B.	Stirling B.	Remr. of Stirling Co.	Sutherland Co.	West Lothian Co.	Wigtown Co.	Zetland Co.	Unallocated	
I. INFECTIVE AND PARASITIC DISEASES—continued.																															
Diseases due to Spirochetes.																															
30. a.																															
b.																															
c.																															
d.																															
32.																															
Diseases due to Filterable Viruses.																															
Influenza—																															
33. a 1.																															
2.																															
b 1.																															
cations																															
2.																															
35.																															
36.																															
37. a.																															
c.																															
38.																															
Diseases due to Rickettsia.																															
39.																															
Diseases due to Helminths.																															
42.																															
Diseases due to Fungi.																															
43.																															
Other Infective or Parasitic Diseases.																															
44. b.																															
d.																															

* Deaths of members of H.M. Forces from all causes, and of others from war operations.

CAUSES OF DEATH IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND (BOTH SEXES)—1941—continued.

INTERNATIONAL LONG LIST.																																	
II. CANCER AND OTHER TUMOURS.																																	
Cancer and other malignant tumours—																																	
(Total)																																	
45.	Buccal cavity and pharynx	35	59	1,852	50	77	38	431	934	127	89	26	30	30	67	167	122	167	23	232	96	80	38	41	68	53	168	29	119	50	50	48	
46.	Digestive organs and peritoneum	3	6	93	5	41	21	21	58	2	5	18	20	2	6	9	6	5	3	10	4	8	1	2	2	3	12	1	10	49	50	43	
47.	Respiratory system	23	31	1,038	26	41	3	266	516	76	58	13	1	17	35	98	74	97	17	132	56	44	27	32	44	33	102	23	67	3	27	30	
48.	Uterus	2	5	247	4	5	8	30	85	9	1	3	1	1	5	9	11	18	1	15	6	3	4	8	4	3	9	1	9	2	4	6	
49.	Other female genital organs	2	3	122	1	4	1	26	51	7	8	4	1	2	6	11	10	12	1	15	4	5	1	2	2	3	5	4	4	1	1	1	
50.	Breast	2	2	34	7	1	1	9	34	3	2	2	3	5	8	12	8	14	1	6	3	2	3	4	1	1	6	4	4	1	1	1	
51.	Male genital organs	2	7	156	1	9	4	35	96	14	4	1	3	2	1	22	8	14	1	22	8	9	2	1	4	2	4	1	5	3	1	2	
52.	Urinary organs	1	2	52	2	2	1	9	24	7	1	1	1	2	1	3	3	6	1	7	4	1	1	1	3	2	4	1	7	1	1	3	
53.	Skin (scrotum excepted)	2	1	68	2	2	2	18	29	4	4	1	1	1	1	3	3	1	1	6	2	1	1	1	1	1	1	1	1	1	1	1	
54.	Brain and nervous system	1	1	17	1	3	1	8	11	1	1	1	1	1	1	3	1	1	1	1	2	1	1	1	1	1	2	1	1	1	1	1	
55.	Other or unspecified organs	1	3	56	3	2	1	1	24	2	2	1	2	2	3	10	4	7	1	5	3	2	1	1	2	1	7	1	1	1	1	2	
Tumours, non-malignant, or of undetermined nature (56)—																																	
57. a.	Ovaries	1	1	7	1	2	1	3	3	1	1	1	1	1	1	1	2	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	
b.	Uterus	1	1	11	1	1	1	1	7	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	
c.	Other female genital organs	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
d.	Brain and nervous system	1	1	27	2	1	3	6	13	2	1	1	1	1	1	1	4	2	1	4	1	2	2	1	1	1	2	1	1	1	1	1	3
e. 1.	Bladder	1	1	4	1	1	1	1	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2
2.	Other and unspecified organs	1	1	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
III. RHEUMATISM, DISEASES OF NUTRITION AND OF ENDOCRINE GLANDS, OTHER GENERAL DISEASES AND VITAMIN DEFICIENCY DISEASES.																																	
58. a.	Acute rheumatic heart conditions (a, b)	4	10	250	10	15	11	72	99	19	14	9	7	5	9	22	20	29	3	35	23	15	4	9	7	25	3	19	7	5	4	4	
b.	Other forms of acute rheumatism	1	1	80	1	2	2	5	8	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1
59.	Chronic rheumatism and other rheumatic diseases	1	1	5	2	1	1	1	3	2	5	5	2	1	1	3	3	2	2	5	6	2	1	3	1	1	8	1	2	1	1	1	1
61.	Diabetes mellitus	4	5	134	7	6	6	41	49	15	4	3	3	2	9	13	13	22	1	25	8	11	3	3	4	19	2	12	4	1	1	1	1
62.	Diseases of the pituitary gland	1	1	2	1	1	1	1	7	1	1	1	1	1	1	1	2	2	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1
63. b.	Exophthalmic goitre	1	1	12	1	1	1	1	7	1	1	1	1	1	1	1	2	2	1	1	2	1	1	1	1	1	2	1	1	1	1	1	1
c.	Myxoedema and cretinism	1	1	1	1	1	1	1	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
e.	Other diseases of thyroid and parathyroid (a, d)	1	1	3	1	1	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

* Deaths of members of H.M. Forces from all causes, and of others from war operations.

CAUSES OF DEATH IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND (BOTH SEXES)—1941—continued.

INTERNATIONAL LONG LIST.	SCOTLAND.	Aberdeen B.	Remn ^d of Aberdeen Co.	Arbroath B.	Dundee B.	Remn. of Angus Co.	Argyll Co.	Avr B.	Kilmarnock B.	Remainder of Avr Co.	Barrk Co.	Berwick Co.	Bute Co.	Gaithness Co.	Clackmannann Co.	Clydebank B.	Dumbarton B.	Remn. of Dumb. Co.	Dumfries B.	Remn. of Dumf. Co.	East Lothian Co.	Dumfries B.	Kirkcaldy B.	Remainder of Fife Co.	Inverness B.	Remn. of Inver. Co.	Kincardine Co.	Kinross Co.	Kirkcudbright Co.
III. RHEUMATISM, ETC.—continued.																													
64. Diseases of thymus (including status lymphaticus)	14	.	2	.	.	.	1	1
65. a. Addison's disease (not tuberc.)	25	2	.	.	1	.	1	.	1	1
b. Other diseases of adrenal glands	3	1
66. Other general diseases (50)	24	.	2	.	1	1	.	1	.	2	1	2
<i>Vitamin Deficiency Diseases.</i>																													
70. Rickets	9	1	.	.	1	.	3
71. Other vitamin deficiency diseases (67, 68, 69)	7
IV. DISEASES OF BLOOD, AND OF BLOOD-FORMING ORGANS.	724	14	25	4	29	12	12	10	5	29	8	6	2	3	12	4	5	9	3	11	8	3	7	30	6	10	2	2	6
72. Purpura, hæmophilia	38	6	10	3	19	6	1	6	5	2	1	1	.	.	8	1	3	.	.	2	4	.	1	1	4	1	5	1	4
73. a. Pernicious anæmia (b)	382	.	5	1	5	2	2	1	.	16	5	1	.	.	2	1	2	1	.	5	1	.	5	17	4	5	2	1	1
d. Other anæmias (c)	129	1	5	1	5	2	2	1	.	4	1	2	1	1	2	1	2	6	1	1	3	.	.	3	2	.	1	1	1
74. Leukæmia, aleukæmia	187	4	10	.	.	4	1	3	.	3	1	2	1	.	2	1	.	1	1
75. Diseases of spleen.	26	1	1	.	1
76. Other diseases of blood and of blood-forming organs	17	2	3	.	1	1	.	1	1
V. CHRONIC POISONING AND INTOXICATION.	42	1	1	.	1	2	.	.	.	1	.	.	.	2	.	1	1	1	.	2
77. Alcoholism.	41	1	1	.	1	2	.	.	.	1	.	.	.	2	.	1	1
78. Lead poisoning.
79. Chronic poisoning by other mineral and organic substances	1
VI. DISEASES OF NERVOUS SYSTEM AND OF SENSE ORGANS.	8840	343	262	51	283	169	145	88	80	416	95	60	55	48	59	56	48	149	67	126	96	73	68	374	58	102	47	7	71
80. a. Intra-cranial abscess	39	.	2	.	2	2	.	2	1	3	.	1	1	1
b. Other forms of encephalitis (non-epidemic)	46	2	1	.	.	.	1	.	.	5	1	1	1
81. Meningitis (not meningococcal).	204	4	7	.	11	5	9	.	1	3	2	2	1	1	1	1	4	2	1	1	1	1	1	4	1	4	1	.	2

CAUSES OF DEATH IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND (BOTH SEXES) —1941—continued.

INTERNATIONAL LONG LIST.	Deaths.*															
	Airdrie B.	Coatbridge B.	Glasgow B.	Hamilton B.	Motherwell and Wishaw B.	Rutherglen B.	Renf. of Lanark Co.	Edinburgh B.	Remr. of Midloth. Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.	Remr. of Perth Co.	Greenock B.
III. RHEUMATISM, ETC.—continued.																
64. Diseases of thymus (including status lymphaticus)			8				1	1	1	1		1	1			
65. a. Addison's disease (not tuberc.)			6				3	5								
b. Other diseases of adrenal glands			1				1	1								
66. Other general diseases (60)			5													
Vitamin Deficiency Diseases.																
70. Rickets			4					1								
71. Other vitamin deficiency diseases (67, 68, 69)			2													
IV. DISEASES OF BLOOD AND OF BLOOD-FORMING ORGANS.																
72. Purpura, hæmophilia			8		1		2	2				1				
73. a. Pernicious anaemia (b)			66	4	6		21	44				5	1			
d. Other anæmias (c)			32	8	2		5	15								
74. Leukæmia, aleukæmia			19	1	1		6	18								
75. Diseases of spleen			4				2									
76. Other diseases of blood and of blood-forming organs			4					1								
V. CHRONIC POISONING AND INTOXICATION.																
77. Alcoholism		1	6				3	9				1				1
78. Lead Poisoning		1	6				3	8				1				1
79. Chronic poisoning by other mineral and organic substances								1								
VI. DISEASES OF NERVOUS SYSTEM AND OF SENSE ORGANS.																
80. a. Intra-cranial abscess			3	1			2	5								4
b. Other forms of encephalitis (non-epidemic)		1	5		1		2	6					2			1
81. Meningitis (not meningococcal)	1	5	41	3	5		20	20	7	1		3		1	5	2

* Deaths of members of H.M. Forces from all causes, and of others from war operations.

CAUSES OF DEATH IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND (BOTH SEXES)—1941—continued.

INTERNATIONAL LONG LIST.	SCOTLAND.	Aberdeen B.	Remr. of Aberdn. Co.	Arbroath B.	Dundee B.	Remr. of Angus Co.	Argyll Co.	Ayr B.	Kilmarnock B.	Remainder of Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Gairthness Co.	Clackmannann Co.	Glydebank B.	Dumbarton B.	Remr. of Dumb. Co.	Dumfries B.	Remr. of Dumf. Co.	East Lothian Co.	Dunfermline B.	Kirkcaldy B.	Remainder of Fife Co.	Inverness B.	Remr. of Inver. Co.	Kincardine Co.	Kinross Co.	Kirkcudbright Co.	
VI. DISEASES OF NERVOUS SYSTEM, ETC.—continued.																														
82. 1. Motor neurone disease	81	5	2	2	4	1	1	2	1	1	2	1	1	1	2	1	1	1	1	1	1	1	1	4	2	2	1	2	2	
2. Sub-acute combined degeneration	17	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	3	2	2	1	1	1	
3. Myelitis of unstated origin	28	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	1	1	1	
4. Other diseases of medulla and of spinal cord	38	1	1	1	1	1	1	2	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	1	1	1	
83. a. Cerebral hæmorrhage, apoplexy	4,611	181	127	25	124	105	81	58	38	208	59	40	30	28	35	38	29	41	90	41	67	39	27	38	192	84	54	24	3	31
b. Cerebral embolism and thrombosis	2,139	121	79	20	100	38	29	19	26	105	11	7	13	8	10	5	6	7	31	7	32	41	22	21	86	19	22	17	1	18
c. Softening of brain	178	1	2	2	3	2	4	2	2	15	2	2	1	1	3	2	1	2	2	1	3	2	6	9	25	3	3	1	1	1
d. Hemiplegia and other paralyses of unstated origin	399	4	14	2	12	5	8	2	3	21	2	1	3	2	2	5	1	3	5	3	3	1	8	1	18	5	5	1	1	11
e. Other intra-cranial effusions	7	2	2	2	3	1	1	1	1	8	2	2	1	1	1	1	1	1	1	1	1	1	1	1	2	2	1	1	1	1
84. Mental disorders and deficiency	79	10	6	2	7	1	4	2	1	8	3	1	1	1	2	2	1	4	4	3	4	2	2	1	15	1	4	1	1	1
85. Epilepsy	204	10	7	2	3	1	1	3	1	12	3	1	1	2	2	1	7	5	5	2	2	1	1	3	12	1	4	1	1	1
86. Convulsions (age under 5 years)	285	5	7	2	3	1	1	1	1	1	3	1	1	2	2	1	1	1	2	1	2	1	1	1	12	1	4	1	1	1
87. a. Chorea	5	1	4	1	5	5	1	1	1	5	2	1	1	1	1	1	1	1	1	4	2	1	1	2	2	1	1	1	1	1
b. Neuritis	13	7	4	1	5	5	3	1	1	1	3	1	1	1	1	1	1	1	2	1	5	1	1	2	2	1	1	1	1	1
c. Paralysis agitans	126	7	4	1	5	5	3	1	1	12	3	1	1	3	1	1	1	1	2	1	4	1	1	2	2	1	1	1	1	1
d. Disseminated sclerosis	170	1	4	3	5	4	1	1	2	2	3	2	2	1	1	1	1	2	2	1	4	1	1	2	4	1	1	1	1	1
e. Other diseases of nervous system	88	5	3	1	1	4	1	1	2	2	1	1	2	1	1	1	1	2	2	1	1	1	1	4	1	1	1	1	1	1
88. Diseases of organs of vision	36	1	1	1	2	1	1	1	1	3	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1
89. a. Otitis and other diseases of ear	42	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1
b. Diseases of mastoid	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
VII. DISEASES OF CIRCULATORY SYSTEM.																														
Heart disease—	17,528	608	536	102	726	329	326	137	123	777	198	138	103	133	100	128	80	324	85	261	166	149	167	690	79	181	109	29	126	
90. a. Chronic rheumatic pericarditis	16,290	535	491	97	639	308	294	125	117	743	170	125	100	105	92	123	74	311	82	232	142	140	155	632	70	163	93	25	119	
b. Other pericarditis	3	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
91. a. Acute bacterial endocarditis (b)	81	3	1	1	4	1	1	1	1	3	2	1	1	1	1	1	1	2	2	1	1	1	1	3	1	1	1	1	1	1
c. Other acute endocarditis	41	1	1	1	2	1	1	1	1	4	1	1	1	1	2	2	1	4	4	1	1	1	2	11	1	1	1	1	1	1
92. a. Aortic valvular disease (without mitral)	166	13	4	1	4	1	1	1	1	4	1	1	1	1	2	2	1	4	4	1	1	1	2	4	1	1	1	1	1	1
b. Mitral and oth. spec. valvular dis. (includ. sequelæ of rheum. fever)	757	32	23	3	38	10	6	5	4	33	6	5	5	4	4	3	3	6	3	12	5	8	10	32	25	25	1	1	3	
c. Valvular disease, endocarditis—unspecified	1,335	45	39	2	44	19	26	26	6	60	14	6	6	6	6	9	7	27	16	20	11	6	14	50	3	18	3	1	16	
93. a. Acute myocarditis	172	4	9	1	7	1	2	3	1	8	4	2	1	1	6	1	4	1	1	3	3	1	1	5	1	1	2	1	1	1
b. Chronic rheumatic myocarditis	40	127	127	7	93	51	46	2	24	99	23	21	28	7	4	3	3	49	12	40	15	9	28	112	4	7	21	9	33	33
c. 1. Cardio-vascular degeneration	2,524	112	93	1	7	4	106	23	21	213	62	25	32	1	1	2	13	73	20	64	48	31	33	166	24	47	29	7	1	1
2. Fatty degeneration of heart	116	112	93	47	849	122	106	23	21	213	62	25	32	1	1	2	13	73	20	64	48	31	33	166	24	47	29	7	1	1
3. Chronic myocarditis, other myocardial degeneration	4,231	112	93	47	849	122	106	23	21	213	62	25	32	1	1	2	13	73	20	64	48	31	33	166	24	47	29	7	1	1
d. Myocarditis, not specified as acute or chronic	2,884	56	54	12	32	31	43	35	19	150	21	14	14	22	26	21	21	53	12	24	40	51	31	106	22	22	14	1	1	1

INTERNATIONAL LONG LIST.																																			
VI. DISEASES OF NERVOUS SYSTEM, ETC. <i>continued.</i>																																			
82.	1. Motor neurone disease	16	1	1	10	1	1	1	1	1	1	1	1	1	1	2	4	1	1	5	136	81	46	25	29	21	93	35	79	23	25	14	2		
	2. Sub-acute combined degeneration	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	42	26	33	12	20	13	31	3	31	32	4	2	2		
	3. Myelitis of unstated origin	1	1	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	4	6	4	9	5	5	2	2	2	2	1	1		
	4. Other diseases of medulla and of spinal cord	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	6	6	4	6	4	9	5	5	3	3	2	2	2	2		
83.	a. Cerebral haemorrhage, apoplexy	28	32	852	46	51	18	232	415	64	57	9	28	13	35	94	76	99	14	136	81	46	25	29	21	93	35	79	23	25	14	2			
	b. Cerebral embolism and thrombosis	7	10	397	4	20	5	54	237	51	20	9	18	8	27	59	27	20	3	42	26	33	12	20	13	31	3	31	32	4	2	2			
	c. Softening of brain	2	2	42	1	7	1	9	13	4	1	1	1	1	1	4	3	1	2	2	1	4	6	4	9	5	5	2	2	2	2	1	1		
	d. Hemiplegia and other paralyzes of unstated origin	3	8	88	4	2	2	31	37	5	7	1	3	2	5	6	1	2	6	6	4	6	4	9	5	5	2	2	2	2	2	2	2		
	e. Other intra-cranial effusions	1	1	2	1	1	1	10	2	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1		
84.	Mental disorders and deficiency	1	1	11	1	1	1	11	11	2	2	1	1	1	1	1	1	1	1	8	3	2	1	3	1	1	1	1	1	1	1	1	1	1	
85.	Epilepsy	1	4	32	1	4	2	11	19	3	2	1	1	1	1	1	1	1	1	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
86.	Convulsions (age under 5 years)	1	7	118	6	5	1	14	9	4	4	1	1	1	1	1	1	1	1	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
87.	a. Chorea	1	1	2	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	b. Neuritis	1	1	3	1	1	1	9	10	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	c. Paralysis agitans	1	1	19	2	1	1	10	28	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	d. Disseminated sclerosis	1	2	28	1	1	1	10	1	2	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	e. Other diseases of nervous system	1	4	20	1	1	1	8	18	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
88.	Diseases of organs of vision	1	1	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
89.	a. Otitis and other diseases of ear	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	b. Diseases of mastoid	1	1	9	1	1	1	3	4	1	1	1	1	1	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
VII. DISEASES OF CIRCULATORY SYSTEM.																																			
Heart disease—																																			
90.	a. Chronic rheumatic pericarditis	86	131	3,552	111	17	102	337	1,596	262	136	27	112	51	97	325	196	305	35	389	268	206	103	99	80	280	27	193	130	71	50	2	2	2	
	b. Other pericarditis	1	1	7	1	1	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
91.	a. Acute bacterial endocarditis (b)	1	1	19	1	1	1	2	12	1	1	1	1	1	1	1	1	1	1	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
	c. Other acute endocarditis	1	1	6	1	1	1	4	3	1	1	1	1	1	1	1	1	1	1	3	4	1	2	2	2	2	1	1	1	1	1	1	1	1	
92.	a. Aortic valvular disease (without mitral)	1	2	89	1	2	1	8	28	1	1	1	2	1	1	1	1	5	1	3	4	1	2	2	2	2	1	1	1	1	1	1	1	1	
	b. Mitral and oth. spec. valvular dis. (incl. sequelae of rheum. fever)	1	3	166	5	12	6	29	87	11	5	2	12	2	7	16	7	19	2	16	15	11	1	1	1	2	13	1	10	7	2	2	2	2	
	c. Valvular disease, endocarditis—unspecified	15	23	214	27	13	5	86	106	23	20	11	11	4	8	34	16	20	25	29	17	9	10	10	13	24	10	33	16	11	4	4	4	4	
93.	a. Acute myocarditis	2	1	37	1	1	1	18	7	4	1	1	1	1	1	4	3	3	1	2	2	2	2	2	2	2	9	1	1	3	3	1	1	1	1
	b. Chronic rheumatic myocarditis	1	1	7	1	1	1	3	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
	c 1. Cardio-vascular degeneration	3	38	422	21	10	25	115	295	70	34	4	19	22	9	55	27	57	8	82	27	42	12	10	6	32	5	15	34	6	1	1	1	1	1
	2. Fatty degeneration of heart	1	1	17	2	1	1	4	15	4	1	1	1	1	1	2	3	5	1	1	3	4	4	4	1	1	1	1	6	1	1	1	1	1	1
	3. Chronic myocarditis, other myocardial degeneration	19	12	826	15	33	23	205	341	62	31	3	14	8	41	106	39	62	7	61	84	63	40	19	28	82	23	53	23	22	5	5	5	5	
	d. Myocarditis not specified as acute or chronic	28	24	883	14	59	16	152	60	27	19	8	31	5	7	29	33	92	5	86	35	24	6	31	13	57	4	16	18	16	4	4	4	4	4

* Deaths of members of H.M. Forces from all causes, and of others from war operations.

INTERNATIONAL LONG LIST.																														
VII. DISEASES OF CIRCULATORY SYSTEM—continued.																														
94. 1. Diseases of coronary arteries	14	22	510	19	42	20	138	277	40	19	2	6	7	15	58	21	31	4	83	23	34	22	16	12	40	9	35	17	9	25
95. 2. Angina pectoris	2	3	32	2	..	2	6	18	5	3	..	2	3	1	2	..	5	2	2	3	4	1	1
95. b. Rheumatic heart disease (undefined)	11	1	5	1	8	1	1
96. c. Other diseases of heart (a)	2	4	156	3	6	3	59	235	12	5	8	11	1	3	17	21	6	3	10	17	6	4	4	1	16	4	17	4	5	3
96. Aneurysm (heart and aorta excepted)	1	3	1	1	3	2	2	1	1
97. Arterio-sclerosis	5	10	112	3	8	5	39	115	13	9	4	..	6	6	35	12	7	2	14	14	20	11	4	5	13	4	6	4	2	..
98. Gangrene	1	2	29	..	3	..	5	20	1	3	..	2	..	1	6	8	3	1	4	7	4	..	1	..	7	1	3	4	1	..
99. Other diseases of arteries	7	5	10	1	1	1	..	1	1	1	2
100. Diseases of veins	1	7	1	2	4	1	1	1	1	4	2	1
101. Diseases of lymphatic system	1	1
102. High blood pressure (idiopathic)	1	1	28	1	..	1	6	31	2	2	1	2	1	1	1	1	2	..	1	1	2	1	2
103. Other dis. of circulatory system	2
VIII. DISEASES OF RESPIRATORY SYSTEM.																														
104. Dis. of nasal fossae and annexa	1	1	6	1	1	2	1
105. Diseases of larynx	8	1	2	1	1	1
106. Bronchitis— 1. With heart dis. secondary	26	30	460	26	41	12	189	280	41	19	7	16	6	24	47	55	48	8	56	81	5	7	15	12	59	9	48	15	2	6
2. With chronic nephritis secondary	13	7	423	8	12	9	69	100	17	5	1	5	2	9	15	16	22	4	29	14	..	4	7	4	27	6	23	6	2	2
3. Otherwise defined	13	28	583	18	29	3	120	180	24	14	6	11	4	15	32	39	26	4	27	17	15	3	11	8	32	4	24	9	10	4
107. Broncho-pneumonia	9	29	754	17	11	14	104	215	20	15	4	7	6	10	26	58	50	22	38	19	14	2	8	8	38	3	17	3	8	16
108. Lobar pneumonia	2	5	252	8	7	5	50	87	14	8	1	4	3	6	14	11	29	11	17	4	9	2	2	2	23	2	7	2	1	11
109. Pneumonia (unspecified)	1	2	144	4	21	4	37	49	5	2	..	6	5	11	9	3	14	9	5	2	2	1	12	4	4	2	1	2
110. Pleurisy	1	34	2	2	1	7	14	1	1	3	2	1	1	2	3	2	1	1	2	2	1	4	2
111. a. Pulmonary embolism, thrombosis, infarct	8	..	1	..	1	9	1	1	2	..	1	1	1	1
c. Congestion of lung (b)	1	2	89	..	3	..	16	55	8	2	1	1	1	2	8	6	7	..	6	6	3	1	4	1	2	3	7	2	2	1
112. Asthma	6	..	49	3	1	1	17	38	6	1	..	2	1	7	3	6	5	..	8	7	2	1	7	1	8	1	2	1	1	1
113. Pulmonary emphysema	2	2	1	2	1	1	1
114. a. Occupational diseases of respiratory system (b)	1	3	3	1	1	1	..	1
e 1. Chronic interstitial pneumonia (not occupational)	1	4	..	2	..	1	1	1	1	..	2	1	1	2
2. Other diseases of respiratory system (c, d)	1	14	4	2	1	1	2	2

* Deaths of members of H.M. Forces from all causes, and of others from war operations.

CAUSES OF DEATH IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND (BOTH SEXES)—1941—continued.

INTERNATIONAL LONG LIST.	Scotland.	Aberdeen B.	Remr. of Aberdeen Co.	Arbroath B.	Dundee B.	Remr. of Angus Co.	Argyll Co.	Ayr B.	Kilmarnock B.	Remainder of Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Gaithness Co.	Blackman Co.	Clydebank B.	Dumbarton B.	Remr. of Dumb. Co.	Dumfries B.	Remr. of Dumf. Co.	East Lothian Co.	Dunfermline B.	Kirkcaldy B.	Remainder of Fife Co.	Inverness B.	Remr. of Inver. Co.	Kincardine Co.	Kinross Co.	Kirkcud.
IX. DISEASES OF DIGESTIVE SYSTEM.	3,536	109	101	15	126	50	44	24	27	161	38	18	16	22	17	22	13	63	18	34	33	25	18	100	16	29	16	3	18
115. a. Diseases of teeth and gums	15		3							1	1											1							
b. Septic sore throat	23	1		1						1								2				1				1			
c. Oth. dis. of pharynx and tonsils	43	1	2							1												1							
d. Other diseases of buccal cavity	24		1							1																			
116. Diseases of œsophagus	12		9		13					1												4							
117. a. Ulcer of stomach	402	13		1	21	6		3	1	19	4	3	2	6	2	1	1	11	3	3	3	4							
b. Ulcer of duodenum	344	14	15	1	21	6		6	3	17	1	2	2	1	1	2	3	9	3	1	2	3							
118. Other diseases of stomach	111	1	3	1	2	8				3	1	1	1				1	1	3	8	1	2							
119. Diarrhoea, enteritis (under 2 years of age)	836	27	15	3	21	8		7	1	41	4	1	2	6	5	5	4	14	3			2							
120. a. Diarrhoea, enteritis (over 2 years of age)	234	5	5	1	4	4		1		13	1	1	2	1	2	3	1	3		6	2	2							
b. Ulceration of intestines	84	6	6	1	1			1	1	2	1	1		1				1	1	2									
121. Appendicitis	238	9	7	1	16	3		2	5	13	2	1		3				4	2	2	1								
122. a. Hernia	256	8	12	1	8	5		3	1	7		1						4	2	2	2								
b. Intestinal obstruction	252	6	9	1	13	3		1	6	10	6	1	2	2	1			4	1	2	2								
123. Other diseases of intestines	104	2	1	1	4					3	3	1	1	2	2			3		1	1								
124. Cirrhosis of liver	145	6	3		3					6	3	2	1					1		3									
125. a. Acute yellow atrophy of liver (not associated with preg.)	18	1				1				1	1																		
b. Other diseases of liver	31		2		1			1	1	2								1	1										
126. Biliary calculi	90		1		1	2		1	1	5			1		1			1	1										
127. Other diseases of gall bladder and bile ducts	193	7	6	1	15	5		1	4	9	3	2	1	2	1			3	2										
128. Diseases of pancreas	23	2	1	1	1	1		1	1	2			1						1										
129. Peritonitis without stated cause	43									1			1																
X. DISEASES OF URINARY AND GENITAL SYSTEMS (not Venereal or connected with Pregnancy or the Puerperium).	2,498	100	84	7	85	46	56	15	12	85	34	25	13	10	16	9	20	54	12	37	25	19	20	102	14	47	18	10	15
130. Acute nephritis	114		4	1	5	5	3		1	5	1	3	1	1	6			4	1	3	2	1	2	3	3	1		2	
131. Chronic nephritis	996	44	28	1	42	15	19	1	5	36	11	11	8	6	6	6	8	19	6	21	8	4	8	47	4	18	3	2	2
132. Nephritis unspecified (over 10 years of age)	321	7	7	1	15	3	11	2	1	8	7	4			1		7	9	1	2	3	2	3	8	1	7	2	4	1
133. Other dis. of kidney and ureters	167	12	7		6		2	3		6	2	1	1	1	1		1	1	1	1	1	1	2	4	2	3	2	2	1
134. Calculi of urinary passages	53	1	3		1		1	1		1	1	1			2		1			3				4	2	1	1	1	
135. Diseases of bladder	133	4	4		3	1	2	3		7	2							6	1	3	1	3			11	5	1	1	
136. Diseases of urethra, urinary abscess	32	1	3		1													1											
137. Diseases of prostate	596	26	28	4	11	19	16	4	5	20	9	3	2	1	5	2	3	13	2	5	10	7	4	20	4	11	7	1	8
138. Diseases of other male genital organs	8	1				1				1		1										1	1						

CAUSES OF DEATH IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND (BOTH SEXES)—1941—continued.

INTERNATIONAL LONG LIST.																																	
IX. DISEASES OF DIGESTIVE SYSTEM.																																	
115. a.	Diseases of teeth and gums	12	36	909	26	50	13	208	323	50	31	5	14	6	25	54	80	70	18	71	52	24	10	21	23	71	12	54	18	10	64	1	
b.	Septic sore throat	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
c.	Oth. dis. of pharynx and tonsils	1	1	10	1	3	1	1	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
d.	Other diseases of buccal cavity	1	1	6	1	1	1	1	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
116.	Diseases of oesophagus	1	1	4	1	1	1	19	27	1	1	1	2	2	6	9	12	5	1	13	7	2	2	2	3	6	4	1	1	1	1	1	
117. a.	Ulcer of stomach	1	3	96	1	5	1	19	41	3	3	2	2	2	1	5	11	3	1	1	3	2	1	1	1	6	4	1	1	1	1	1	
b.	Ulcer of duodenum	1	1	73	1	4	1	19	41	6	2	2	1	1	2	5	11	3	1	1	3	2	1	1	1	1	1	1	1	1	1	1	
118.	Other diseases of stomach	1	1	33	1	2	1	14	7	3	1	1	1	1	1	2	6	2	3	3	3	1	1	1	1	1	1	1	1	1	1	1	
119.	Diarrhoea, enteritis (under 2 years of age)	4	14	386	13	17	3	61	55	2	1	1	1	1	1	2	18	28	10	12	6	4	1	1	1	13	2	16	3	1	1	1	
120. a.	Diarrhoea enteritis (over 2 years of age)	1	2	54	2	5	1	17	19	5	1	1	1	1	5	4	8	4	1	3	1	1	1	4	1	4	1	3	2	1	1	1	
b.	Ulceration of intestines	1	1	15	1	1	1	5	15	3	4	1	1	1	1	1	2	2	1	1	2	1	1	1	1	3	1	1	1	1	1	1	
121.	Appendicitis	1	1	41	2	6	4	12	22	4	4	1	1	1	1	6	7	8	1	5	5	2	1	1	1	3	1	2	1	1	1	1	
122. a.	Hernia	1	2	63	1	1	1	11	26	7	2	1	2	2	2	5	6	3	1	5	9	2	1	1	1	2	1	6	3	1	1	1	
b.	Intestinal obstruction	1	1	47	1	2	1	11	23	7	2	1	1	1	1	11	7	2	1	9	6	3	1	1	1	2	1	4	1	1	1	1	
123.	Other diseases of intestines	1	1	20	2	1	1	3	21	7	2	1	1	1	2	1	1	4	1	3	2	1	1	1	1	1	1	1	1	1	1	1	
124.	Cirrhosis of liver	1	4	32	1	1	1	6	19	2	1	1	1	1	1	2	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
125. a.	Acute yellow atrophy of liver (not associated with prog.)	1	1	1	1	1	1	3	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
b.	Other diseases of liver	1	1	9	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
126.	Biliary calculi	1	1	16	1	1	1	6	9	1	1	1	1	1	1	2	8	5	1	4	4	1	1	1	1	1	1	1	1	1	1	1	
127.	Other diseases of gall bladder and bile ducts	1	5	34	1	1	1	14	16	2	3	1	1	1	2	5	2	1	1	4	2	3	2	1	1	1	1	1	1	1	1	1	1
128.	Diseases of pancreas	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
129.	Peritonitis without stated cause	1	1	10	1	1	1	2	5	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
X. DISEASES OF URINARY AND GENITAL SYSTEMS (not Venereal or connected with Pregnancy or the Puerperium).																																	
130.	Acute nephritis	9	13	478	14	23	16	122	248	52	20	4	11	6	23	75	36	34	6	61	42	27	14	20	11	43	10	34	23	14	19	1	
131.	Chronic nephritis	1	1	12	3	1	1	7	7	4	1	1	1	1	1	2	4	1	1	2	2	3	8	12	5	4	3	2	1	1	1	1	1
132.	Nephritis unspecified (over 10 years of age)	2	5	175	7	6	6	49	101	21	6	2	7	3	10	29	17	12	4	24	17	10	1	1	1	23	3	11	13	7	11	2	
133.	Other dis. of kidney and ureters	1	1	81	1	5	2	8	18	4	1	1	1	1	2	7	3	1	1	5	1	3	1	3	1	3	1	1	1	1	1	1	1
134.	Calculi of urinary passages	1	1	16	1	1	1	1	6	1	1	1	1	1	2	1	1	1	1	4	2	1	2	1	1	1	1	1	1	1	1	1	1
135.	Diseases of bladder	1	1	25	1	1	1	1	10	1	1	1	1	1	2	6	1	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
136.	Diseases of urethra, urinary abscess	1	1	11	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
137.	Diseases of prostate	3	2	116	2	3	6	23	57	12	6	2	3	2	4	20	6	6	1	16	15	6	3	1	4	7	3	10	3	4	1	1	1
138.	Diseases of other male genital organs	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

* Deaths of members of H.M. Forces from all causes, and of others from war operations.

INTERNATIONAL LONG LIST.	Deaths.														
	Airdrie B.	Coatbridge B.	Glasgow B.	Hamilton B.	Motherwell B.	Wishaw B.	Rutherglen B.	Remr. of Lanark Co.	Edinburgh B.	Remr. of Midloth Co.	Moray Co.	Nairn Co.	Orkney Co.	Peebles Co.	Perth B.
X. DISEASES OF URINARY AND GENITAL SYSTEMS, ETC.—continued.															
139. <i>a.</i> Diseases of ovaries, Fallopian tubes and parametria	.	7	5	.	.	.	3	3	5	1
<i>b.</i> Diseases of uterus	.	11	5	1	1	.	3	3	5	.	1	.	.	.	1
<i>c.</i> Diseases of breast
<i>d.</i> Oth. dis. of female genital organs	.	1	1	1
XI. DISEASES OF PREGNANCY, CHILDBIRTH AND THE PUERPERAL STATE.															
140. Post-abortive sepsis	5	2	121	5	6	1	43	21	3	7	1	.	1	4	4
141. Abortion not specified as septic	.	.	14	.	.	.	4	3
142. Ectopic gestation	.	.	4	.	.	1	1	1
143. <i>a.</i> Placenta prævia (pregnancy)	.	.	2	.	.	.	3	2	.
<i>b.</i> Accidental hæmorrhage of preg.	.	.	4	1	.	.	1
<i>c.</i> Other and unsp. hæmorrhages of pregnancy	2	.	.	2
144. <i>a.</i> Eclampsia of pregnancy	2	1	6	.	.	.	3	2	1	.	.
<i>b.</i> Albuminuria and nephritis of pregnancy	.	.	3	.	.	.	1
<i>c.</i> Acute yellow atrophy of liver with pregnancy	1
<i>d</i> 1. Uncontrollable vomiting	1	.	2	.	.	.	1
2. Other toxæmias of pregnancy	.	1	5	.	.	.	3	2
145. Other diseases and accidents of pregnancy	.	.	2
146. <i>a.</i> Placenta prævia (with childbirth)	.	.	3	.	.	.	2
<i>b.</i> Accidental hæmorrhage of childbirth
<i>c.</i> Other hæmorrhages of childbirth	.	.	1
<i>d.</i> Other hæmorrhages after childbirth	.	.	10	1	1	1	5	1	1
147. <i>b.</i> Puerperal sepsis (<i>a.</i>)	.	.	31	3	1	1	6	5	1	1	1	.	.	1	1
<i>d.</i> Puer. embolism and thrombo-phlebitis (<i>c.</i>)	.	.	7	.	2	.	3	1	1	1	4	.	.	2	2
148. <i>a.</i> Puerperal eclampsia	.	.	4	.	.	.	1	1
<i>b.</i> Puer. albuminuria and nephritis	.	.	1
<i>c.</i> Acute yellow atrophy of liver (post-partum)
<i>d.</i> Other puerperal toxæmias
149. Other accidents of childbirth	1	.	17	.	.	.	6	4	1	.
150. Other or unspecified conditions of childbirth and the puer. state	1	.	3

Deaths of members of H.M. Forces from all causes, and of others from war operations.

CAUSES OF DEATH IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND (BOTH SEXES)—1941—continued.

INTERNATIONAL LONG LIST.		SCOTLAND.	Aberdeen B.	Remr. of Aberdn. Co.	Arbroath B.	Dundee B.	Remr. of Angus Co.	Argyll Co.	Ayr B.	Kilmarnock B.	Remainder of Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Gaithness Co.	Black- manan Co.	Clydebank B.	Dumbarton B.	Remr. of Dunb. Co.	Dumfries B.	Remr. of Dumf. Co.	East Lothian Co.	Dunfer- mline B.	Kirkcaldy B.	Remainder of Fife Co.	Inverness B.	Remr. of Inver. Co.	Kincar- dine Co.	Kinross Co.	Kirkcud- bright Co.	
XII. DISEASES OF SKIN AND CELLULAR TISSUE.		234	7	3	3	2	4	3	1	13	3	2	2	5	1	1	1	3	3	2	1	1	1	1	14	1	6	3	3	3	3
151.	Carbuncle, boils	37	1	1	1	1	2	1	1	3	6	2	1	1	1	2	1	1	1	1	1	1	1	1	11	1	3	3	3	3	3
152.	Cellulitis, acute abscess	120	4	1	1	1	2	2	1	6	4	1	1	1	1	3	1	1	1	1	1	1	1	1	2	1	3	3	3	3	3
153.	Other dis. of skin and cellular tissue	77	2	1	1	2	2	1	1	4	1	1	1	1	1	3	1	1	1	1	1	1	1	1	2	1	3	3	3	3	3
XIII. DISEASES OF BONES AND OF ORGANS OF MOVEMENT.		109	5	1	1	1	1	1	2	3	4	4	4	1	1	1	1	1	4	1	1	1	1	1	5	1	1	1	1	1	1
154.	Osteomyelitis and periostitis	57	1	1	1	1	1	1	1	3	1	1	1	1	1	1	1	1	2	1	1	1	1	1	4	1	1	1	1	1	1
155.	Other diseases of bones	11	2	1	1	1	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
156.	Dis. of joints and other organs of movement	41	2	1	1	1	1	1	1	1	1	3	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1
XIV. CONGENITAL MALFOR- MATIONS.		709	27	14	2	17	11	4	2	9	33	5	3	1	1	6	4	7	15	5	10	9	4	4	18	5	10	3	1	4	1
157. a.	Congenital hydrocephalus	69	7	5	1	3	2	1	1	3	4	4	1	1	1	3	1	6	2	1	1	1	1	1	1	1	2	1	1	1	1
b.	Spina bifida and meningocele	192	5	5	1	4	5	2	1	12	4	1	1	1	1	1	1	1	3	2	2	2	2	2	2	2	2	2	2	2	2
c.	Congenital malformation of heart	209	2	5	1	5	1	1	1	5	4	1	1	1	1	2	2	1	5	2	2	2	2	2	2	2	2	2	2	2	2
d.	Congenital pyloric stenosis	46	4	4	1	5	3	1	1	4	1	1	1	1	1	1	1	1	5	2	2	2	2	2	2	2	2	2	2	2	2
e.	Other or unspecified congenital malformations (d, f, g, h, i)	193	9	4	1	5	3	1	1	2	8	1	1	1	1	1	1	1	5	2	2	2	2	2	2	2	2	2	2	2	2
XV. DISEASES PECULIAR TO THE FIRST YEAR OF LIFE.		2,927	97	64	12	115	37	27	24	17	147	27	9	6	18	22	25	19	43	13	35	25	24	18	118	20	29	20	3	16	16
158.	Congenital debility	598	12	12	1	14	12	5	4	3	47	3	2	1	6	6	8	4	2	3	8	5	2	3	23	4	1	3	1	1	1
159.	Premature birth	1,608	53	43	6	67	19	12	10	11	73	21	4	5	7	12	12	10	23	8	14	18	10	7	68	10	23	13	1	14	14
160.	Injury at birth	351	18	4	3	12	2	3	5	2	11	1	2	2	2	3	1	4	12	1	5	2	3	3	16	2	2	1	1	1	1
161. a.	Asphyxia at birth, atelectasis	187	9	2	1	11	4	2	2	1	7	2	2	1	1	1	1	1	3	1	1	1	1	1	5	2	2	1	1	1	1
b.	Maternal toxæmia	22	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1
c.	Infections of newly born	23	1	1	1	5	1	2	1	1	5	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1
d.	Melæna neonatorum	59	2	1	1	5	1	2	1	1	5	1	1	1	1	1	1	1	2	1	2	2	2	2	2	2	2	2	2	2	2
e.	Other specified diseases	79	3	2	1	3	1	2	2	1	3	1	1	1	1	1	1	1	2	1	2	2	2	2	2	2	2	2	2	2	2
XVI. SENILITY.																															
162.	Senility, senile dementia	2,315	55	59	3	58	90	60	32	8	111	34	7	24	31	21	12	18	33	10	24	14	17	29	83	21	117	16	3	13	13

CAUSES OF DEATH IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND (BOTH SEXES)—1941—continued.

INTERNATIONAL LONG LIST.																																
XII. DISEASES OF SKIN AND CELLULAR TISSUE.																																
151. Carbuncle, boils	2	2	57	1	4	1	21	18	3	3	1	.	.	2	2	4	7	.	5	4	2	1	1	1	2	1	3	.	2	3		
152. Cellulitis, Acute abscess	.	.	14	.	.	.	5	3	2	2	1	1	1	1	1		
153. Other dis. of skin and cellular tissue	1	1	24	1	3	.	10	6	2	3	1	.	.	1	.	1	4	.	4	2	1	.	.	1	1	2	1	.	1	2		
156. Dis. of joints and other organs of movement	1	.	19	.	1	1	6	9	1	.	.	.	1	1	.	3	1	.	.	2	.	.	.	1	1		
XIII. DISEASES OF BONES AND OF ORGANS OF MOVEMENT.																																
154. Osteomyelitis and periostitis	1	.	23	1	2	1	7	12	3	1	.	.	1	1	.	2	3	1	4	2	.	.	1	3	1	.	3	.	.	1		
155. Other diseases of bones	1	.	12	1	1	.	4	5	2	1	.	.	2	1	2	2	.	.	.	2	1	.	1	.	.	1		
156. Dis. of joints and other organs of movement	.	.	2	.	.	.	1	2	1	1	1	1	.	2	1	.	.	.	2	.	.		
XIV. CONGENITAL MALFORMATIONS.																																
157. a. Congenital hydrocephalus	6	11	165	10	9	2	50	55	15	5	3	2	2	5	11	10	15	6	16	8	2	3	2	4	26	3	18	10	1	.		
b. Spina bifida and meningocele	.	.	14	1	2	.	3	9	2	.	1	.	.	1	1	1	.	.	.	1	1	.	.	1	3	.	1	1	.	.		
c. Congenital malformation of heart	2	2	47	5	2	1	18	12	5	.	1	.	.	2	2	6	2	2	5	1	1	3	1	1	7	2	.	8	5	1		
d. Congenital pyloric stenosis	2	5	52	2	3	.	14	13	4	3	.	2	1	2	4	1	5	2	4	3	.	3	1	1	9	.	.	5	1	.		
e. Other or unspecified congenital malformations (d, f, g, h, i)	2	4	44	2	2	1	11	15	4	2	1	.	1	.	3	2	6	1	6	2	1	.	.	1	6	1	9	1	.	.		
XV. DISEASES PECULIAR TO THE FIRST YEAR OF LIFE.																																
158. Congenital debility	19	28	788	35	35	12	234	163	34	27	8	12	1	19	33	47	104	20	52	27	13	8	15	17	57	11	44	29	5	.		
159. Premature birth	4	9	140	3	6	.	48	13	9	8	1	2	1	5	5	24	41	9	10	11	3	5	8	2	18	.	3	13	2	.		
160. Injury at birth	10	15	421	24	23	8	138	102	18	13	4	7	.	11	20	19	52	8	22	10	8	3	10	10	32	8	26	11	1	.		
161. a. Asphyxia at birth, atelectasis	1	1	150	5	2	1	16	19	5	.	2	1	.	2	4	1	4	1	5	1	2	.	1	2	2	1	6	2	1	.		
b. Maternal toxemia	2	1	43	1	1	2	17	13	2	2	.	1	.	1	3	.	4	1	10	3	.	.	1	2	1	1	6	2	1	.		
c. Infections of newly born	.	.	1	1	1	.	4	3	.	1	1	.	.	2		
d. Melena neonatorum	1	1	8	1	1	.	2	1	.	2	1	1	.	.	1	1	2	1	3	2	.	.	2	1	.		
e. Other specified diseases	1	1	7	2	.	.	5	9	.	1	1	1	1	1	1	1	1	1	.	.		
XVI. SENILITY.																																
162. Senility, senile dementia	15	23	310	12	21	6	166	151	19	51	7	18	6	28	62	39	16	12	45	90	9	11	6	22	52	30	23	12	50	.		

* Deaths of members of H.M. Forces from all causes, and of others from war operations.

CAUSES OF DEATH IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND (BOTH SEXES)—1941—continued.

INTERNATIONAL LONG LIST.		SCOTLAND.	Aberdeen B.	Remr. of Aberdn. Co.	Arbroath B.	Dundee B.	Remr. of Angus Co.	Argyll Co.	Ayr B.	Kilmarnock B.	Remainder of Ayr Co.	Banff Co.	Berwick Co.	Bute Co.	Gaithness Co.	Black- manan Co.	Olydebank B.	Dumbarton B.	Remr. of Dumb. Co.	Dumfries B.	Remr. of Dumf. Co.	East Lothian Co.	Dunfer- mline B.	Kirkcaldy B.	Remainder of Fife Co.	Inverness B.	Remr. of Inver. Co.	Kincar- dine Co.	Kinross Co.	Kirkcud- bright Co.		
XVII. DEATHS FROM VIOLENCE.		6,627	118	93	10	115	56	55	42	21	174	32	19	29	16	26	33	15	62	15	40	37	26	28	144	15	46	16	6	23		
164.	Suicide (163)	405	17	17	1	21	9	.	1	2	11	5	1	1	.	.	2	3	7	2	2	3	1	3	13	1	2	4	2	.		
168.	Homicide (165-167)	22	1	
Accidental Deaths—																																
169.	Railway accidents	106	2	1	1	2	16	7	7	5	2	7	5	.	4	4	12	7	1	1	14	5	2	6	2	2	1	1	1	1		
170.	Motor vehicle accidents	1,023	21	22	.	16	1	7	7	5	50	7	5	.	.	2	1	1	21	5	11	14	2	2	29	1	12	3	1	1		
171.	Other road transport accidents	127	4	2	.	.	.	2	.	.	3	1	7	.	1	2	2	2	1	
172.	Water transport accidents—																															
1.	Drowning	92	3	3	.	.	.	3	.	.	2	5	1	2	1	1	.	10	.	2	
2.	Otherwise	60	2	1	.	.	.	5	22	.	1	1	.	22	1	1	5	1	.	1	1		
173.	Air transport accidents	61	2	7	.	.	2	1	5	2	.	25	1	
174.	Accidents in mines and quarries	130	1	.	.	15	1	.	2	.	.	.	1	
176.	Accidents caused by machinery	42	3	.	1	2	1	1	.	.	4	1	1	.	1	1	
177.	Food poisoning	3	1	.	.	11	1	1	.	.	2	1	.	.	.	1	3	.	1	3	
178.	Accidental absorption of poison- ous gas	76	1	1	
179.	Other acute accidental poisoning	18	.	1	.	1	.	1	.	.	1	1	
180.	Conflagration	29	7	3	3	5	4	2	.	3	10	.	.	.	1	6	.	1	7	.	2	3	1	1	5	1	1	1	.	1		
181.	Accidental burns (conflagration excepted)	236	3	3	.	5	.	2	.	3	10	3	
182.	Accidental mechanical suffocation	131	4	4	.	8	2	8	3	3	4	2	2	1	1	4	2	2	2	1	3	.	3	2	4	2	12	2	1	.	7	
183.	Drowning—accidental and un- spec. (excl. water transport)	344	12	8	.	4	2	.	.	1	15	5	3	1	11	5	1	.	3	1	8	2	12	2	1	.	.	
184.	Accidental injury by firearms	23	33	3	4	41	19	11	6	5	33	2	5	2	4	8	4	1	10	5	12	9	8	12	1	7	4	1	1	3		
186.	Accidental fall, crushing, &c.	883	.	22	
189.	Hunger or thirst	19	1	1	.	.	.	1	.	.	1	1	.	1	
190.	Weather agencies (191, 192)	19	
193.	Electricity (lightning excepted)	14	2	
195.	a. Vaccinia	1	13	2	.	.	1	.	.	.	1	1	3	2	1	4	2	1	
195.	d. Other and unspecified accidents (175, 185, 187, 188, 194, 195 b, c)	130	.	5	.	4	1	3	
Other violent Deaths—																																
196.	War operations—Military	747	1	1
197.	" Civilian	1,905
198.	Execution
XVIII. ILL-DEFINED CAUSES OF DEATH.		1,190	27	24	.	4	7	31	25	12	44	15	6	17	22	17	7	.	12	6	13	9	10	3	34	14	30	11	.	6		
192.	Sudden death	114	.	.	.	1	1	3	.	.	6	2	1	5	1	1	1	3	.	.	.	8	3	2	.	.	2	
200.	a. 1. Heart failure	750	21	13	.	2	3	16	24	11	30	12	5	5	1	4	3	.	8	3	10	1	.	.	20	3	15	4	.	1	1	
	2. Other ill-defined causes	295	6	9	.	1	3	8	1	1	6	1	.	12	19	11	3	.	4	3	10	1	.	.	5	10	7	7	.	.	.	
	c. Cause not specified (b)	31	.	2	.	.	.	4	.	.	2	.	.	.	1	1	.	.	.	1	1	1	6	

CAUSES OF DEATH IN SCOTLAND (BOTH SEXES), BY MONTHS, IN 1941.

International Nos. Detailed Long List.		Total.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
	All Causes	72558	8153	7006	8173	6788	6574	5637	5031	4708	4725	4825	5179	5759
	I. INFECTIVE AND PARASITIC DISEASES.	7276	804	885	855	715	681	605	501	420	404	462	440	504
	<i>Diseases due to Bacteria.</i>													
1	Typhoid fever - - - -	7	-	1	1	2	-	-	-	1	2	-	-	-
2	Paratyphoid fevers - - -	16	1	-	2	1	3	2	2	2	1	2	-	-
6	Cerebro-spinal (meningococcal) meningitis	332	32	50	46	49	41	23	15	12	11	15	22	16
8	Scarlet fever - - - -	26	4	1	1	2	4	1	3	1	-	2	3	4
9	Whooping-cough - - - -	720	92	98	134	112	99	58	31	26	26	20	11	13
10	Diphtheria - - - -	517	78	59	50	46	37	34	28	26	34	44	40	41
11	Erysipelas - - - -	20	1	5	3	4	-	-	1	3	-	-	3	-
12	Tetanus - - - -	13	-	1	-	1	1	-	1	1	-	2	-	6
	<i>Tuberculosis— (Total)</i>	<i>4175</i>	<i>331</i>	<i>373</i>	<i>402</i>	<i>373</i>	<i>408</i>	<i>411</i>	<i>352</i>	<i>292</i>	<i>270</i>	<i>296</i>	<i>278</i>	<i>339</i>
13	Respiratory system - - -	3117	311	270	309	256	306	299	241	215	195	236	213	266
14	Central nervous system - -	567	34	54	52	65	60	64	55	36	45	33	33	36
15	Intestines and peritoneum - -	134	11	14	9	11	13	12	16	8	10	8	12	10
16	Vertebral column - - - -	45	8	3	4	3	3	6	5	5	2	1	2	3
17	Other bones and joints - - -	27	2	1	5	3	3	2	1	2	4	-	2	2
18	Skin and sub-cutaneous tissue -	2	-	-	-	-	1	-	-	-	-	1	-	-
19	Lymphatic system - - - -	9	1	1	-	2	1	-	2	1	-	1	-	-
20	Genito-urinary system - - -	41	3	2	3	4	4	6	6	4	3	2	1	3
21.a	Addison's disease (specified as tuberculous)	-	-	-	-	-	-	-	-	-	-	-	-	-
b	Other organs - - - -	2	-	-	-	-	2	-	-	-	-	-	-	-
22	Disseminated - - - -	231	11	28	20	29	15	22	26	21	11	14	15	19
24	Purulent infection and septicaemia	104	14	11	10	7	9	9	4	13	11	5	5	6
26	Other bacterial dis. (3-5, 7, 23, 25)	5	1	1	1	-	-	-	-	-	-	1	-	1
	<i>Dysentery.</i>													
27	Dysentery - - - -	48	8	2	3	4	2	3	3	-	4	5	5	9
	<i>Diseases due to Protozoa.</i>													
28	Malaria (29) - - - -	2	-	-	-	-	-	-	-	-	-	1	-	1
	<i>Diseases due to Spirochaetes.</i>													
30.a	Locomotor ataxia (tabes dorsalis) -	28	1	3	2	5	3	2	4	-	3	1	1	3
b	General paralysis of insane - -	74	9	7	4	6	4	7	7	2	7	10	7	4
c	Aneurysm of aorta - - - -	76	7	8	6	3	5	7	5	3	3	12	11	6
d	Syphilis, congenital or unspecified	84	6	7	4	5	7	5	9	6	12	8	5	10
32	Other spirochaetal diseases (31) -	12	-	2	1	-	-	2	4	1	1	-	1	-
	<i>Diseases due to Filterable Viruses.</i>													
	<i>Influenza— (Total)</i>	<i>705</i>	<i>115</i>	<i>210</i>	<i>153</i>	<i>67</i>	<i>29</i>	<i>21</i>	<i>12</i>	<i>7</i>	<i>6</i>	<i>24</i>	<i>32</i>	<i>29</i>
33.a.1	With pneumonia - - - -	249	44	94	39	21	11	9	4	2	1	7	11	6
2	„ other respiratory complications	154	24	47	42	17	5	2	-	2	2	4	3	6
b1	„ non-respiratory complications	169	23	37	41	15	7	7	7	3	2	8	8	11
2	Without stated complications -	133	24	32	31	14	6	3	1	-	1	5	10	6
35	Measles - - - -	103	36	16	15	5	11	6	7	1	-	-	1	5
36	Acute poliomyelitis and polioencephalitis	24	2	6	2	2	2	-	2	2	1	3	1	1
37.a	Lethargic encephalitis—acute -	10	4	2	-	-	3	-	1	-	-	-	-	-
c	Other or unspecified lethargic encephalitis (b)	94	4	15	7	14	8	10	1	7	6	3	11	8
38	Other diseases due to viruses (34)	6	-	1	-	-	1	1	-	1	1	-	1	-
	<i>Diseases due to Rickettsia.</i>													
39	Typhus fever - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-

Note.—Sub-headings indicated by letters (a, b, c, &c.) correspond with those in the International List. Those indicated by numbers (1, 2, 3, &c.) apply to the Scottish List only.

International Nos. Detailed Long List.		Total.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
	I. INFECTIVE AND PARASITIC DISEASES—continued.													
	<i>Diseases due to Helminths.</i>													
42	Diseases due to helminths (40, 41)	2	-	1	-	-	-	-	1	-	-	-	-	-
	<i>Diseases due to Fungi.</i>													
43	Mycoses - - - - -	4	-	-	1	1	-	1	1	-	-	-	-	-
	<i>Other Infective or Parasitic Diseases.</i>													
44.b	Pernicious lymphogranulomatosis (Hodgkin's disease)	68	8	5	7	6	4	2	6	13	5	8	2	2
d	Other infective or parasitic diseases (a, c)	1	-	-	-	-	-	-	1	-	-	-	-	-
	II. CANCER AND OTHER TUMOURS.	8687	744	654	729	710	772	738	733	715	721	732	668	771
	Cancer and other malignant tumours— (Total)	8486	717	632	716	687	753	720	707	688	708	708	650	750
45	Buccal cavity and pharynx -	453	40	40	43	29	44	41	38	33	32	39	40	36
46	Digestive organs and peritoneum	4874	407	365	431	396	439	420	405	381	392	425	366	447
47	Respiratory system - - -	713	64	50	55	55	68	52	47	70	67	51	66	68
48	Uterus - - - - -	522	39	40	38	51	52	44	42	46	47	39	31	53
49	Other female genital organs -	205	14	12	23	16	16	20	20	20	20	11	14	19
50	Breast - - - - -	731	74	55	54	58	64	65	69	46	66	58	68	54
51	Male genital organs - - -	256	32	22	16	38	18	19	17	22	9	23	16	24
52	Urinary organs - - - -	264	19	16	18	17	25	22	28	30	22	30	15	22
53	Skin (scrotum excepted) - -	101	7	8	12	10	4	7	7	11	10	9	13	3
54	Brain and nervous system -	62	2	2	3	3	6	3	7	8	13	5	7	3
55	Other or unspecified organs -	255	19	22	23	14	17	27	29	21	30	18	14	21
	Tumours, non-malignant, or of undetermined nature (56)—													
57.a	Ovaries - - - - -	38	3	2	5	4	5	1	6	3	1	3	2	3
b	Uterus - - - - -	41	2	6	4	5	1	2	6	4	3	2	3	3
c	Other female genital organs -	1	-	-	-	-	-	-	-	-	1	-	-	-
d	Brain and nervous system -	125	19	9	3	10	5	12	9	14	6	14	10	14
e.1	Bladder - - - - -	20	3	2	-	3	7	1	2	-	-	1	1	-
2	Other and unspecified organs -	26	-	3	1	1	1	2	3	6	2	4	2	1
	III. RHEUMATISM, DISEASES OF NUTRITION, AND OF ENDOCRINE GLANDS, OTHER GENERAL DISEASES AND VITAMIN DEFICIENCY DISEASES.	1196	149	112	120	105	112	93	76	78	88	76	83	104
58.c	Acute rheumatic heart conditions (a, b)	95	9	14	8	10	8	13	3	4	7	6	5	8
d	Other forms of acute rheumatism -	26	2	5	3	4	-	-	1	2	3	1	2	3
59	Chronic rheumatism and other rheumatic diseases	173	28	20	15	17	16	22	6	15	8	9	9	8
61	Diabetes mellitus - - - -	675	95	56	67	61	70	44	52	39	43	46	49	63
62	Diseases of the pituitary gland -	14	1	-	2	1	1	1	2	-	3	-	2	1
63.b	Exophthalmic goitre - - -	72	6	5	8	4	7	1	4	6	13	2	7	9
c	Myxœdema and cretinism - -	42	10	5	4	2	3	2	2	1	2	6	1	4
e	Other diseases of thyroid and parathyroid (a, d)	17	1	2	1	1	1	-	1	6	1	1	-	2
64	Diseases of thymus (including status lymphaticus)	14	2	-	2	4	1	-	1	2	1	1	-	-
65.a	Addison's disease (not tuberculous)	25	2	1	4	1	2	2	1	1	1	3	4	3
b	Other diseases of adrenal glands -	3	-	-	1	-	-	1	-	-	-	-	-	1
66	Other general diseases (60) - -	24	2	3	2	-	2	3	3	1	5	1	1	1
	<i>Vitamin deficiency diseases.</i>													
70	Rickets - - - - -	9	1	1	2	-	1	1	-	1	-	-	2	-
71	Other vitamin deficiency diseases (67, 68, 69)	7	-	-	1	-	-	3	-	-	1	-	1	1

International Nos. Detailed Long List.		Total.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
IV. DISEASES OF BLOOD AND OF BLOOD-FORMING ORGANS.		724	64	56	55	59	70	52	79	70	49	58	60	52
72	Purpura, hæmophilia - - -	33	5	2	4	1	-	4	5	3	2	1	2	4
73. <i>a</i>	Pernicious anæmia (<i>b</i>) - - -	382	39	24	26	35	41	29	39	32	28	31	34	24
<i>d</i>	Other anæmias (<i>c</i>) - - -	129	7	14	13	11	11	9	16	17	5	10	10	6
74	Leukæmia, aleukæmia - - -	137	9	14	11	9	13	8	14	14	10	14	8	13
75	Diseases of spleen - - -	26	4	-	-	1	3	1	3	3	1	1	5	4
76	Other diseases of blood and of blood-forming organs	17	-	2	1	2	2	1	2	1	3	1	1	1
V. CHRONIC POISONING AND INTOXICATION.		42	7	4	-	2	2	5	6	6	4	2	1	3
77	Alcoholism - - - - -	41	6	4	-	2	2	5	6	6	4	2	1	3
78	Lead poisoning - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
79	Chronic poisoning by other mineral and organic substances	1	1	-	-	-	-	-	-	-	-	-	-	-
VI. DISEASES OF NERVOUS SYSTEM AND OF SENSE ORGANS.		8840	928	821	913	842	741	675	660	632	596	582	711	739
80. <i>a</i>	Intra-cranial abscess - - -	39	4	3	2	3	5	5	2	5	1	4	3	2
<i>b</i>	Other forms of encephalitis (non-epidemic)	46	4	1	4	6	6	2	4	5	1	1	4	8
81	Meningitis (not meningococcal) -	204	12	22	19	24	22	22	17	10	14	13	21	8
82.1	Motor neurone disease - - -	81	10	1	4	3	9	5	10	13	6	7	7	6
2	Sub-acute combined degeneration	17	1	2	-	1	3	1	1	-	-	1	3	4
3	Myelitis of unstated origin - -	28	6	3	1	3	4	4	2	1	1	2	1	-
4	Other diseases of medulla and of spinal cord	38	1	2	10	4	2	1	1	5	2	3	2	5
83. <i>a</i>	Cerebral hæmorrhage, apoplexy -	4611	485	413	462	442	401	320	348	356	313	299	364	408
<i>b</i>	Cerebral embolism and thrombosis	2139	234	199	230	206	158	182	145	143	131	149	173	189
<i>c</i>	Softening of brain - - - -	178	18	17	17	15	9	14	17	7	13	12	24	15
<i>d</i>	Hemiplegia and other paralyses of unstated origin	399	34	41	39	29	36	41	38	27	36	27	27	24
<i>e</i>	Other intra-cranial effusions -	7	-	1	-	2	1	2	-	1	-	-	-	-
84	Mental disorders and deficiency -	79	12	14	4	5	5	7	5	5	8	2	6	6
85	Epilepsy - - - - -	204	26	21	24	14	17	11	26	12	9	14	18	12
86	Convulsions (age under 5 years) -	285	27	32	39	31	28	23	16	16	19	16	20	18
87. <i>a</i>	Chorea - - - - -	5	-	-	2	1	-	2	-	-	-	-	-	-
<i>b</i>	Neuritis - - - - -	13	-	1	1	2	1	2	-	2	2	2	-	-
<i>c</i>	Paralysis agitans - - - -	126	12	15	12	16	8	5	7	9	13	8	15	6
<i>d</i>	Disseminated sclerosis - - -	170	19	16	15	15	11	14	12	10	14	15	13	16
<i>e</i>	Other diseases of nervous system -	88	13	7	14	13	6	8	7	2	6	3	3	6
88	Diseases of organs of vision - -	5	3	-	-	-	-	-	-	-	-	-	-	2
89. <i>a</i>	Otitis and other diseases of ear -	36	6	8	5	3	2	3	-	-	3	1	3	2
<i>b</i>	Disease of mastoid - - - -	42	1	2	9	4	7	1	2	3	4	3	4	2
VII. DISEASES OF CIRCULATORY SYSTEM.		17528	2138	1748	1814	1692	1513	1341	1246	1122	1108	1122	1273	1411
Heart disease— (Total)		16200	1981	1616	1673	1577	1401	1231	1154	1030	1019	1045	1184	1289
90. <i>a</i>	Chronic rheumatic pericarditis -	3	-	-	-	-	1	1	-	-	-	1	-	-
<i>b</i>	Other pericarditis - - - -	32	7	2	1	6	3	3	2	-	2	2	1	3
91. <i>a</i>	Acute bacterial endocarditis (<i>b</i>) -	81	8	5	7	3	6	6	8	8	6	4	13	7
<i>c</i>	Other acute endocarditis - - -	41	1	6	3	4	3	1	7	2	4	6	-	4
92. <i>a</i>	Aortic valvular disease (without mitral)	166	16	20	20	11	14	14	16	14	11	11	8	11
<i>b</i>	Mitral and other specified valvular disease (including sequelæ of rheumatic fever)	757	86	73	69	74	80	64	50	63	45	49	50	54
<i>c</i>	Valvular disease, endocarditis — unspecified	1335	181	128	133	127	110	97	90	88	82	81	103	120

International Nos. Detailed Long List.		Total.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
VII. DISEASES OF CIRCULATORY SYSTEM—continued.														
93. <i>a</i>	Acute myocarditis - - -	172	30	13	19	11	15	15	9	16	7	9	11	17
<i>b</i>	Chronic rheumatic myocarditis - -	40	4	3	3	3	1	4	1	3	3	3	7	5
cl.	Cardiovascular degeneration - -	2524	253	225	267	242	237	220	184	160	177	143	180	236
2.	Fatty degeneration of heart - -	116	20	14	13	12	5	6	2	7	11	10	10	6
3.	Chronic myocarditis, other myocardial degeneration	4231	498	421	477	421	382	285	319	279	260	288	308	293
<i>d</i>	Myocarditis, not specified as acute or chronic	2884	450	362	299	271	216	219	193	133	179	160	187	215
94.1	Diseases of coronary arteries - -	2619	243	215	235	286	214	190	211	197	161	203	218	246
2	Angina pectoris - - -	184	39	26	23	16	15	12	8	9	9	12	10	5
95. <i>b</i>	Rheumatic heart disease (undefined)	27	1	1	8	1	-	2	-	3	1	2	4	4
<i>c</i>	Other diseases of heart (<i>a</i>) - -	988	144	107	96	89	99	92	54	48	61	61	74	63
96	Aneurysm (heart and aorta excepted)	24	6	2	1	-	4	1	-	2	1	1	2	4
97	Arterio-sclerosis - - -	795	102	89	85	64	65	59	59	55	54	40	56	67
98	Gangrene - - -	215	18	16	35	24	16	27	12	12	17	8	11	19
99	Other diseases of arteries - -	74	9	11	4	9	5	5	5	5	3	10	3	5
00	Diseases of veins - - -	63	5	4	2	8	8	6	5	2	4	5	4	10
01	Diseases of lymphatic system - -	10	1	1	2	1	-	-	1	1	1	1	1	-
02	High blood pressure (idiopathic) -	143	16	9	12	9	14	11	10	14	7	12	12	17
03	Other dis. of circulatory system -	4	-	-	-	-	-	1	-	1	2	-	-	-
VIII. DISEASES OF RESPIRATORY SYSTEM.														
		7681	1458	1096	1107	802	565	389	284	298	306	343	457	576
04	Diseases of nasal fossæ and annexa	25	4	3	3	2	3	1	-	-	-	5	2	2
05	Diseases of larynx - - -	32	3	7	4	2	1	2	4	1	1	3	3	1
06	Bronchitis— (Total)	3092	768	492	427	299	203	129	98	98	105	97	163	213
1	With heart disease secondary -	1217	309	205	154	121	86	43	39	43	38	39	52	88
2	With chronic nephritis secondary	14	3	4	-	-	1	1	-	-	2	1	1	1
3	Otherwise defined - - -	1861	456	283	273	178	116	85	59	55	65	57	110	124
07	Broncho-pneumonia - - -	2219	311	316	407	252	143	102	81	80	89	115	142	181
08	Lobar pneumonia - - -	873	130	102	100	100	87	53	36	42	46	51	65	61
09	Pneumonia (unspecified) - -	481	80	71	63	53	37	31	19	23	23	16	22	43
10	Pleurisy - - -	132	19	9	12	11	19	10	7	11	8	12	5	9
11. <i>a</i>	Pulmonary embolism, thrombosis, infarct	46	5	3	4	6	8	3	2	4	3	1	3	4
<i>c</i>	Congestion of lung (<i>b</i>) - -	360	58	36	53	39	37	27	16	16	15	10	26	27
12	Asthma - - -	303	60	41	25	26	17	19	15	14	14	24	22	26
13	Pulmonary emphysema - -	20	5	2	1	5	2	-	1	2	-	1	-	1
14. <i>a</i>	Occupational diseases of respiratory system (<i>b</i>)	27	2	5	3	1	1	3	-	2	2	4	2	2
<i>e</i> 1	Chronic interstitial pneumonia (not occupational)	25	3	4	2	1	2	4	3	3	-	-	-	3
2	Other diseases of respiratory system (<i>c, d</i>)	46	10	5	3	5	5	5	2	2	-	4	2	3
IX. DISEASES OF DIGESTIVE SYSTEM.														
		3536	326	266	350	303	296	275	266	284	288	315	274	293
15. <i>a</i>	Diseases of teeth and gums - -	15	-	2	2	1	-	-	1	1	3	1	3	1
<i>b</i>	Septic sore throat - - -	23	3	1	2	1	1	1	2	1	-	4	3	4
<i>c</i>	Other diseases of pharynx and tonsils	43	8	2	5	1	7	4	2	3	2	3	5	1
<i>d</i>	Other diseases of buccal cavity -	24	1	1	1	3	3	1	2	-	2	5	4	1
16	Diseases of œsophagus - - -	12	2	1	3	-	1	-	1	-	1	-	-	3
17. <i>a</i>	Ulcer of stomach - - -	402	47	23	61	37	36	49	34	20	24	30	19	22
<i>b</i>	Ulcer of duodenum - - -	344	38	42	36	32	34	36	19	19	17	20	25	26
18	Other diseases of stomach - -	111	9	5	13	12	7	6	9	11	8	11	11	9

International Nos. Detailed Long List.		Total.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
IX. DISEASES OF DIGESTIVE SYSTEM—continued.														
119	Diarrhoea, enteritis (under 2 years of age)	836	58	52	68	52	66	51	68	72	92	106	70	81
120. <i>a</i>	Diarrhoea, enteritis (over 2 years of age)	234	14	15	17	21	17	23	16	24	17	35	15	20
<i>b</i>	Ulceration of intestines - - -	84	7	3	5	8	4	9	10	10	10	3	9	6
121	Appendicitis - - - -	258	33	22	37	20	18	14	19	22	26	8	19	20
122. <i>a</i>	Hernia - - - - -	256	24	29	20	30	19	19	20	21	16	20	17	21
<i>b</i>	Intestinal obstruction - - -	252	28	22	15	29	23	10	16	15	22	27	24	21
123	Other diseases of intestines - -	104	7	9	10	9	12	5	9	8	9	6	11	9
124	Cirrhosis of liver - - - -	145	10	10	14	13	9	11	8	15	12	12	17	14
125. <i>a</i>	Acute yellow atrophy of liver (not associated with pregnancy) -	13	-	1	1	2	2	2	-	1	1	-	1	2
<i>b</i>	Other diseases of liver - - -	31	2	3	3	1	4	3	4	5	1	1	-	4
126	Biliary calculi - - - - -	90	5	4	12	8	11	7	3	10	9	7	6	8
127	Other diseases of gall bladder and bile ducts	193	23	14	19	17	18	16	16	19	12	11	10	18
128	Diseases of pancreas - - - -	23	3	-	3	3	2	1	1	2	-	3	3	2
129	Peritonitis without stated cause -	43	4	5	3	3	2	7	6	5	4	2	2	-
X. DISEASES OF URINARY AND GENITAL SYSTEMS (not Venereal or connected with Pregnancy or the Puerperium).														
		2498	255	227	231	207	221	227	166	179	188	193	208	196
130	Acute nephritis - - - - -	114	5	15	16	7	9	11	10	5	14	4	8	10
131	Chronic nephritis - - - - -	996	118	102	80	87	79	91	60	71	68	76	85	79
132	Nephritis unspecified (over 10 years of age)	321	33	27	36	34	39	25	20	28	19	24	21	15
133	Other dis. of kidney and ureters -	167	16	13	14	6	7	27	18	10	17	8	13	13
134	Calculi of urinary passages - -	53	2	2	7	7	5	8	1	2	5	7	5	2
135	Diseases of bladder - - - - -	133	13	8	13	10	11	9	10	12	11	13	10	13
136	Dis. of urethra, urinary abscess -	32	3	2	2	2	3	4	6	1	1	1	2	5
137	Diseases of prostate - - - - -	596	59	52	53	52	61	44	38	40	45	51	49	52
138	Dis. of other male genital organs -	8	1	-	-	1	1	2	1	1	-	1	-	-
139. <i>a</i>	Diseases of ovaries, Fallopian tubes and parametria	29	3	2	1	-	2	1	1	5	4	4	2	4
<i>b</i>	Diseases of uterus - - - - -	43	2	3	8	-	4	5	1	4	4	3	6	3
<i>c</i>	Diseases of breast - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
<i>d</i>	Other dis. of female genital organs	6	-	1	1	1	-	-	-	-	-	1	2	-
XI. DISEASES OF PREGNANCY, CHILDBIRTH AND THE PUERPERAL STATE.														
		439	41	26	45	31	43	49	33	25	50	34	24	38
140	Post-abortion sepsis - - - - -	32	1	1	2	4	2	3	2	2	4	2	5	4
141	Abortion not specified as septic -	13	1	-	-	1	3	1	3	-	2	1	-	1
142	Ectopic gestation - - - - -	7	-	1	-	-	1	1	-	3	-	1	-	-
143. <i>a</i>	Placenta prævia (pregnancy) - -	11	-	-	3	1	-	4	1	-	1	1	-	-
<i>b</i>	Accidental hæmorrhage of pregnancy	13	1	3	-	-	2	1	1	1	1	-	1	2
<i>c</i>	Other and unspecified hæmorrhages of pregnancy	3	-	-	-	1	1	-	1	-	-	-	-	-
144. <i>a</i>	Eclampsia of pregnancy - - -	32	3	1	1	3	5	4	1	3	1	2	1	7
<i>b</i>	Albuminuria and nephritis of pregnancy	15	2	2	1	-	2	3	1	1	1	2	-	-
<i>c</i>	Acute yellow atrophy of liver with pregnancy	1	-	-	1	-	-	-	-	-	-	-	-	-
<i>d</i> 1	Uncontrollable vomiting - - -	12	2	-	3	-	-	-	1	1	2	2	1	-
2	Other toxæmias of pregnancy - -	22	1	4	2	-	1	1	1	1	4	2	2	3
145	Other diseases and accidents of pregnancy	7	-	-	-	2	-	2	-	1	1	-	-	1

International Nos. Detailed Long List.		Total.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
VI. DISEASES OF PREGNANCY, CHILDBIRTH AND THE PUERPERAL STATE—<i>contd.</i>														
146. <i>a</i>	Placenta prævia (with childbirth) -	3	-	-	-	-	-	-	1	-	1	-	-	1
<i>b</i>	Accidental hæmorrhage of childbirth	6	2	1	1	-	1	-	-	-	-	-	-	1
<i>c</i>	Other hæmorrhages of childbirth -	4	1	-	-	-	-	-	1	-	-	-	1	1
<i>d</i>	Other hæmorrhages after childbirth	33	1	3	4	3	4	3	-	1	3	4	3	4
147. <i>b</i>	Puerperal sepsis (<i>a</i>) -	89	8	3	11	6	10	12	7	9	11	5	1	6
<i>d</i>	Puerperal embolism and thrombophlebitis (<i>c</i>)	37	6	2	6	2	3	2	4	-	2	4	2	4
148. <i>a</i>	Puerperal eclampsia -	21	2	1	2	2	1	4	2	-	3	2	1	1
<i>b</i>	Puerperal albuminuria and nephritis	2	-	-	1	-	-	1	-	-	-	-	-	-
<i>c</i>	Acute yellow atrophy of liver (post-partum)	1	-	-	-	1	-	-	-	-	-	-	-	-
<i>d</i>	Other puerperal toxæmias -	-	-	-	-	-	-	-	-	-	-	-	-	-
149	Other accidents of childbirth -	66	8	4	7	5	7	6	4	2	12	5	4	2
150	Other or unspecified conditions of childbirth and the puerperal state	9	2	-	-	-	-	1	2	-	1	1	2	-
XII. DISEASES OF SKIN AND CELLULAR TISSUE.														
		234	20	20	21	28	29	20	18	12	18	18	14	16
151	Carbuncle, boils -	37	5	4	2	4	4	3	3	3	3	2	3	1
152	Cellulitis, acute abscess -	120	11	10	10	15	20	7	7	6	9	11	5	9
153	Other diseases of skin and cellular tissue	77	4	6	9	9	5	10	8	3	6	5	6	6
XIII. DISEASES OF BONES AND OF ORGANS OF MOVEMENT.														
		109	8	13	9	6	15	11	8	7	7	8	8	9
154	Osteomyelitis and periostitis -	57	5	5	7	3	6	5	5	5	3	5	2	6
155	Other diseases of bones -	11	-	3	1	-	2	1	1	-	2	-	1	-
156	Diseases of joints and other organs of movement	41	3	5	1	3	7	5	2	2	2	3	5	3
XIV. CONGENITAL MALFORMATIONS.														
		709	71	50	57	69	58	60	60	66	50	61	45	62
157. <i>a</i>	Congenital hydrocephalus -	69	4	7	7	9	8	2	7	6	2	7	4	6
<i>b</i>	Spina bifida and meningocele -	192	18	14	12	9	12	26	21	19	7	21	14	19
<i>c</i>	Congenital malformation of heart -	209	25	12	22	30	17	13	14	26	18	9	6	16
<i>e</i>	Congenital pyloric stenosis -	46	2	4	1	3	5	5	4	4	3	5	5	5
<i>j</i>	Other or unspecified congenital malformations (<i>d, f, g, h, i</i>)	193	22	12	15	18	16	14	14	11	20	19	16	16
XV. DISEASES PECULIAR TO THE FIRST YEAR OF LIFE.														
		2927	252	258	312	269	268	283	227	215	201	199	213	230
158	Congenital debility -	598	67	52	70	70	65	48	41	36	32	44	31	42
159	Premature birth -	1608	130	159	169	149	129	161	124	128	93	104	138	121
160	Injury at birth -	351	24	23	28	24	36	34	29	25	48	25	24	31
161. <i>a</i>	Asphyxia at birth, atelectasis -	187	17	14	27	14	20	16	16	16	7	12	10	18
<i>b</i>	Maternal toxæmia -	22	1	-	2	-	3	2	-	-	5	3	-	6
<i>c</i>	Infections of newly born -	23	-	-	5	2	1	2	3	3	3	1	1	2
<i>d</i>	Melæna neonatorum -	59	5	2	5	5	9	9	4	3	3	5	3	6
<i>e</i>	Other specified diseases -	79	8	8	6	5	5	8	10	4	10	5	6	4

International Nos. Detailed Long List.		Total.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
	XVI. SENILITY.													
162	Senility, Senile dementia - -	2315	235	242	228	235	180	189	164	134	139	132	185	202
	XVII. DEATHS FROM VIOLENCE.	6627	443	424	1214	595	886	549	434	383	443	411	407	438
164	Suicide (163) - - - -	405	33	28	32	44	45	29	46	25	28	34	27	34
168	Homicide (165-167) - - -	22	4	2	2	-	-	1	2	2	3	2	3	1
	<i>Accidental Deaths.</i>													
169	Railway accidents - - -	106	7	7	7	10	6	9	12	6	9	10	8	15
170	Motor vehicle accidents - -	1023	90	72	85	78	86	57	73	80	100	94	110	98
171	Other road transport accidents -	127	6	17	8	17	6	5	9	9	8	11	11	20
	Water transport accidents—													
172.1	Drowning - - - -	92	13	12	23	6	6	10	2	3	1	4	4	8
2	Otherwise - - - -	60	4	5	9	2	3	3	1	5	5	7	9	7
173	Air transport accidents - -	61	-	-	-	-	1	-	1	1	37	18	2	1
174	Accidents in mines and quarries -	130	12	18	12	13	7	13	10	8	10	9	11	7
176	Accidents caused by machinery -	42	3	5	2	4	6	3	1	4	2	2	5	5
177	Food poisoning - - - -	3	-	-	1	1	-	1	-	-	-	-	-	-
178	Accidental absorption of poisonous gas	76	11	6	12	8	3	4	3	7	4	3	10	5
179	Other acute accidental poisoning -	18	3	2	-	1	2	-	1	1	1	3	2	2
180	Conflagration - - - -	29	4	2	4	1	2	3	2	1	-	1	7	2
181	Accidental burns (conflagration excepted)	236	36	27	25	22	15	11	16	15	9	21	18	21
182	Accidental mechanical suffocation	131	16	8	17	13	12	8	4	9	10	12	13	9
183	Drowning—accidental and unspecified (excluding water transport)	344	28	25	21	31	28	39	36	34	27	22	21	32
184	Accidental injury by firearms -	23	2	2	-	1	3	1	3	1	3	4	-	3
186	Accidental fall, crushing, &c. -	883	109	77	80	89	80	63	53	50	64	67	73	78
189	Hunger or thirst - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
190	Weather agencies (191, 192) -	19	7	3	4	2	-	-	1	1	-	-	1	-
193	Electricity (lightning excepted) -	14	1	2	-	1	3	2	1	1	1	-	1	1
195.a	Vaccinia - - - -	1	-	-	-	-	-	-	-	-	-	-	1	-
d	Other and unspecified accidents (175, 185, 187, 188, 194, 195 b, c)	130	14	7	7	8	13	17	13	9	11	9	13	9
	<i>Other Violent Deaths.</i>													
196	War operations—Military - -	747	27	58	63	62	81	58	62	76	70	59	49	77
197	" " Civilian - -	1905	13	39	795	181	478	212	82	35	40	19	8	3
198	Execution - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
	XVIII. ILL-DEFINED CAUSES OF DEATH.	1190	160	104	113	118	121	76	70	64	65	78	106	115
199	Sudden death - - - -	114	9	14	10	12	11	10	6	5	2	6	9	20
200.a.1	Heart failure - - - -	750	104	56	66	71	73	52	50	37	46	52	81	62
2	Other ill-defined causes - -	295	45	32	31	34	35	14	13	19	15	19	13	25
c	Cause not specified (b) - -	31	2	2	6	1	2	-	1	3	2	1	3	8

CAUSES OF DEATH IN THE PUBLIC HEALTH DISTRICTS
OF SCOTLAND, 1941.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1941.

International No.	Short List.	CAUSES OF DEATH.	ABERDEEN BURGH (including part in Kincardine Co.)													ABERDEEN COUNTY (excluding Aberdeen Burgh).												
			All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.
		All Causes—Both Sexes . .	2,257	224	39	19	20	61	67	117	185	366	534	497	128	1,831	154	38	20	21	35	53	72	112	235	440	471	180
		Males	1,091	124	22	12	12	22	35	60	99	189	271	207	88	907	97	18	12	11	16	28	32	58	113	230	230	59
		Females	1,166	100	17	7	8	39	32	57	86	177	263	290	90	924	57	20	8	10	19	25	40	54	122	241	241	121
1		Typhoid fever (including typhoid)	1					1																				
14(1)		Cerebro-spinal fever	2	1				1		1	1					5	3	1		1		1						
3		Scarlet fever																										
4		Whooping-cough	1	3	1											4	2	1	1									
5		Diphtheria	10		9	1	1	1		1						1		2	1	2								
6		Tuberculosis of respiratory system	40				3	14	12	7	6	5	6			21					2	6	4	4	1	3	1	
7		Other forms of tuberculosis	8		1		3	1		1	1	1	1			8	1	1	2		1	2						
9		Syphilis	10							1	3	2	2	1		4	1						2	2	1	1		
10		Influenza	7						1			1	3	2		8	1	1	1		1	2	1					
12		Measles	1	1	1											1	1											
14(2)		Other infectious or parasitic diseases (2, 8, 11, 13)	14	1				1		2	1	7	2	2		7	2	1	1	2	1		1	1		1	1	
15		Cancer, malignant tumours	134	1				1	1	7	15	44	43	21	1	100						1	3	7	24	38	24	3
16		Tumours, non-malignant or defined	2			1			1	1	1	23	44	24	4	142						4	7	15	42	43	21	10
20(1)		Acute rheumatism	2			2										5					1			1		1		
18		Diabetes mellitus	4					1			1	1	2	1	1	2				1						3	1	1
20(2)		Other general diseases (17, 19)	4			1	1	1	1		3	2	3	7	1	17	2	1	1			1		2	4	6	3	
21	(a)	Meningitis, diseases of spinal cord (b)	3	2	1		1				1	2	1	1		6	2	3				1				1	1	(e)

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1941.

		ARBROATH BURGH.														DUNDEE BURGH.													
International Nos.	CAUSES OF DEATH.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.		
			25	5	2	.	5	7	15	22	44	71	85	27		2,488	253	102	25	15	79	84	122	190	339	643	497	189	
1	Typhoid fever (including Para-typhoid)	5	2	1	.	.	2	.	.		
14 (1)	Cerebro-spinal fever	6	2	2	1		
3	Scarlet fever	1	.	1		
4	Whooping-cough	7	5	2	1		
5	Diphtheria	1	.	1	29	1	23	2	2	2	.	1		
6	Tuberculosis of respiratory system	8	.	.	.	1	3	1	1	1	1	1	1	52	.	1	.	.	1	6	10	12	15	5	3	.	.		
7	Other forms of tuberculosis	2	.	1	.	1	1	1	23	2	5	4	4	1	4	5	3	1	1	1	.	.		
9	Syphilis	8	1	1	.	2	1	1	.	.	
10	Influenza	1	1	9	3	1	.	.	1	1	1	1	2	1	1	.	.		
12	Measles	2	1	1	3		
14 (2)	Other infectious or parasitic diseases (2, 8, 11, 13)*	3	1	1	.	1	1	.	9	.	2	.	.	1	1	.	.	.	5	1	.	.		
15	Cancer, malignant tumours	16	3	2	2	2	6	3	122	.	1	.	.	.	3	2	8	11	23	58	19	3		
16	Tumours, non-malignant or not defined	15	1	1	1	5	3	3	178	1	1	1	1	1	1	7		
20 (1)	Acute rheumatism	1	1	.	.	.	5	.	.	1	1	1	1	1		
18	Diabetes mellitus	7	.	1	.	.	1	2	1	.	.	.	1	1	.	.	
20 (2)	Other general diseases, (17, 19)	2	1	.	.	.	1	1	1	12	2	.	1	1	1	3	2	2	1	1	2	1	1		
21	Meningitis, diseases of spinal cord	4	1	1	13	4	1	1	1	.	.	.	1	1	1	1	4	.	(o)	
(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)		

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
22	Cerebral hemorrhage, &c.	{ M. F. } 15 30									2	7	4	2	96						6	19	36	25	6
23	Other diseases of nervous system	{ M. F. } 2 4									2	7	14	6	143						9	19	60	55	8
24	Heart disease	{ M. F. } 41 56									10	11	13	3	319						2	10	108	85	22
25	Other circulatory diseases	{ M. F. } 2 3									5	14	23	11	380						1	9	142	111	48
26	Bronchitis	{ M. F. } 10 15									1	1	1	1	7						1	10	2	3	1
27	Pneumonia	{ M. F. } 7 5									1	1	1	1	20						1	10	7	10	2
28	Other respiratory diseases	{ M. F. } 3 3									2	1	1	1	42						2	10	22	21	12
32 (1)	Gastric and duodenal ulcer	{ M. F. } 2									1	1	1	1	60						3	3	18	3	1
29	Diarrhoea (all ages)	{ M. F. } 2 3									1	1	1	1	74						4	4	17	5	1
30	Appendicitis	{ M. F. } 1									2	1	1	1	58						3	4	13	3	1
31 (1)	Cirrhosis of liver	{ M. F. } 1									1	1	1	1	18						1	2	5	4	1
31 (2)	Other diseases of liver	{ M. F. } 1									1	1	1	1	17						2	5	3	3	1
32 (2)	Other digestive diseases	{ M. F. } 3 3									1	1	1	1	28						10	3	4	1	1
33	Nephritis, acute or chronic	{ M. F. } 2 1									1	1	1	1	14						2	3	3	1	1
34	Other diseases of genito-urinary system	{ M. F. } 4									1	1	1	1	12						1	1	4	6	1
35	Puerperal sepsis	{ M. F. } 1									1	1	1	1	15						4	7	5	1	1
36	Other puerperal causes	{ M. F. } 2									1	1	1	1	34						7	3	15	6	2
37	Diseases of skin and organs of movement	{ M. F. } 12									1	1	1	1	28						1	2	6	6	2
38	Congenital debility, premature birth, malformation, &c.	{ M. F. } 2 1									1	1	1	1	18						1	1	2	2	1
39	Old age	{ M. F. } 1 2									1	1	1	1	5						4	2	1	1	1
40	Suicide	{ M. F. } 1									1	1	1	1	42						3	4	1	1	1
42	Road transport accidents	{ M. F. } 1									1	1	1	1	10						5	4	1	1	1
43	Other violence (41)	{ M. F. } 4 5									1	1	1	1	49						2	10	6	7	7
44	Causes ill-defined or unknown	{ M. F. } 1									1	1	1	1	3						1	4	9	7	3

* Including erysipelas, septicæmia, dysentery, acute poliomyelitis, and lethargic encephalitis.

CAUSES OF DEATH.		ANGUS COUNTY (excluding Large Burghs).														ARGYLL COUNTY.													
		All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.		
International Nos.	Short List.	1,156	79	20	12	12	24	34	60	58	137	264	326	130	1,100	59	15	9	11	23	33	57	79	140	271	294	101		
1	All Causes—Both Sexes . . .	530	45	8	6	9	12	9	24	33	67	128	144	45	1,559	83	5	6	6	13	15	34	44	72	151	137	36		
14 (1)	Males . . .	626	34	12	6	3	12	25	36	25	70	136	182	85	854	26	10	3	5	10	18	23	35	63	120	157	65		
	Females . . .																												
3	Typhoid fever (including Para-typhoid) . . . { M. F. }																												
14 (1)	Cerebro-spinal fever . . . { M. F. }	2	2	1				2	1						2	2	1				1								
3	Scarlet fever . . . { M. F. }																												
4	Whooping-cough . . . { M. F. }	2	2	1											4	3	1												
5	Diphtheria . . . { M. F. }	3	2	1											2	1													
6	Tuberculosis of respiratory system . . . { M. F. }	10					3	1	6	1	2	2			15				5	3	2	2	2	1					
7	Other forms of tuberculosis . . . { M. F. }	4		1	1			2	1		1				3		1		1	3			1						
9	Syphilis . . . { M. F. }	2								1		1			2					1		2							
10	Influenza . . . { M. F. }	3				1		1	2		1	1	1	1	12				1		2	1	1	1	1	5	1		
12	Measles . . . { M. F. }	3	2		1										12														
14 (2)	Other infectious or parasitic diseases (2, 8, 11, 13,)* . . . { M. F. }	6				1		2		1	1		3		5				1						1				
15	Cancer, malignant tumours . . . { M. F. }	58			1			1	1	4	9	17	17	7	64						1	1	7	15	26	14	2		
16	Tumours, non-malignant or defined . . . { M. F. }	73		1				1	9	8	12	19	19	4	65						3	3	7	19	15				
20 (1)	Acute rheumatism . . . { M. F. }	3		1			1		1		3				4	1	1				1	1							
18	Diabetes mellitus . . . { M. F. }	3		1											1														
20 (2)	Other general diseases (17, 19) . . . { M. F. }	9		1			1		1	1	1	1	2		11	1			1	1	3	1	4	3	1	1			
21	Meningitis, diseases of spinal cord . . . { M. F. }	3		2						1					6	2	1		1		2								
(a)	(b)	4	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)		

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)
22	Cerebral hemorrhage, &c.	{ M. F. } 59 91	1	1	3	5	28	23	4
23	Other diseases of nervous system	{ M. F. } 6	1	.	1	.	.	1	2	.	1	1	2	1
24	Heart disease	{ M. F. } 140 168	.	.	.	1	.	.	6	8	28	50	41	12
25	Other circulatory diseases	{ M. F. } 12	7	6	20	48	65	21
26	Bronchitis	{ M. F. } 13	4	1	2	3	6	4
27	Pneumonia	{ M. F. } 22 27	2	1	2	2	2	2
28	Other respiratory diseases	{ M. F. } 9	1	3	1	4	4	5	8
32 (1)	Gastric and duodenal ulcer	{ M. F. } 10	1	1	2	3	2	1
29	Diarrhoea, (all ages)	{ M. F. } 7	5	1	1	3	4	1	1	.
30	Appendicitis	{ M. F. } 5	2	2	.	1	.	.	.
31 (1)	Cirrhosis of liver	{ M. F. } 8	1	.	.	.
31 (2)	Other diseases of liver, &c.	{ M. F. } 1	1	.	.	1	.	.	.
32 (2)	Other digestive diseases	{ M. F. } 4	1	1	.	2	3	1	1
33	Nephritis, acute or chronic	{ M. F. } 12	1	2	4	8	7	2
34	Other diseases of genito-urinary system	{ M. F. } 21	1	1
35	Puerperal sepsis	{ M. F. } 4	.	.	.	2	.	.	1
36	Other puerperal causes	{ M. F. } 8	.	.	.	2	.	3	2
37	Diseases of skin and organs of movement	{ M. F. } 3	1	.	.	1
38	Congenital debility, premature birth, malformation, &c.	{ M. F. } 26	18	2	.	.	.	1
39	Old age	{ M. F. } 31
40	Suicide	{ M. F. } 5	1	1	1	1	1	1	.
42	Road transport accidents	{ M. F. } 14	.	1	2	.	4	1	1	3
43	Other violence (41)	{ M. F. } 16	2	1	.	1	2	.	.	1	2	.	.	.
44	Causes ill-defined or unknown	{ M. F. } 5	1

³ Including erysipelas, septicaemia, dysentery, acute poliomyelitis, and lethargic encephalitis; † 8 of unstated age, ‡ 7 of unstated age, § 1 of unstated age, ¶ 6 of unstated age.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1941.

International Nos. Short List.	CAUSES OF DEATH.	AYR BURGH.													KILMARNOCK BURGH.												
		All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.
1	All Causes—Both Sexes Males Females	602 310 292	67 40 27	20 7 13	10 6 4	3 2 1	21 9 12	34 18 16	30 18 12	61 31 30	92 50 42	130 76 54	94 36 58	40 17 23	496 257 239	55 27 28	14 5 9	6 3 3	2 1 1	15 3 12	13 6 7	27 14 13	40 24 16	77 38 39	124 69 55	95 51 44	28 16 12
14 (1)	Typhoid fever (including Para-typhoid) Cerebro-spinal fever Scarlet fever Whooping-cough Diphtheria Tuberculosis of respiratory system Other forms of tuberculosis Syphilis Influenza Measles Other infectious or parasitic diseases (2, 8, 11, 13)* Cancer, malignant tumours Tumours, non-malignant or not defined Acute rheumatism Diabetes mellitus Other general diseases (17, 19) Meningitis, diseases of spinal cord	{M. F.} {M. F.} {M. F.} {M. F.} {M. F.} {M. F.} {M. F.} {M. F.} {M. F.} {M. F.} {M. F.} {M. F.} {M. F.} {M. F.}	. . . 2 2 5 1 . . . 7 13 5 5 2 . . . 1 . . . 1 . . . 1 34 40 1 1 3 5 7 6 1 1	. . . 2 1 . . . 2 4 1 . . . 3 . . . 1 2 .																							

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
22	Cerebral hæmorrhage, &c.	{ M. F. }	1																						
23	Other diseases of nervous system	{ M. F. }	3																						
24	Heart disease	{ M. F. }																							
25	Other circulatory diseases	{ M. F. }																							
26	Bronchitis	{ M. F. }	2	1																					
27	Pneumonia	{ M. F. }	11	2																					
28	Other respiratory diseases	{ M. F. }	4	1																					
29	Gastric and duodenal ulcer	{ M. F. }																							
30	Diarrhoea (all ages)	{ M. F. }	4	2																					
31	Appendicitis	{ M. F. }																							
32	Cirrhosis of liver	{ M. F. }																							
33	Other diseases of liver	{ M. F. }	1																						
34	Other digestive diseases	{ M. F. }	3	1																					
35	Nephritis, acute or chronic	{ M. F. }	1																						
36	Other diseases of genito-urinary system	{ M. F. }	9																						
37	Puerperal sepsis	{ M. F. }	2																						
38	Other puerperal causes	{ M. F. }	1																						
39	Diseases of skin and organs of movement	{ M. F. }	2	1																					
40	Congenital debility, premature birth, malformation, &c.	{ M. F. }	12	14																					
41	Old age	{ M. F. }	14																						
42	Suicide	{ M. F. }	1																						
43	Road transport accidents	{ M. F. }	6																						
44	Other violence (41)	{ M. F. }	30	2																					
45	Causes ill-defined or unknown	{ M. F. }	17	8																					

* Including erysipelas, septicaemia, dysentery, acute poliomyelitis, and lethargic encephalitis.

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
22	Cerebral hemorrhage, &c.	{ M. 161 F. 188	1	3	1	1	1	2	4	4	4	3	1	6	3	1	1	1	1	1	1	1	1	1	1
23	Other diseases of nervous system	{ M. 29 F. 30	9	3	4	1	1	2	4	4	4	3	1	3	1	1	1	1	1	1	1	1	1	1	1
24	Heart disease	{ M. 347 F. 375	1	1	1	1	1	2	5	10	10	26	70	126	102	24	69	101	15	13	11	17	19	17	13
25	Other circulatory diseases	{ M. 18 F. 17	10	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
26	Bronchitis	{ M. 64 F. 50	10	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
27	Pneumonia	{ M. 78 F. 58	32	22	6	1	1	2	4	5	3	1	3	7	6	1	17	17	11	3	1	1	1	1	1
28	Other respiratory diseases	{ M. 18 F. 20	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
32 (1)	Gastric and duodenal ulcer	{ M. 28 F. 8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
29	Diarrhoea (all ages)	{ M. 32 F. 24	25	14	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
30	Appendicitis	{ M. 5 F. 8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
31 (1)	Cirrhosis of liver	{ M. 5 F. 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
31 (2)	Other diseases of liver	{ M. 8 F. 9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
32 (2)	Other digestive diseases	{ M. 20 F. 13	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
33	Nephritis, acute or chronic	{ M. 24 F. 25	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
34	Other diseases of genito-urinary system	{ M. 28 F. 8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
35	Puerperal sepsis	{ M. 6 F. 11	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
36	Other puerperal causes	{ M. 10 F. 7	3	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
37	Diseases of skin and organs of movement	{ M. 109 F. 71	108	69	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
38	Congenital debility, premature birth, malformation, &c.	{ M. 35 F. 75	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
39	Old age	{ M. 8 F. 3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
40	Suicide	{ M. 43 F. 10	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
42	Road transport accidents	{ M. 79 F. 31	2	4	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
43	Other violence (41)	{ M. 28 F. 16	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
44	Causes ill-defined or unknown	{ M. 1 F. 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

* Including erysipelas, septicaemia, dysentery, acute poliomyelitis and lethargic encephalitis.

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
22	Cerebral hemorrhage, &c.	M. 22 F. 28																							
23	Other diseases of nervous system	M. 5 F. 2	1																						
24	Heart disease	M. 65 F. 60																							
25	Other circulatory diseases	M. 7 F. 6																							
26	Bronchitis	M. 7 F. 9	1																						
27	Pneumonia	M. 7 F. 5	2																						
28	Other respiratory diseases	M. 2 F. 2																							
32 (1)	Gastric and duodenal ulcer	M. 5 F. 5																							
29	Diarrhoea, (all ages)	M. 2 F. 1	1																						
30	Appendicitis	M. 1 F. 1		1																					
31 (1)	Cirrhosis of liver	M. 2 F. 2																							
31 (2)	Other diseases of liver	M. 1 F. 3																							
32 (2)	Other digestive diseases	M. 3 F. 3		1																					
33	Nephritis, acute or chronic	M. 18 F. 10																							
34	Other diseases of genito-urinary system	M. 6 F. 1																							
35	Puerperal sepsis	M. 1 F. 1																							
36	Other puerperal causes	M. 1 F. 1																							
37	Diseases of skin and organs of movement	M. 1 F. 1																							
38	Congenital debility, premature birth, malformation, &c.	M. 7 F. 5	7	4																					
39	Old age	M. 5 F. 2																							
40	Suicide	M. 1 F. 1																							
42	Road transport accidents	M. 3 F. 2																							
43	Other violence (41)	M. 10 F. 3		1																					
44	Causes ill-defined or unknown	M. 3 F. 3																							

* Including erysipelas, septicaemia, dysentery, acute poliomyelitis, and lethargic encephalitis.

† Including 1 of unstated age.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1941.

International Nos.	CAUSES OF DEATH.	CAITHNESS COUNTY.													CLACKMANNAN COUNTY.												
		All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.
	All Causes—Both Sexes . . .	440	38	8	5	1	19	15	14	28	50	108	108	46	1445	45	8	5	4	10	10	16	34	76	106	96	32
	Males . . .	218	21	6	3	1	8	7	6	13	24	55	54	20	1229	28	4	4	3	6	5	8	16	46	53	48	7
	Females . . .	222	17	2	2	.	11	8	8	15	26	53	54	26	216	17	4	1	1	4	5	8	18	30	53	50	25
1	Typhoid fever (including Para-typhoid)
14 (1)	Cerebro-spinal fever . . .	1	.	.	1	1	1	1	1
3	Scarlet fever
4	Whooping-cough . . .	2	.	.	1	1	.	.	1	1
5	Diphtheria
6	Tuberculosis of respiratory system . . .	7	2	2	2	1	7	2	1	8	.	1	.	.
7	Other forms of tuberculosis . . .	3	1	1	.	.	2	1	1	.	1	1	.	.	5	.	1	1	.	1	1	.	2
9	Syphilis . . .	1	1	1	1
10	Influenza . . .	6	1	2	1	1	1	1	.	2	2	.	.	.
12	Measles . . .	1	1	1
14 (2)	Other infectious or parasitic diseases (2, 8, 11, 13)* . . .	3	2	.	.	.	1	.	.	4	1	1	.	.	2	.	.	.
15	Cancer, malignant tumours . . .	19	2	2	4	10	2	1	31	1	2	9	11	5	1
16	Tumours, non-malignant or not defined . . .	29	1	8	9	8	1	37	3	6	8	15	6	2
20 (1)	Acute rheumatism	1	1
18	Diabetes mellitus . . .	3	1	1	1	.	2
20 (2)	Other general diseases, (17, 19) . . .	4	1	.	.	1	2	1	1	.	6	1	.	.	1	.	.	2	1	1	2	2	1
21 (a)	Meningitis, diseases of spinal cord (b) . . .	1	1	.	.	.	3	1	1	.	.	.	1	2

22	Cerebral hæmorrhage, &c.	{ M. F.	15 24	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1</
----	--------------------------	------------	----------	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	-----

* Including erysipelas, septicaemia, dysentery, acute poliomyelitis and lethargic encephalitis.

† Including 1 of unstated age.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1941.

International Nos. Short List.	CAUSES OF DEATH.	CLYDEBANK BURGH.													DUMBARTON BURGH.												
		All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.
	All Causes—Both Sexes . .	505	59	19	8	4	21	25	26	55	88	120	62	18	375	53	22	9	4	18	13	21	33	57	71	65	9
	Males . .	271	41	9	4	1	9	13	15	33	51	54	34	7	206	30	10	7	1	12	7	13	18	32	38	37	1
	Females . .	234	18	10	4	3	12	12	11	22	37	66	28	11	169	23	12	2	3	6	6	8	15	25	33	28	8
1	Typhoid fever (including typhoid)																										
	Para- {M. F.																										
14 (1)	Cerebro-spinal fever	1					1			1																	
	{M. F.	1																									
3	Scarlet fever	1		1																							
	{M. F.	1		1																							
4	Whooping-cough	3	3	1											1	1	1										
	{M. F.	2	1												4	3											
5	Diphtheria	3	2	4	2	1		1							8	1	6	1	2								
	{M. F.	7													10		7	1									
6	Tuberculosis of respiratory system	22		3			2	6	6	4	1				13				1	3	2	4	2		1		
	{M. F.	12						3		1					7												
7	Other forms of tuberculosis	2	1	1	1		2			1					1	1	1			1							
	{M. F.	5													4												
9	Syphilis	2						1		1																	
	{M. F.	1																									
10	Influenza	2	1							1	1				1												
	{M. F.	1																									
12	Measles														1		1										
	{M. F.																										
14 (2)	Other infectious or parasitic diseases (2, 8, 11, 13)*	1									1	1	1		1				1								
	{M. F.	2																									
15	Cancer, malignant tumours	30						1		4	14	8	3	1	24						2	1	5	6	5	5	
	{M. F.	27								4	6	13	2	1	13							1					
16	Tumours, non-malignant or not defined	1	1						1	2					1				1								
	{M. F.	3																									
20 (1)	Acute rheumatism																										
	{M. F.																										
18	Diabetes mellitus	2								1	1	2	1		2							1					
	{M. F.	3													4												
20 (2)	Other general diseases (17, 19)	2		1		1		1				1			4							1	1		1	1	2
	{M. F.	2													4												
21	Meningitis, diseases of spinal cord	1					1				1				2	1	1			1							
	{M. F.	1													2	1											
(a)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
22	Cerebral hemorrhage, &c.	{ M. F.	18 32	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
23	Other diseases of nervous system	{ M. F.	3 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
24	Heart disease	{ M. F.	63 59	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
25	Other circulatory diseases	{ M. F.	2 4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
26	Bronchitis	{ M. F.	12 7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
27	Pneumonia	{ M. F.	20 11	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
28	Other respiratory diseases	{ M. F.	5 7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
32 (1)	Gastric and duodenal ulcer	{ M. F.	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
29	Diarrhoea, (all ages)	{ M. F.	5 3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
30	Appendicitis	{ M. F.	2 2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
31 (1)	Cirrhosis of liver	{ M. F.	1 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
31 (2)	Other diseases of liver	{ M. F.	2 2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
32 (2)	Other digestive diseases	{ M. F.	2 2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
33	Nephritis, acute or chronic	{ M. F.	2 4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
34	Other diseases of genito-urinary system	{ M. F.	2 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
35	Puerperal sepsis	{ M. F.	2 5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
36	Other puerperal causes	{ M. F.	2 5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
37	Diseases of skin and organs of movement	{ M. F.	2 2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
38	Congenital debility, premature birth, malformation, &c.	{ M. F.	19 10	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
39	Old age	{ M. F.	6 6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
40	Suicide	{ M. F.	1 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
42	Road transport accidents	{ M. F.	12 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
43	Other violence (41)	{ M. F.	13 5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
44	Causes ill-defined or unknown	{ M. F.	4 3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	

* Including erysipelas, septicaemia, dysentery, acute poliomyelitis and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1941.

International Nos.	CAUSES OF DEATH.	DUNBARTON COUNTY (excluding Large Burghs).													DUMFRIES BURGH.												
		All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.
	All Causes—Both Sexes . . .	1,153	118	33	16	9	28	40	55	92	177	267	253	65	368	36	9	6	3	14	13	23	43	55	70	68	28
	Males . . .	551	63	15	9	4	11	19	30	54	90	141	92	23	170	15	5	5	2	3	3	12	19	32	38	26	10
	Females . . .	602	56	18	7	5	17	21	25	38	87	126	161	42	198	21	4	1	1	11	10	11	24	23	32	42	18
1	Typhoid fever (including Para-typhoid)
14(1)	Cerebro-spinal fever . . .	1	1	1	1	3	1	1
3	Scarlet fever . . .	1	.	1
4	Whooping-cough . . .	3	2	1	2	1	1
5	Diphtheria . . .	5	2	2	1	1	2	1	.	1	2	.	1	1	.	2	1	.	.
6	Tuberculosis of respiratory system . . .	14	.	.	.	1	10	7	3	2	1	2	.	.	10	.	.	.	4	2	2	1	.	1	.	.	.
7	Other forms of tuberculosis . . .	9	2	1	2	1	2	1	2	2	.	1	.	1	1
9	Syphilis . . .	1	1	.	.	.	2	1	.	.	1
10	Influenza . . .	7	2	1	.	1	1	2	1	.	2	2	.
12	Measles . . .	2	2	2
14(2)	Other infectious or parasitic diseases (2, 8, 11, 13)* . . .	3	1	.	.	1	1	1	.	1	4	3	.	.	1	1	.	.	.
15	Cancer, malignant tumours . . .	56	.	.	1	1	1	2	4	7	15	23	3	1	21	.	.	.	1	.	.	1	4	4	8	3	1
16	Tumours, non-malignant or not defined . . .	66	2	8	21	19	12	3	31	1	11	1	9	7	1	.
20(1)	Acute rheumatism . . .	1	.	.	1	1	1
18	Diabetes mellitus . . .	7	.	.	.	1	4	2	.	2	1	.	.
20(2)	Other general diseases (17, 19) . . .	8	.	1	.	.	.	2	1	2	2	2	3	.	1	.	.	.	1	.	.	1	1	.	1	.	.
21	Meningitis, diseases of spinal cord . . .	2	2	2	1	1	.	.	.	1

1

* Including erysipelas, septicaemia, dysentery, acute poliomyelitis and lethargic encephalitis.

• Including erysipelas, septicæmia, dysentery, acute poliomyelitis and lothargic encephalitis.

• Including erysipelas, septicæmia, dysentery, acute poliomyelitis and lothargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1941.

International Nos. Short List.	CAUSES OF DEATH.	DUNFERMLINE BURGH.														KIRKCALDY BURGH.													
		All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.		
		508	49	9	6	4	9	17	25	46	74	126	109	29	542	40	11	8	1	12	13	26	41	97	183	130	30		
1	Typhoid fever (including Para-typhoid) . . .	M. { F.	1	1		
14 (1)	Cerebro-spinal fever . . .	M. { F.	1	1	1	1	.	1		
3	Scarlet fever . . .	M. { F.		
4	Whooping-cough . . .	M. { F.		
5	Diphtheria . . .	M. { F.	1	.	.	1	1	2	.	1	1	2		
6	Tuberculosis of respiratory system	M. { F.	7	3	1	.	.	1	.	7	1	3	3	2	1	1	.	.	.		
7	Other forms of tuberculosis . . .	M. { F.	1	1	1	1	1	.	2	1	.	1	2		
9	Syphilis . . .	M. { F.	2	1	1	.	.	.	1	1		
10	Influenza . . .	M. { F.	1	1	1	.	.	.		
12	Measles . . .	M. { F.		
14 (2)	Other infectious or parasitic diseases (2, 8, 11, 13)* . . .	M. { F.	1	1	2	.	1		
15	Cancer, malignant tumours . . .	M. { F.	21	1	5	7	6	1	1	84	4	9	8	13	1	1		
16	Tumours, non-malignant or not defined . . .	M. { F.	38	1	.	.	.	3	7	10	8	8	.	39	4	5	11	14	4	1			
20 (1)	Acute rheumatism . . .	M. { F.	2	1	3	1	.	.	1		
18	Diabetes mellitus . . .	M. { F.	1	.	.	1		
20 (2)	Other general diseases (17, 19) . . .	M. { F.	4	1	1	1	1	1	.	4	1	.	.	.	1	1	1	.	.		
21	Meningitis, diseases of spinal cord	M. { F.	5	1	1	2	1	1	.	2	1	2	3	.	.	.		
(a)			2	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	1	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)			
			2	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	1	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)			

* Including erysipelas, septicæmia, dysentery, acute poliomyelitis and lethargic encephalitis.

* Including erysipelas, septicæmia, dysentery, acute poliomyelitis and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1941.

International Nos. Short List.	CAUSES OF DEATH.	FIFE COUNTY (excluding Large Burghs).													INVERNESS BURGH.												
		All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.
	All Causes—Both Sexes . . .	2,559	237	83	20	14	73	92	115	215	387	598	548	177	369	38	6	.	.	5	10	19	34	40	96	92	29
	Males . . .	1,266	137	35	7	8	37	42	60	110	214	299	260	57	179	23	3	.	.	1	4	12	18	21	48	36	13
	Females . . .	1,293	100	48	13	6	36	50	55	105	173	299	288	120	190	15	3	.	.	4	6	7	16	19	48	56	16
1	Typhoid fever (including Para-typhoid) . . .	2	2
14 (1)	Cerebro-spinal fever . . .	4	2	4	.	.	2	1	1	2	1	1	1
3	Scarlet fever
4	Whooping-cough . . .	11	6	5	1	1
5	Diphtheria . . .	6	.	5	2	1	1	1	.	.	.	1
6	Tuberculosis of respiratory system . . .	27	.	1	.	1	3	10	3	3	5	1	1	.	6	1	.	.	1	4	2	1	1
7	Other forms of tuberculosis . . .	15	4	2	2	1	5	1	1	.	1	2	.	.	2	.	1	1
9	Syphilis . . .	2	1	2	.	1
10	Influenza . . .	18	1	1	.	.	1	.	3	2	3	3	4	2	2	1	1	1	.	2	.	.
12	Measles	1	1
14 (2)	Other infectious or parasitic diseases (2, 8, 11, 13)* . . .	4	.	.	.	1	2	1	.	1	2	.	.	.	1
15	Cancer, malignant tumours . . .	155	2	1	9	20	50	45	24	4	21	.	1	3	5	9	1	1	1
16	Tumours, non-malignant or not defined . . .	180	1	1	11	22	43	64	30	8	30	2	2	6	5	9	5	1
20 (1)	Acute rheumatism . . .	2	1	1	1	.	.	.	1	2	1	.	1	.	1	1
18	Diabetes mellitus . . .	3	1	1	1	.	1	.	.	.	1
20 (2)	Other general diseases (17, 19) . . .	13	1	1	5	4	2	1
		18	1	1	3	6	5
20 (2)		17	1	2	.	1	1	1	1	4	4	2	1	1	2
21	Meningitis, diseases of spinal cord . . .	29	1	1	.	1	1	1	1	5	7	7	3	1	5	1	1	.	.	.
(a)		2	1	1	.	.	.	1	1	.	1	5	2	.	1	1
		10	(a)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)	(aa)	(ab)

[illegible]

* Including erysipelas, septicaemia, dysentery, acute poliomyelitis and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1941.

International Nos.	CAUSES OF DEATH.	INVERNESS COUNTY (excluding Inverness Burgh).													KINCARDINE COUNTY (excluding portion of Aberdeen Burgh).												
		All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.
	All Causes—Both Sexes . . .	878	54	12	3	5	25	28	34	57	97	178	260	125	866	40	7	6	1	8	9	11	18	38	88	102	88
	Males . . .	459	35	9	1	4	16	13	21	28	56	91	129	66	187	28	2	3	.	2	8	6	6	17	46	55	14
	Females . . .	419	19	3	2	1	9	15	13	29	41	87	131	69	179	12	5	3	1	6	1	5	12	21	42	47	24
1	Typhoid fever (including Para-typhoid) . . .	1	1
14 (1)	Cerebro-spinal fever . . .	2	.	.	.	1	.	.	.	1	2	.	2
3	Scarlet fever	1	.	1
4	Whooping-cough . . .	3	1	1
5	Diphtheria . . .	2	1	.	.	.	1	.	.	.	1	.	.	1
6	Tuberculosis of respiratory system . . .	16	4	4	4	1	1	2	.	1	3	1	1	1
7	Other forms of tuberculosis . . .	2	1	.	.	.	1	.	.	.	2	1	1	.	.	.	1
9	Syphilis . . .	2	1	.	.	.	1	1
10	Influenza . . .	14	1	.	.	.	1	.	.	2	1	3	7	1	1	1
12	Measles	1
14 (2)	Other infectious or parasitic diseases (2, 8, 11, 13) . . .	2	.	.	1	1
15	Cancer, malignant tumours . . .	48	2	5	10	16	11	4	18	3	9	6	.
16	Tumours, non-malignant or not defined . . .	2	1	9	6	19	12	2	27	.	.	.	1	.	.	1	4	6	9	6	.
20 (1)	Acute rheumatism . . .	1	1	1
18	Diabetes mellitus . . .	3	1	1	.	.	1	.	.	1	1	.	1
20 (2)	Other general diseases (17, 19) . . .	6	1	1	.	1	1	3	1	2	1	1	2	.	.
21	Meningitis, diseases of spinal cord . . .	6	2	.	2	.	.	1	.	.	1
(a)		2	1
		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)

[illegible]

* Including erysipelas, septicemia, dysentery, acute poliomyelitis and lethargic encephalitis.

[illegible]

* Including erysipelas, septicemia, dysentery, acute poliomyelitis and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1941.

CAUSES OF DEATH.		AIRDRIE BURGH.													COATBRIDGE BURGH.												
		All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.
International Nos.	Short List.	349	49	10	2	4	7	6	16	27	59	88	68	18	604	100	27	7	5	18	24	26	59	90	124	109	15
1	All Causes—Both Sexes . .	202	30	4	1	2	2	2	7	20	41	53	31	9	342	53	19	5	3	6	14	13	41	56	66	59	7
14(1)	Males . .	147	19	6	1	2	5	4	9	7	18	35	32	9	262	47	8	2	2	12	10	13	18	34	58	50	8
3	Females . .																										
4	Typhoid fever (including typhoid) . .																										
5	Para- { M. F.																										
6	Cerebro-spinal fever . .	2	1	1	11	4	6	1
7	Scarlet fever . .	6	3	3	12	8	3	1
8	Whooping-cough	3
9	Para- { M. F.																										
10	Tuberculosis of respiratory system .	1	16	3	2	.	2	4	1	.	.
11	Para- { M. F.														12	7
12	Other forms of tuberculosis . .	1	.	1	5	1	2	1	.	.	1
13	Para- { M. F.														2
14	Syphilis
15	Para- { M. F.
16	Influenza . .	4	.	1	1	.	3	.	1	.	4
17	Para- { M. F.														4
18	Measles
19	Other infectious or parasitic diseases { M. F.	1	1	4	.	1	.	.	1	.	.	1	.	1	.	.
20	(2, 8, 11, 13)*
21	Cancer, malignant tumours . .	22	5	7	7	2	1	31	.	.	1	5	9	6	7	1
22	Para- { M. F.	13	1	2	2	6	1	1	28	1	.	4	5	9	4	.
23	Tumours, non-malignant or not defined . .	1	1
24	Para- { M. F.
25	Acute rheumatism
26	Para- { M. F.														1
27	Diabetes mellitus . .	4	1	1	2	.	.	4
28	Para- { M. F.														1
29	Other general diseases (17, 19) . .	1	4
30	Para- { M. F.	2	7	.	2	1	1	2	1	.	.
31	Meningitis, diseases of spinal cord	3	1	1	2	1	1
32	Para- { M. F.														3

* Including erysipelas, septicaemia, dysentery, acute poliomyelitis and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1941.

International Nos.	CAUSES OF DEATH.	GLASGOW BURGH.													HAMILTON BURGH.												
		All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.
1	Typhoid fever (including typhoid) {M. F.	2	1	.	.	1
14 (1)	Cerebro-spinal fever {M. F.	42 39	15 11	10 12	4 3	2 2	2 4	1 1	3 2	3 2	4 2	.	.	.	1
3	Scarlet fever {M. F.	3 3	1 1	1 1	2 .	.	1
4	Whooping-cough {M. F.	119 168	64 70	54 91	1 7	1 3
5	Diphtheria {M. F.	80 75	4 4	54 26	17 33	3 5	3 .	2	1 1
6	Tuberculosis of respiratory system {M. F.	598 534	3 4	16 13	7 3	8 10	100 227	129 147	121 68	110 86	76 18	26 5	2 3	.	18 19	1 .	1 .	.	.	4 12	6 4	2 1	.	.	1 .	.	.
7	Other forms of tuberculosis {M. F.	163 171	12 10	35 89	19 17	26 23	35 53	16 10	5 10	9 5	1 1	1 .	.	.	11 10	3 6	3 .	1 .	1 .	4 2	.	.	1
9	Syphilis {M. F.	56 13	3	7 3	9 3	23 5	14 2	.	.	2	2
10	Influenza {M. F.	60 47	5 4	1 .	.	.	2 2	1 1	8 3	16 5	11 2	11 12	7 15	1 3	4 4	1 2	1	2 .	1 .	1
12	Measles {M. F.	6 5	2 4	3 1	1	1 .	.	1
14 (2)	Other infectious or parasitic diseases (2, 8, 11, 13)* {M. F.	48 26	11 3	3 1	2 1	.	4 .	5 5	7 8	6 2	6 4	3 1	1 2	.	2	2
15	Cancer, malignant tumours {M. F.	976 916	.	3 3	1 .	1 .	6 4	18 19	68 60	153 170	268 218	333 279	122 146	3 17	28 22	1 .	2 1	2 1	1 2	8 7	10 10	3 1	1 .
16	Tumours, non-malignant or defined {M. F.	18 38	2 1	1 3	4 9	4 12	3 6	2 3	1 2	1 .	1 1	1 .	.	1
20 (1)	Acute rheumatism {M. F.	11 24	.	1 .	3 .	3 5	4 9	2 1	.	2 .	.	2 .	.	.	1 .	.	.	1
18	Diabetes mellitus {M. F.	39 95	1 1	4 5	2 1	7 12	9 31	10 30	7 13	1 1	1 6	.	.	.	1 .	1 .	.	.	1 .	4
20 (2)	Other general diseases (17, 19) {M. F.	80 140	7 4	2 3	1 2	2 1	3 4	1 6	4 17	9 25	18 26	24 33	9 20	.	5 5	.	1 .	.	.	1 .	1 .	.	1 .	2 .	1 .	1 2	.
21	Meningitis, diseases of spinal cord (b) {M. F.	43 26	10 5	5 5	1 1	1 .	2 .	2 1	6 .	8 4	7 3	2 2	1 3	.	1 3	.	1	1 .	1 .	1 .	1 .	1 .	(c)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)
22	Cerebral hæmorrhage, &c..	{ M. F. } 637 744	2 2	8 .	1 .	1 .	2 .	6 .	17 .	46 .	130 .	270 .	143 .	16 .
23	Other diseases of nervous system	{ M. F. } 182 124	67 50	8 11	2 3	1 .	6 .	7 .	8 .	8 .	9 .	9 .	7 .	1 .
24	Heart disease	{ M. F. } 1752 1600	2 2	2 .	4 1	5 3	13 .	18 .	68 .	181 .	393 .	521 .	393 .	52 .
25	Other circulatory diseases	{ M. F. } 104 83	.	2 .	.	.	1 .	.	1 .	4 .	15 .	39 .	37 .	5 .
26	Bronchitis	{ M. F. } 569 391	56 30	5 8	1 1	.	4 .	7 .	40 .	80 .	131 .	166 .	77 .	12 .
27	Pneumonia	{ M. F. } 651 499	239 190	43 58	6 3	2 3	8 .	10 .	41 .	70 .	97 .	87 .	41 .	7 .
28	Other respiratory diseases	{ M. F. } 126 91	9 11	4 3	3 .	.	4 .	4 .	3 .	13 .	22 .	41 .	12 .	5 .
32 (1)	Gastric and duodenal ulcer	{ M. F. } 147 22	2 .	9 .	32 .	30 .	38 .	29 .	7 .	.
29	Diarrhoea (all ages)	{ M. F. } 230 175	202 120	14 16	2 .	1 .	3 .	6 .	2 .	1 .	3 .	5 .	2 .	.
30	Appendicitis	{ M. F. } 19 22	1 .	1 .	3 .	2 .	1 .	3 .	4 .	4 .	4 .	3 .	1 .	.
31 (1)	Cirrhosis of liver	{ M. F. } 17 15	4 .	4 .	6 .	1 .	.
31 (2)	Other diseases of liver	{ M. F. } 18 42	1 .	1 .	5 .	6 .	10 .	13 .	5 .	2 .
32 (2)	Other digestive diseases	{ M. F. } 100 102	15 5	5 5	1 1	3 2	1 .	6 .	5 .	12 .	15 .	27 .	9 .	1 .
33	Nephritis, acute or chronic	{ M. F. } 129 130	.	1 .	2 .	1 .	2 .	10 .	15 .	20 .	23 .	39 .	14 .	3 .
34	Other diseases of genito-urinary system	{ M. F. } 166 53	5 1	.	1 .	.	2 .	2 .	6 .	11 .	32 .	58 .	44 .	8 .
35	Puerperal sepsis	{ M. F. } 52 69	4 .	26 .	22
36	Other puerperal causes	{ M. F. } 52 28	12 9	4 .	2 2	.	4 .	1 .	1 .	5 .	9 .	6 .	7 .	1 .
37	Diseases of skin and organs of movement	{ M. F. } 544 409	535 400	3 2	1 .	.	1 .	1 .	2 .	1 .	1 .	1 .	.	.
38	Congenital debility, premature birth, malformation, &c.	{ M. F. } 150 160	4 .	36 .	80 .	4 .
39	Old age	{ M. F. } 37 28	1 .	5 .	7 .	5 .	11 .	6 .	2 .	.
40	Suicide	{ M. F. } 227 73	1 .	16 9	20 11	11 6	13 .	11 .	22 .	24 .	52 .	43 .	11 .	3 .
42	Road transport accidents	{ M. F. } 1375 172	24 10	12 17	16 8	12 2	28 .	33 .	52 .	67 .	61 .	39 .	26 .	4 .
43	Other violence (41)	{ M. F. } 234 133	5 3	1 .	.	.	2 .	4 .	10 .	39 .	72 .	73 .	26 .	6 .
44	Causes ill-defined or unknown	{ M. F. }

* Including erysipelas, septicaemia, dysentery, acute poliomyelitis and lethargic encephalitis.

† Including 1 of unstated age.

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)
22	Cerebral hemorrhage, &c.	{ M. F. }	44 36	2 1	17 12	11 11	2 1	11 14	3 5	52 50	1 1	12 18	1 3	5 9
23	Other diseases of nervous system	{ M. F. }	6 5	2 2	1 1	1 1	1 1	3 5	10 8	13 7	1 1	46 32	17 19	2 6
24	Heart disease	{ M. F. }	91 88	2 1	3 3	12 12	10 8	1 1	1 1	1 1	1 1	5 4	4 4	2 1
25	Other circulatory diseases	{ M. F. }	6 5	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
26	Bronchitis	{ M. F. }	27 14	5 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
27	Pneumonia	{ M. F. }	31 8	5 5	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
28	Other respiratory diseases	{ M. F. }	5 4	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
32 (1)	Gastric and duodenal ulcer	{ M. F. }	8 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
29	Diarrhea (all ages)	{ M. F. }	12 10	8 8	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
30	Appendicitis	{ M. F. }	3 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
31 (1)	Cirrhosis of liver	{ M. F. }	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
31 (2)	Other diseases of liver	{ M. F. }	1 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
32 (2)	Other digestive diseases	{ M. F. }	3 5	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
33	Nephritis, acute or chronic	{ M. F. }	7 6	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
34	Other diseases of genito-urinary system	{ M. F. }	7 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
35	Puerperal sepsis	{ M. F. }	3 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
36	Other puerperal causes	{ M. F. }	3 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
37	Diseases of skin and organs of movement	{ M. F. }	6 6	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
38	Congenital debility, premature birth, malformation, &c.	{ M. F. }	26 18	26 17	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
39	Old age	{ M. F. }	10 11	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
40	Suicide	{ M. F. }	1 2	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
42	Road transport accidents	{ M. F. }	8 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
43	Other violence (41)	{ M. F. }	23 3	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1
44	Causes ill-defined or unknown	{ M. F. }	10 6	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1	1 1

* Including erysipelas, septicæmia, dysentery, acute poliomyelitis and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1941.

International Nos. Short List.		CAUSES OF DEATH.	LANARK COUNTY (excluding Large Burghs).													EDINBURGH BURGH.												
			All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.
1	14(1)	3	2	3	4	6	10	19	35	15	16	74	85	35	30	7	20	5	19	10	15	27	31	14	4	1	1	1
3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
14(2)	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
20(1)	20(2)	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47
1	14(1)	3	2	3	4	6	10	19	35	15	16	74	85	35	30	7	20	5	19	10	15	27	31	14	4	1	1	1
3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
14(2)	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
20(1)	20(2)	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47
1	14(1)	3	2	3	4	6	10	19	35	15	16	74	85	35	30	7	20	5	19	10	15	27	31	14	4	1	1	1
3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
14(2)	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
20(1)	20(2)	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47
1	14(1)	3	2	3	4	6	10	19	35	15	16	74	85	35	30	7	20	5	19	10	15	27	31	14	4	1	1	1
3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
14(2)	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
20(1)	20(2)	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47
1	14(1)	3	2	3	4	6	10	19	35	15	16	74	85	35	30	7	20	5	19	10	15	27	31	14	4	1	1	1
3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
14(2)	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
20(1)	20(2)	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47
1	14(1)	3	2	3	4	6	10	19	35	15	16	74	85	35	30	7	20	5	19	10	15	27	31	14	4	1	1	1
3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
14(2)	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
20(1)	20(2)	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47
1	14(1)	3	2	3	4	6	10	19	35	15	16	74	85	35	30	7	20	5	19	10	15	27	31	14	4	1	1	1
3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
14(2)	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
20(1)	20(2)	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47
1	14(1)	3	2	3	4	6	10	19	35	15	16	74	85	35	30	7	20	5	19	10	15	27	31	14	4	1	1	1
3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
14(2)	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
20(1)	20(2)	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47
1	14(1)	3	2	3	4	6	10	19	35	15	16	74	85	35	30	7	20	5	19	10	15	27	31	14	4	1	1	1
3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
14(2)	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
20(1)	20(2)	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47
1	14(1)	3	2	3	4	6	10	19	35	15	16	74	85	35	30	7	20	5	19	10	15	27	31	14	4	1	1	1
3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
14(2)	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
20(1)	20(2)	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47
1	14(1)	3	2	3	4	6	10	19	35	15	16	74	85	35	30	7	20	5	19	10	15	27	31	14	4	1	1	1
3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
14(2)	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
20(1)	20(2)	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47
1	14(1)	3	2	3	4	6	10	19	35	15	16	74	85	35	30	7	20	5	19	10	15	27	31	14	4	1	1	1
3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
14(2)	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
20(1)	20(2)	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47
1	14(1)	3	2	3	4	6	10	19	35	15	16	74	85	35	30	7	20	5	19	10	15	27	31	14	4	1	1	1
3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
14(2)	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
20(1)	20(2)	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47
1	14(1)	3	2	3	4	6	10	19	35	15	16	74	85	35	30	7	20	5	19	10	15	27	31	14	4	1	1	1
3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
14(2)	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
20(1)	20(2)	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47
1	14(1)	3	2	3	4	6	10	19	35	15	16	74	85	35	30	7	20	5	19	10	15	27	31	14	4	1	1	1
3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
14(2)	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42
20(1)	20(2)	21	22	23	24	25	26	27	28																			

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)
22	Cerebral hæmorrhage, &c..	{ M. 158 F. 168	1 2	2 1	8 9	3 4	40 32	61 46	2 8
23	Other diseases of nervous system	{ M. 30 F. 40	6 9	3 .	1 2	1 .	2 .	4 1	3 5	3 4	4 6	8 4	9 8	2
24	Heart disease	{ M. 417 F. 417	.	.	2 7	2 7	7 .	3 11	18 22	36 52	80 75	148 121	102 103	21 24
25	Other circulatory diseases	{ M. 36 F. 21	1 2	1 .	7 2	10 4	13 9	5 3
26	Bronchitis	{ M. 124 F. 65	8 9	4 .	1 .	1 .	2 .	3 2	3 2	18 13	30 9	25 21	25 17	5 2
27	Pneumonia	{ M. 116 F. 75	44 34	12 10	2 1	2 1	4 2	2 3	6 6	13 14	14 12	13 7	5 2	1 2
28	Other respiratory diseases	{ M. 30 F. 19	.	1 4	1 .	1 .	.	1 .	3 1	5 3	5 4	7 6	6 .	1 1
32 (1)	Gastric and duodenal ulcer	{ M. 34 F. 4	.	.	2 .	2 .	2 .	4 1	5 .	8 .	8 2	5 .	2 .	1 .
29	Diarrhoea (all ages)	{ M. 50 F. 33	35 19	7 5	1 .	1 .	.	1 .	1 2	2 2	1 .	2 2	2 1	.
30	Appendicitis	{ M. 9 F. 3	.	.	3 .	3 .	1 .	1 .	.	1 .	4
31 (1)	Cirrhosis of liver	{ M. 2 F. 4	.	1	1 .	1 .	.	1
31 (2)	Other diseases of liver	{ M. 8 F. 15	1 .	2 .	3 6	1 4	3 2	1 .
32 (2)	Other digestive diseases	{ M. 22 F. 24	8 1	2 1	1 .	1 .	1 .	.	2 1	1 3	4 7	4 5	2 .	2 .
33	Nephritis, acute or chronic	{ M. 38 F. 37	.	1 .	1 .	1 .	2 .	6 .	8 6	5 4	8 11	9 10	2 5	1 .
34	Other diseases of genito-urinary system	{ M. 33 F. 14	1 .	1 .	3 .	16 3	12 2	.
35	Puerperal sepsis	{ M. 17 F. 11	3 2	3 2	1 .	1 .	1 .	1 1	6
36	Other puerperal causes	{ M. 30 F.	8 15	12 .	12
37	Diseases of skin and organs of movement	{ M. 155 F. 129	154 126	1 .	1 .	1 .	.	1 .	2 .	3 .	1 .	3 .	4 .	.
38	Congenital debility, premature birth, malformation, &c.	{ M. 69 F. 97
39	Old age	{ M. 15 F. 2
40	Suicide	{ M. 46 F. 15	.	4 3	8 4	4 1	5 1	2 .	4 2	4 1	6 1	7 2	2 .	.
42	Road transport accidents	{ M. 90 F. 34	3 2	3 3	3 5	3 1	10 .	16 1	16 1	15 4	11 1	5 5	5 9	2 .
48	Other violence (41)	{ M. 42 F. 29	7 1	.	.	.	1 1	1 .	2 2	2 1	10 2	17 14	3 7	.
44	Causes ill-defined or unknown	{ M.

* Including erysipelas, septicaemia, dysentery, acute poliomyelitis and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1941.

International Nos.	Short List.	CAUSES OF DEATH.	MIDLOTHIAN COUNTY (excluding Edinburgh Burgh).													MORAY COUNTY.												
			All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.
		All Causes—Both Sexes . .	1,005	98	26	4	16	30	25	39	89	186	249	222	71	†629	63	7	5	4	16	16	24	53	79	140	156	62
		Males . .	496	59	15	1	9	12	12	14	37	70	125	109	33	†306	33	4	4	7	7	3	11	21	40	84	70	22
		Females . .	509	39	11	3	7	18	13	25	52	66	124	113	38	823	30	3	1	1	9	13	13	32	39	56	86	40
1		Typhoid fever (including Para-typhoid)
14 (1)		Cerebro-spinal fever	2	1	1	1	.	.	1	.	.	1	.	.	.	1	.	.	.	1
3		Scarlet fever	1	1	.	.	1	1	.	.	1
4		Whooping-cough	6	5	1	1	1
5		Diphtheria	3	.	1	.	1	.	1	1
6		Tuberculosis of respiratory system	11	2	2	3	4	2	.	1	.	7	1	.	.	.	2	.	2	.	1	.	.	.
7		Other forms of tuberculosis	6	.	2	.	3	.	1	.	3	2	1	1	1
9		Syphilis	1	1	2	1	1
10		Influenza	1	1	.	.	.	1	3	1	.	.	1
12		Measles	1	1	3	2	.	.	1
14 (2)		Other infectious or parasitic diseases (2, 8, 11, 13)*	1	1	3	.	.	.	1
15		Cancer, malignant tumours	70	1	5	10	16	23	16	4	48	.	.	.	1	.	3	1	5	14	23	5	1
16		Tumours, non-malignant or not defined	57	1	.	1	13	12	14	11	2	41	1	7	12	9	7	.
20 (1)		Acute rheumatism	1	.	.	1	1	1
18		Diabetes mellitus	2	2	3	4	4	.	2	.	.	.	1	1	.	.	.	1	1	.	.
20 (2)		Other general diseases (17, 19)	6	1	1	.	.	2	.	1	.	.	2	1	.	6	1	4	2	2	.	.
21	(a)	Meningitis, diseases of spinal cord (b)	5	1	2	.	1	2	1	1	1	.	1	.	.	.	(c)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)
22	Cerebral hemorrhage, &c.	{ M. 47 F. 78 }	1	1	2	2	2	2	2	2	2	2	13	16
23	Other diseases of nervous system	{ M. 6 F. 9 }	2	2	2	2	2	2	2	2	2	2	22	22
24	Heart disease	{ M. 130 F. 132 }	1	1	1	1	1	1	1	1	1	1	25	25
25	Other circulatory diseases	{ M. 12 F. 8 }	1	1	1	1	1	1	1	1	1	1	24	24
26	Bronchitis	{ M. 21 F. 20 }	4	4	4	4	4	4	4	4	4	4	4	4
27	Pneumonia	{ M. 13 F. 19 }	7	7	7	7	7	7	7	7	7	7	6	6
28	Other respiratory diseases	{ M. 6 F. 11 }	1	1	1	1	1	1	1	1	1	1	1	1
33 (1)	Gastric and duodenal ulcer	{ M. 7 F. 2 }	1	1	1	1	1	1	1	1	1	1	1	1
29	Diarrhoea (all ages)	{ M. 5 F. 5 }	1	1	1	1	1	1	1	1	1	1	1	1
30	Appendicitis	{ M. 4 F. 4 }	1	1	1	1	1	1	1	1	1	1	1	1
31 (1)	Cirrhosis of liver	{ M. 1 F. 1 }	1	1	1	1	1	1	1	1	1	1	1	1
31 (2)	Other diseases of liver	{ M. 3 F. 9 }	1	1	1	1	1	1	1	1	1	1	2	2
32 (2)	Other digestive diseases	{ M. 13 F. 13 }	1	1	1	1	1	1	1	1	1	1	1	1
33	Nephritis, acute or chronic	{ M. 19 F. 17 }	1	1	1	1	1	1	1	1	1	1	2	2
34	Other diseases of genito-urinary system	{ M. 14 F. 2 }	1	1	1	1	1	1	1	1	1	1	1	1
35	Puerperal sepsis	{ M. 2 F. 2 }	1	1	1	1	1	1	1	1	1	1	2	2
36	Other puerperal causes	{ M. 1 F. 1 }	1	1	1	1	1	1	1	1	1	1	1	1
37	Diseases of skin and organs of movement	{ M. 3 F. 3 }	1	1	1	1	1	1	1	1	1	1	1	1
38	Congenital debility, premature birth, malformation, &c.	{ M. 29 F. 20 }	27	27	27	27	27	27	27	27	27	27	8	8
39	Old age	{ M. 8 F. 11 }	1	1	1	1	1	1	1	1	1	1	15	15
40	Suicide	{ M. 5 F. 5 }	1	1	1	1	1	1	1	1	1	1	2	2
42	Road transport accidents	{ M. 13 F. 3 }	1	1	1	1	1	1	1	1	1	1	1	1
43	Other violence (41)	{ M. 22 F. 16 }	1	1	1	1	1	1	1	1	1	1	1	1
44	Causes ill-defined or unknown	{ M. 10 F. 4 }	1	1	1	1	1	1	1	1	1	1	1	1

* Including erysipelas, septicaemia, dysentery, acute poliomyelitis and lethargic encephalitis.
† Including 4 of unstated age.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1941.

International Nos.	CAUSES OF DEATH.	NAIRN COUNTY.												ORKNEY COUNTY.													
		All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.
	All Causes—Both Sexes . .	144	16	3	.	.	1	2	9	9	21	36	34	13	†383	24	5	5	.	10	16	18	32	42	82	97	51
	Males	74	9	1	.	.	1	1	4	4	7	20	22	6	†196	12	.	2	.	7	11	12	17	19	44	51	20
	Females	70	7	2	.	.	1	1	5	5	14	16	12	7	187	12	5	3	.	3	5	6	15	23	38	46	31
1	Typhoid fever (including Para-typhoid)	{M. F.}
14 (1)	Cerebro-spinal fever	{M. F.}	1	1
3	Scarlet fever	{M. F.}
4	Whooping-cough	{M. F.}	1	2	3
5	Diphtheria	{M. F.}	1	.	1	1
6	Tuberculosis of respiratory system	{M. F.}	2	.	.	.	1	.	.	1	6	6	.	.	1	4	1	2	.	.	1	.	.
7	Other forms of tuberculosis	{M. F.}	1	.	1	1	1	1
9	Syphilis	{M. F.}	1	1	1	1	.
10	Influenza	{M. F.}	1	1	4	.	1	4	.	3	2	.
12	Measles	{M. F.}
14 (2)	Other infectious or parasitic diseases (2, 8, 11, 13)*	{M. F.}	3	2	.
15	Cancer, malignant tumours	{M. F.}	9	1	1	4	3	1	.	13	1	.	.	1	.	.	1	2	6	2	1	.
16	Tumours, non-malignant or not defined	{M. F.}	17	5	8	2	.	17	2	4	8	1	.
20 (1)	Acute rheumatism	{M. F.}	2	1	1	1	1
18	Diabetes mellitus	{M. F.}	2	1	1	1	.	.	.	2	1	1
20 (2)	Other general diseases (17, 19)	{M. F.}	3	1	.	.	2	.	.	3	3	.	1	.	1	1	.	1	2	2	1	.
21	Meningitis, diseases of spinal cord	{M. F.}	1	2	1	1	2	.	.	.	(o)
(a)	(b)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)
22	Cerebral hamorrhage, &c.	{ M. F.	12 7	2	4	5	10	2
23	Other diseases of nervous system	{ M. F.	8
24	Heart disease	{ M. F.	15 12	4	13	19	9
25	Other circulatory diseases	{ M. F.	2 2	6	12	19	17
26	Bronchitis	{ M. F.	2 5	1	.	.	1	.
27	Pneumonia	{ M. F.	4 1	3	1	3	3	3
28	Other respiratory diseases	{ M. F.	2	1	.	1	1	1
32 (1)	Gastric and duodenal ulcer	{ M. F.	1 1	1	1	.	.
29	Diarrhoea (all ages)	{ M. F.
30	Appendicitis	{ M. F.	1	.	.
31 (1)	Cirrhosis of liver	{ M. F.	1	.	.
31 (2)	Other diseases of liver	{ M. F.	1	1	1	.	.
32 (2)	Other digestive diseases	{ M. F.	2	1	1	.	.
33	Nephritis, acute or chronic	{ M. F.	2	1	2	1	1
34	Other diseases of genito-urinary system	{ M. F.	2	1	1	1	2
35	Puerperal sepsis	F.
36	Other puerperal causes	F.	1	1
37	Diseases of skin and organs of movement	{ M. F.	1	.	.	.	1
38	Congenital debility, premature birth, malformation, &c.	{ M. F.	6 5	6 5
39	Old age	{ M. F.	4 3	1	4	5
40	Suicide	{ M. F.	1	.	.	.
42	Road transport accidents	{ M. F.	1	1	.	.	2	.	.	.
43	Other violence (41)	{ M. F.	1 1	1	1	2
44	Causes ill-defined or unknown	{ M. F.	1	1	.

* Including erysipelas, septicaemia, dysentery, acute poliomyelitis and lethargic encephalitis.

† Including 1 of unstated age.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1941.

International Nos. Short List.		CAUSES OF DEATH.	PEEBLES COUNTY.													PERTH BURGH.												
			All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.
		All Causes—Both Sexes . .	186	7	1	2	3	5	6	13	27	59	46	17	496	42	6	12	2	7	11	20	41	77	120	116	42	
		Males	78	3	2	2	1	3	3	7	12	24	18	8	238	24	3	6	1	2	3	8	20	40	57	51	19	
		Females	108	4	1	1	3	4	3	6	15	35	28	9	258	18	3	6	1	5	8	21	37	63	65	23		
1		Typhoid fever (including Para-typhoid)																										
14(1)		Cerebro-spinal fever	1									1			1		1											
3		Scarlet fever																										
4		Whooping-cough	1	1																								
5		Diphtheria													3		1			1								
6		Tuberculosis of respiratory system	3				2	1	2		1			7				1	2	2	4							
7		Other forms of tuberculosis												5						1								
9		Syphilis	1											1						1			1					
10		Influenza	3						1				1	2											2	1		
12		Measles	1																									
14(2)		Other infectious or parasitic diseases (2, 8, 11, 13)*	1									1			2								1					
15		Cancer, malignant tumours	9								2	3	4		30						1		3	12	9		2	
16		Tumours, non-malignant or not defined	21								7	9	2		37								5	11	10	8	1	
20(1)		Acute rheumatism	1										1	2											2			
18		Diabetes mellitus	2												4					2			1				1	
20(2)		Other general diseases (17, 19)	3	1				1				1			5													
21	(a)	Meningitis, diseases of spinal cord													1												(o)	
			(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)
22	Cerebral hæmorrhage, &c.	{ M. F. }	10 13	3 2	4 7	13 10	6 17	2 2
23	Other diseases of nervous system	{ M. F. }	3	1	1	2	2	.
24	Heart disease	{ M. F. }	18 33	1	6	8	15	10	2
25	Other circulatory diseases	{ M. F. }	3 4	2	4	6	21	15	6
26	Bronchitis	{ M. F. }	1 5	1	1	2	4	5	1
27	Pneumonia	{ M. F. }	6 3	1	1	.	.	.	1	1	1	1	1	1
28	Other respiratory diseases	{ M. F. }	1 2	1	1	3	1	2	2
32 (1)	Gastric and duodenal ulcer.	{ M. F. }	2 1	1	1	3	1	1	.
29	Diarrhoea (all ages)	{ M. F. }	1	.	1	.
30	Appendicitis	{ M. F. }
31 (1)	Cirrhosis of liver	{ M. F. }	1
31 (2)	Other diseases of liver	{ M. F. }	1 2	1	.	1	1	.
32 (2)	Other digestive diseases	{ M. F. }	1	.	1	1	.
33	Nephritis, acute or chronic	{ M. F. }	2 1	1	1	1	2	1
34	Other diseases of genito-urinary system	{ M. F. }	3	2	2	2	4	.
35	Puerperal sepsis	{ M. F. }
36	Other puerperal causes	{ M. F. }	1	1
37	Diseases of skin and organs of movement	{ M. F. }	1	1
38	Congenital debility, premature birth, malformation, &c.	{ M. F. }	1 2	1 2
39	Old age	{ M. F. }	5 1	2	5	8
40	Suicide	{ M. F. }	2	.	5	.
42	Road transport accidents	{ M. F. }	2	1	.	1	1	1	.
43	Other violence (41)	{ M. F. }	2 1	2	1	2	3	1
44	Causes ill-defined or unknown	{ M. F. }	3 1	1	1	1	.

* Including erysipelas, septicaemia, dysentery, acute poliomyelitis and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1941.

CAUSES OF DEATH.		PERTH COUNTY (excluding Perth Burgh).														GREENOCK BURGH.														
		All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.			
International No.	Short List.	1297	81	22	11	5	30	88	40	72	159	332	381	131	1,143	187	40	12	16	55	55	74	127	161	262	168	34	14	20	
1	All Causes—Both Sexes	634	46	12	7	4	13	19	25	41	68	179	168	52	†644	77	25	8	7	21	36	42	82	105	186	89	14			
14 (1)	Males	663	85	10	4	1	17	14	15	31	91	153	213	79	499	60	15	4	9	34	19	32	45	56	126	79	20			
3	Females																													
4	Typhoid fever (including typhoid)														1															
14 (1)	Cerebro-spinal fever	2		2						1					1						1									
3	Scarlet fever														1															
4	Whooping-cough	1	1												2		2													
5	Diphtheria	4		1	2		1								2		2													
6	Tuberculosis of respiratory system	22		1				2	5	5	5	2			53				2	11	15	9	10	6	1					
7	Other forms of tuberculosis	13		1			3	3	2	2	2				37				2	17	8	5	2	2	1					
9	Syphilis	5	1								2				1															
10	Influenza	7				1		1					1	1	10	1														
12	Measles	2		1	1								1		1		1													
14 (2)	Other infectious or parasitic diseases (2, 8, 11, 13)*	4		1	1			1	1	1	1				6					2	1	1	4							
15	Cancer, malignant tumours	81						2	1	3	15	30	24	6	62					1	1	3	11	14	19	14				
16	Tumours, non-malignant or not defined	86				1		1	4	11	16	23	21	9	60					1	1	6	8	15	21	8				
20 (1)	Acute rheumatism	2					2				1				2			1												
18	Diabetes mellitus	6								1					4															
20 (2)	Other general diseases (17, 19)	7													9															
21	Meningitis, diseases of spinal cord	14									2	3	3	1	5															
(a)		4	1												1	1														(o)
		5													1															(n)
		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)				(o)

22	Cerebral hemorrhage, &c.	{ M. F. }	65 98	1	2	1	1	4	4	6	23	26	5	7	148	59	14	14	2	3	2	3	2	1	4	5	18	22	31	24	7	3	6
23	Other diseases of nervous system	{ M. F. }	11 10	2	2	1	2	3	9	11	51	56	15	25	109	87	13	6	2	3	2	3	2	1	4	5	18	22	31	24	7	3	6
24	Heart disease	{ M. F. }	146 182	1	1	1	1	3	9	21	45	81	25	8	109	87	13	6	2	3	2	3	2	1	4	5	18	22	31	24	7	3	6
25	Other circulatory diseases	{ M. F. }	18 25	1	1	1	1	1	1	1	7	4	5	8	13	6	2	3	2	3	2	3	2	1	4	5	18	22	31	24	7	3	6
26	Bronchitis	{ M. F. }	23 24	1	1	1	1	1	1	1	3	7	5	13	38	17	2	3	2	3	2	3	2	1	4	5	18	22	31	24	7	3	6
27	Pneumonia	{ M. F. }	17 28	7	9	2	1	2	1	2	4	6	2	3	42	33	19	18	2	4	2	4	2	1	3	4	1	1	2	2	1	1	1
28	Other respiratory diseases	{ M. F. }	11 9	1	1	1	1	1	2	3	4	3	1	2	10	8	2	3	2	4	2	4	2	1	3	4	1	1	2	2	1	1	1
32(1)	Gastric and duodenal ulcer	{ M. F. }	8 6	1	1	1	1	1	1	2	4	1	1	1	9	4	2	3	2	4	2	4	2	1	3	4	1	1	2	2	1	1	1
29	Diarrhea (all ages)	{ M. F. }	2 4	2	2	1	1	1	1	1	1	2	1	1	15	13	2	3	2	4	2	4	2	1	3	4	1	1	2	2	1	1	1
30	Appendicitis	{ M. F. }	4 2	1	1	1	1	1	1	1	1	1	1	1	3	4	2	3	2	4	2	4	2	1	3	4	1	1	2	2	1	1	1
31(1)	Cirrhosis of liver	{ M. F. }	2 2	1	1	1	1	1	1	1	1	1	1	1	3	4	2	3	2	4	2	4	2	1	3	4	1	1	2	2	1	1	1
31(2)	Other diseases of liver	{ M. F. }	3 5	1	1	1	1	1	1	1	1	1	1	1	2	4	2	3	2	4	2	4	2	1	3	4	1	1	2	2	1	1	1
32(2)	Other digestive diseases	{ M. F. }	10 8	2	1	1	1	1	1	1	4	1	1	1	11	12	2	1	2	4	2	4	2	1	3	4	1	1	2	2	1	1	1
33	Nephritis, acute or chronic	{ M. F. }	23 15	1	1	1	1	1	1	1	4	3	3	1	11	12	2	1	2	4	2	4	2	1	3	4	1	1	2	2	1	1	1
34	Other diseases of genito-urinary system	{ M. F. }	34 3	1	1	1	1	1	1	1	12	11	3	2	11	14	2	1	2	4	2	4	2	1	3	4	1	1	2	2	1	1	1
35	Puerperal sepsis	{ M. F. }	1 3	1	1	1	1	1	1	1	2	2	2	2	9	9	2	2	4	2	4	2	4	2	1	3	4	1	1	2	2	1	1
36	Other puerperal causes	{ M. F. }	1 3	1	1	1	1	1	1	1	2	2	2	2	2	2	4	2	4	2	4	2	4	2	1	3	4	1	1	2	2	1	1
37	Diseases of skin and organs of movement	{ M. F. }	2 2	1	1	1	1	1	1	1	2	2	2	2	3	3	2	2	4	2	4	2	4	2	1	3	4	1	1	2	2	1	1
38	Congenital debility, premature birth, malformation, &c.	{ M. F. }	27 17	16	16	1	1	1	1	1	26	17	16	16	38	19	37	19	2	4	2	4	2	1	3	4	1	1	2	2	1	1	1
39	Old age	{ M. F. }	27 35	1	1	1	1	1	1	1	4	12	10	17	16	19	23	16	23	4	4	4	4	14	17	10	12	16	2	3	11	3	5
40	Suicide	{ M. F. }	3 2	1	1	1	1	1	1	1	2	1	1	1	3	1	2	1	2	4	4	4	4	14	17	10	12	16	2	3	11	3	5
42	Road transport accidents	{ M. F. }	12 2	1	1	1	1	1	1	1	3	1	1	1	14	2	1	2	4	4	4	4	4	1	1	1	1	1	2	2	1	1	1
43	Other violence (41)	{ M. F. }	18 18	3	1	1	1	1	1	1	3	7	7	1	44	15	1	4	4	4	4	4	4	1	1	1	1	1	2	2	1	1	1
44	Causes ill-defined or unknown	{ M. F. }	18 8	1	1	1	1	1	1	1	3	7	2	2	21	5	3	5	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3

* Including erysipelas, septicaemia, dysentery, acute poliomyelitis and lethargic encephalitis. † Including 2 of unstated age. ‡ Including 1 of unstated age.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1941.

International Nos. Short List.	CAUSES OF DEATH.	PAISLEY BURGH.													PORT-GLASGOW BURGH.																								
		All Ages.	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.														
		1,370	219	59	30	8	47	51	79	118	203	275	48	265	61	12	6	2	7	15	17	27	31	41	40	6	265	61	12	6	2	7	15	17	27	31	41	40	6
	All Causes—Both Sexes	685	127	18	1	21	19	35	71	109	141	20	148	37	6	5	1	3	5	12	17	18	26	18	6	685	37	6	5	1	3	5	12	17	18	26	18	6	
	Males	685	92	32	12	7	26	32	44	47	94	28	117	24	6	1	1	4	10	5	10	13	15	22	6	117	24	6	1	4	10	5	10	13	15	22	6		
	Females																																						
1	Typhoid fever (including typhoid)																																						
14 (1)	Cerebro-spinal fever	5	1		2			1																															
3	Scarlet fever																																						
4	Whooping-cough	9	6	3																																			
5	Diphtheria	12	1	5	3	1	1	1					1	1												1	1												
6	Tuberculosis of respiratory system	38		1	1	9	4	7	13	2	1		11				1	2	3	4	1				11														
7	Other forms of tuberculosis	15	1	4	2	2	1	5	1	1			4	2	1			1							4	2													
9	Syphilis	1												1												1													
10	Influenza	1												2												2													
12	Measles																																						
14 (2)	Other infectious or parasitic diseases (2, 8, 11, 13)*	3	1			1																																	
15	Cancer, malignant tumours	74					1	5	8	14	36	1	12												12														
16	Tumours, non-malignant or not defined	93						7	19	24	26	1	11												11														
20 (1)	Acute rheumatism	1																																					
18	Diabetes mellitus	5																																					
20 (2)	Other general diseases (17, 19)	17						2	1	4	7		1												1														
21	Meningitis, diseases of spinal cord	2	1	1				1	1	1	1		5												5														
(a)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)

[illegible]

* Including erysipelas, septicemia, dysentery, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1941.

CAUSES OF DEATH.		RENFREW COUNTY (excluding Large Burghs).													ROSS AND CROMARTY COUNTY.												
		All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.
International Nos.	Short List.	1,625	115	55	28	16	55	68	105	142	253	374	319	95	1010	58	21	10	6	27	34	36	66	103	225	292	132
1	All Causes—Both Sexes	809	60	31	15	6	21	32	63	82	152	192	124	31	490	40	11	7	2	11	19	18	39	48	121	131	43
14(1)	Males	816	55	24	13	10	34	36	42	60	101	182	195	64	520	18	10	3	4	16	15	18	27	55	104	161	89
3	Females																										
	Typhoid fever (including typhoid)	1	.	.	.	1	1	1
14(2)	Cerebro-spinal fever	8	2	1	2	.	1	.	2	1	1	.	.	.	5	2	3	.	.	1	.	.	1
3	Scarlet fever	1	1
4	Whooping-cough	6	4	1	4	1	.	1
5	Diphtheria	8	4	4	5	.	.	1	2	.	.	1	1
6	Tuberculosis of respiratory system	42	.	.	.	2	6	8	7	9	10	2	.	.	22	.	1	.	1	5	4	6	1	2	3	.	.
7	Other forms of tuberculosis	16	3	1	1	2	2	1	1	.	1	3	.	.	4	.	3	.	.	3	1	2	.	1	1	.	.
9	Syphilis	1	1	1	.	.	1
10	Influenza	12	2	.	2	.	.	.	3	.	3	2	1	1	5	1	.	1	2	3	3
12	Measles	1	.	1	1	2	.	1	1
14(2)	Other infectious or parasitic diseases (2, 8, 11, 13)*	4	1	1	1	1	3	.	1	1	1	.	.	1	2	.	.	1	1	1	1	.	.
15	Cancer, malignant tumours	100	2	3	10	34	91	16	4	46	2	2	2	8	5	21	9	1
16	Tumours, non-malignant or not defined	122	2	9	19	35	30	22	5	50	1	2	4	11	14	17
20(1)	Acute rheumatism	3	.	.	.	1	.	.	1	1	.	1	.	.	1	1
18	Diabetes mellitus	6	1	1	2	6	9	1	.	2
20(2)	Other general diseases (17, 19)	13	1	1	.	.	.	2	1	1	2	3	2	1	10	1	1	1	1	3	2	1	2
21	Meningitis, diseases of spinal cord	13	1	1	1	1	1	4	1	1	18	.	.	1	.	.	2	1	1	1	6	2	.
(a)		2	1	1	.	.	.	1	.	1	1	1	1	1	3	1	.	1	1	1	1	1	(o)
		7	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
22	Cerebral hæmorrhage, &c.	M. 32 F. 51								3 5	6 12	15 16	5 15	3 3											
23	Other diseases of nervous system	M. 3 F. 5	1 2					1	1		1	1													
24	Heart disease	M. 89 F. 117							1	4 3	23 20	86 85	21 45	4 10											
25	Other circulatory diseases	M. 14 F. 12								1	2	5 6	2 4	2 4											
26	Bronchitis	M. 9 F. 11	1 1	1				1	1		2	3 2	3 3	3 1											
27	Pneumonia	M. 19 F. 9	5 8	1 1			1		1	2 2	4 4	4 4	3 1	1 1											
28	Other respiratory diseases	M. 8 F. 1								1	1	2 1	2 1	1 1											
82 (1)	Gastric and duodenal ulcer	M. 2 F. 2							1			1 2													
29	Diarrhœa, (all ages)	M. 3 F. 2	1 1									1 1													
80	Appendicitis	M. 1 F. 1										1 1	1 1												
31 (1)	Cirrhosis of liver	M. 1 F. 2								1	1														
31 (2)	Other diseases of liver	M. 1 F. 3									1	2 1		1 1											
32 (2)	Other digestive diseases	M. 3 F. 3									1 3	1 1													
33	Nephritis, acute or chronic	M. 4 F. 13									1 2	1 5	2 4												
34	Other diseases of genito-urinary system	M. 10 F. 1									3	4 1	1 2	2 1											
35	Puerperal sepsis	M. 1 F. 1																							
36	Other puerperal causes	M. 1 F. 1																							
37	Diseases of skin and organs of movement	M. 2 F. 6											1												
38	Congenital debility, premature birth, malformation, &c.	M. 6 F. 9	6 9																						
39	Old age	M. 1 F. 8										2 2	1 2	4 4											
40	Suicide	M. 2 F. 3																							
42	Road transport accidents	M. 4 F. 2																							
43	Other violence (41)	M. 6 F. 3	1 3									1 1	1 1												
44	Causes ill-defined or unknown	M. 6 F. 1										4		1											

* Including erysipelas, septicæmia, dysentery, acute poliomyelitis and lethargic encephalitis.

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)
22	Cerebral hæmorrhage, &c.	M. { F. 22 81	1	1	1	1	1	1	1	1	1	1	1	1	1
23	Other diseases of nervous system	M. { F. 4 5	1	1	1	1	1	1	1	1	1	1	1	1	1
24	Heart disease	M. { F. 58 41	1	1	1	1	1	1	1	1	1	1	1	1	1
25	Other circulatory diseases	M. { F. 3 2	1	1	1	1	1	1	1	1	1	1	1	1	1
26	Bronchitis	M. { F. 11 7	1	1	1	1	1	1	1	1	1	1	1	1	1
27	Pneumonia	M. { F. 8 4	1	1	1	1	1	1	1	1	1	1	1	1	1
28	Other respiratory diseases	M. { F. 6 8	1	1	1	1	1	1	1	1	1	1	1	1	1
32 (1)	Gastric and duodenal ulcer	M. { F. 1 2	1	1	1	1	1	1	1	1	1	1	1	1	1
29	Diarrhœa (all ages)	M. { F. 2 3	1	1	1	1	1	1	1	1	1	1	1	1	1
30	Appendicitis	M. { F. 2 1	1	1	1	1	1	1	1	1	1	1	1	1	1
31 (1)	Cirrhosis of liver	M. { F. 1	1	1	1	1	1	1	1	1	1	1	1	1	1
31 (2)	Other diseases of liver	M. { F. 1	1	1	1	1	1	1	1	1	1	1	1	1	1
32 (2)	Other digestive diseases	M. { F. 8	1	1	1	1	1	1	1	1	1	1	1	1	1
33	Nephritis, acute or chronic	M. { F. 5 8	1	1	1	1	1	1	1	1	1	1	1	1	1
34	Other diseases of genito-urinary system	M. { F. 5 2	1	1	1	1	1	1	1	1	1	1	1	1	1
35	Puerperal sepsis†	F. 1	1	1	1	1	1	1	1	1	1	1	1	1	1
36	Other puerperal causes	F. 2	1	1	1	1	1	1	1	1	1	1	1	1	1
37	Diseases of skin and organs of movement	M. { F. 1 1	1	1	1	1	1	1	1	1	1	1	1	1	1
38	Congenital debility, premature birth, malformation, &c.	M. { F. 10 7	1	1	1	1	1	1	1	1	1	1	1	1	1
39	Old age	M. { F. 2 4	1	1	1	1	1	1	1	1	1	1	1	1	1
40	Suicide	M. { F. 2 1	1	1	1	1	1	1	1	1	1	1	1	1	1
42	Road transport accidents	M. { F. 5 2	1	1	1	1	1	1	1	1	1	1	1	1	1
43	Other violence (41)	M. { F. 5 4	1	1	1	1	1	1	1	1	1	1	1	1	1
44	Causes ill-defined or unknown	M. { F. 3 2	1	1	1	1	1	1	1	1	1	1	1	1	1

* Including erysipelas, septicæmia, dysentery, acute poliomyelitis, and lethargic encephalitis.

† Including 1 of unstated age.

(a)	(b)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(p)	(q)	(r)	(s)	(t)	(u)	(v)	(w)	(x)	(y)	(z)
22	Cerebral hæmorrhage, &c.	{ M. F. 49 82
23	Other diseases of nervous system	{ M. F. 5 8	1	3
24	Heart disease	{ M. F. 143 137
25	Other circulatory diseases	{ M. F. 12 15
26	Bronchitis	{ M. F. 38 26	2	1
27	Pneumonia	{ M. F. 35 33	14	2	7
28	Other respiratory diseases	{ M. F. 9 7	.	1
32 (1)	Gastric and duodenal ulcer	{ M. F. 14 1
29	Diarrhoea (all ages)	{ M. F. 13 7	7	3
30	Appendicitis	{ M. F. 1 1
31 (1)	Cirrhosis of liver	{ M. F. 3 2
31 (2)	Other diseases of liver	{ M. F. 1 10
32 (2)	Other digestive diseases	{ M. F. 6 12	2	1	2
33	Nephritis, acute or chronic	{ M. F. 12 17	1
34	Other diseases of genito-urinary system	{ M. F. 9 5
35	Puerperal sepsis	{ M. F. 2 2
36	Other puerperal causes	{ M. F. 7 7
37	Diseases of skin and organs of movement	{ M. F. 2 2
38	Congenital debility, premature birth, malformation, &c.	{ M. F. 46 37	46	1
39	Old age	{ M. F. 14 38
40	Suicide	{ M. F. 2 2
42	Road transport accidents	{ M. F. 22 5	.	2	3	1	3	2	1	2	2	5	2
43	Other violence (41)	{ M. F. 43 18	1	5	4	1	3	1	5	6	1	1	3	1
44	Causes ill-defined or unknown	{ M. F. 14 9	1	1	2

* Including erysipelas, septicaemia, dysentery, acute poliomyelitis, and lethargic encephalitis.

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1941.

International Nos. Short List.	CAUSES OF DEATH.	WEST LOTHIAN COUNTY.													WIGTOWN COUNTY.												
		All Ages.	1- -1	5- -5	10- -10	15- -15	25- -25	35- -35	45- -45	55- -55	65- -65	75- -75	85 and over.	All Ages.	1- -1	5- -5	10- -10	15- -15	25- -25	35- -35	45- -45	55- -55	65- -65	75- -75	85 and over.		
1	All Causes—Both Sexes . .	922	112	31	8	13	28	43	82	156	232	150	28	462	50	2	4	5	15	23	32	66	114	106	35		
14(1)	Males . .	506	69	16	4	4	11	24	55	84	123	77	12	233	26	7	2	3	13	15	15	33	61	46	10		
	Females . .	416	43	15	4	9	17	12	27	72	104	73	16	229	24	.	2	2	2	8	17	33	53	60	25		
3	Typhoid fever (including Para-typhoid)		
14(1)	Cerebro-spinal fever	2	1	.	.	1	.	.	1	1		
3	Scarlet fever		
4	Whooping-cough	4	2	2	1	1		
5	Diphtheria	3	.	1	1	1	1		
6	Tuberculosis of respiratory system	20	2	3	3	3	1	.	.	6	2	2	1	1	.	.	.		
7	Other forms of tuberculosis	5	2	.	.	2	6	.	1	3	.	.	.	1	.	1	2	.	1	.	.		
9	Syphilis	5	2	1	1	1	.	1	1		
10	Influenza	7	1	4	1	.	1	3	1	1	.	1	3	1		
12	Measles	1	1		
14(2)	Other infectious or parasitic diseases (2, 8, 11, 18)*	6	1	1	1	1	.	1	1	.	1	.	.	3	1	.	.	1	.	.	.	1	.	.	.		
15	Cancer, malignant tumours	57	2	2	8	17	21	6	1	26	1	2	2	10	11	2	1		
16	Tumours, non-malignant or not defined	59	1	7	18	20	12	.	23	1	7	3	8	.		
20(1)	Acute rheumatism	2	1	1	.	.	1		
18	Diabetes mellitus	3	2	.	2	.	.	.	1		
20(2)	Other general diseases (17, 19)	11	3	1	.	1	1	1	.	1	3	2	.	4	1	1	.	3	1	1	.		
21	Meningitis, diseases of spinal cord (b)	6	1	1	1		
(a)		3	1	1	1		
		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	

DEATHS IN THE PUBLIC HEALTH DISTRICTS OF SCOTLAND, 1941.

International Nos.	CAUSES OF DEATH.	ZETLAND COUNTY.													UNALLOCATED DEATHS.												
		All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.	All Ages.	-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	85 and over.
		†976	9	2	.	4	11	11	18	21	40	78	133	48	†3422	30	104	136	137	914	810	476	357	222	130	37	6
	All Causes—Both Sexes . . .	†158	7	2	.	2	8	2	8	8	21	36	48	15	†2545	16	51	61	75	770	680	349	246	137	77	19	1
	Males . . .	218	2	.	.	2	3	9	10	13	19	42	85	33	877	14	53	75	62	144	130	127	111	85	53	18	5
	Females . . .																										
1	Typhoid fever (including typhoid) { M. F. }
14 (1)	Cerebro-spinal fever { M. F. }	3	.	.	.	1	2	11	.	.	.	5	5	1	1
3	Scarlet fever { M. F. }	1	.	.	.	1
4	Whooping-cough { M. F. }	1	.	1
5	Diphtheria { M. F. }	3	.	.	.	2	1
6	Tuberculosis of respiratory system { M. F. }	10 13	4	1	1	3	1	2	1	1	64	.	.	.	26	22	11	5
7	Other forms of tuberculosis { M. F. }	1 1	.	.	.	1	27 2	.	.	.	15	10	2	1
9	Syphilis { M. F. }	1	1	4	.	.	.	2	.	2
10	Influenza { M. F. }	15 17	1	1	1	1	5	8 9	3 2	4	.	.	.	1	.	2	.	1
12	Measles { M. F. }	1 3	.	.	.	1	1	2
14 (2)	Other infectious or parasitic diseases (2, 8, 11, 13)* { M. F. }	2 2	1	.	1	.	1	1	.	6	.	.	.	4	1	1
15	Cancer, malignant tumours { M. F. }	21 29	1	1	1	5	7 10	8 8	3	42 1	.	.	.	4	8	9	17	4
16	Tumours, non-malignant or not defined { M. F. }	5	.	.	.	1	3	1
20 (1)	Acute rheumatism { M. F. }	1	.	.	.	1
18	Diabetes mellitus { M. F. }	1	1
20 (2)	Other general diseases (17, 19) { M. F. }	2 4	2	1	1	1	.	11	.	.	.	6	2	2	1
21	Meningitis, diseases of spinal cord { M. F. }	1 1	1	.	.	1	.	.	4	.	.	.	1	1	2
(a)		(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)	(c)	(d)	(e)	(f)	(g)	(h)	(i)	(j)	(k)	(l)	(m)	(n)	(o)

[illegible]

* Including erysipelas, septicæmia, dysentery, acute pollomyelitis, and lethargic encephalitis.

† Including 1 of unstated age.

§ Including the following deaths of Civilians:—

|| Including 5 of unstated age.

International Nos. Short List.		SCOTLAND.	ABERDEEN COUNTY.					Marginal Index Numbers.
			Aberdeen County.	Aberdeen B.	Ballater B.	Ellon B.	Fraserburgh B.	
	Population (Estimated)* - - -	5,006,689	326,042	179,628	1,239	1,390	10,369	1
	Total Live Births Registered (inc. Illeg.)	89,743	5,862	3,240	20	6	153	2
	" " Corr. for Mother's Resid. (,,)	89,743	5,511	2,907	27	15	183	3
	" " " Male - - -	46,151	2,829	1,499	12	9	104	4
	" " " Female - - -	43,592	2,682	1,408	15	6	79	5
	" " " Illegitimate - - -	5,904	542	219	4	1	5	6
	Still-births Registered (inc. Illegitimate)	3,698	190	128	-	1	1	7
	" " Corr. for Mother's Residence	3,698	170	96	-	-	5	8
	Marriages Registered - - -	47,716	3,052	2,055	14	29	122	9
	Deaths Registered - - -	72,558	4,436	2,793	21	13	100	10
	" Corrected for Residence - - -	72,558	4,088	2,257	22	16	119	11
	" " " Male - - -	37,690	1,998	1,091	5	7	62	12
	" " " Female - - -	34,868	2,090	1,166	17	9	57	13
	CAUSES OF DEATH.							
1	Typhoid fever (including Paratyphoid)	23	1	1	-	-	-	14
14 (1)	Cerebro-spinal fever - - -	332	16	5	1	-	-	15
3	Scarlet fever - - -	26	-	-	-	-	-	16
4	Whooping-cough - - -	720	17	7	-	-	-	17
5	Diphtheria - - -	517	25	19	-	-	-	18
6	Tuberculosis of respiratory system - -	3,117	120	80	-	1	3	19
7	Other forms of tuberculosis - - -	1,058	42	23	1	-	-	20
9	Syphilis - - -	262	26	16	2	-	1	21
10	Influenza - - -	705	38	14	-	-	-	22
12	Measles - - -	103	6	4	-	-	-	23
14 (2)	Other infect. or parasitic dis. (2, 8, 11, 13)+	413	40	26	-	-	1	24
15	Cancer, malignant tumours - - -	8,436	525	283	2	1	14	25
16	Tumours, non-malignant or not defined	251	11	6	-	-	1	26
20 (1)	Acute rheumatism - - -	121	4	2	-	-	-	27
18	Diabetes mellitus - - -	675	29	17	1	-	1	28
20 (2)	Other general diseases (17, 19) - - -	1,166	67	30	-	1	-	29
21	Meningitis, Disease of spinal cord - -	368	21	11	-	1	1	30
22	Cerebral hæmorrhage, &c. - - -	7,334	529	307	5	3	19	31
23	Other diseases of nervous system - - -	1,138	55	25	-	-	2	32
24	Heart disease - - -	16,200	1,026	535	7	3	35	33
25	Other circulatory diseases - - -	1,328	118	73	1	-	4	34
26	Bronchitis - - -	3,092	134	77	-	-	6	35
27	Pneumonia - - -	3,573	175	108	1	-	3	36
28	Other respiratory diseases - - -	1,016	59	36	-	-	2	37
32 (1)	Gastric and duodenal ulcer - - -	746	51	27	-	1	3	38
29	Diarrhœa (all ages) - - -	1,154	64	38	-	-	2	39
30	Appendicitis - - -	258	16	9	-	1	-	40
31 (1)	Cirrhosis of liver - - -	145	9	6	-	-	-	41
31 (2)	Other diseases of liver - - -	327	17	8	-	-	-	42
32 (2)	Other digestive diseases - - -	906	53	21	-	-	3	43
33	Nephritis, acute or chronic - - -	1,431	90	51	-	-	3	44
34	Other dis. of genito-urinary system - -	1,067	94	49	-	1	4	45
35	Puerperal sepsis - - -	158	7	3	-	-	-	46
36	Other puerperal causes - - -	281	9	4	-	-	-	47
37	Dis. of skin and organs of movement -	343	16	12	-	-	-	48
38	Congen. debil., prem. birth, malform., &c.	3,636	202	124	-	-	7	49
39	Old age - - -	2,315	114	55	-	2	1	50
40	Suicide - - -	405	34	17	-	-	-	51
42	Road transport accidents - - -	1,150	49	25	1	-	-	52
43	Other violence (41) - - -	5,072	128	76	-	1	3	53
44	Causes ill-defined or unknown - - -	1,190	51	27	-	-	-	54
	ALL CAUSES - - -	72,558	4,088	2,257	22	16	119	55
	AGES AT DEATH.							
	Under 1 - - -	7,426	378	224	1	-	14	56
	1-4 - - -	2,186	77	39	-	-	-	57
	5-9 - - -	929	39	19	1	-	-	58
	10-14 - - -	695	41	20	1	-	-	59
	15-24 - - -	3,076	96	61	-	-	-	60
	25-34 - - -	3,299	120	67	-	1	5	61
	35-44 - - -	3,994	189	117	2	1	4	62
	45-54 - - -	6,134	297	185	-	1	16	63
	55-64 - - -	10,490	601	366	4	3	19	64
	65-74 - - -	16,347	974	534	4	4	28	65
	75-84 - - -	13,937	968	497	4	4	26	66
	85 and over - - -	3,962	308	128	5	2	7	67
	Not stated - - -	83	-	-	-	-	-	68
	ALL AGES - - -	72,558	4,088	2,257	22	16	119	69

* These populations are for the year 1939, as no later estimates are available in the case of Small Burghs, and Landward areas.

† Including erysipelas, septicæmia, dysentery, acute poliomyelitis, and lethargic encephalitis.

Marginal Index Numbers.	ABERDEEN COUNTY—(continued).								ANGUS COUNTY.				
	Huntly B.	Inverurie B.	Kintore B.	Old Meldrum B.	Peterhead B.	Rosehearty B.	Turriff B.	Landward.	Angus County.	Arbroath B.	Brechin B.	Carnoustie B.	Dundee B.
1	3,939	4,734	799	1,007	13,064	1,109	2,596	106,168	272,467	18,194	6,453	4,805	178,013
2	81	47	10	16	193	30	95	1,971	4,571	341	52	35	3,105
3	77	75	13	21	238	28	40	1,887	4,454	341	114	61	2,850
4	41	39	6	13	99	16	19	972	2,327	174	57	34	1,517
5	36	36	7	8	139	12	21	915	2,127	167	57	27	1,338
6	14	8	2	3	18	1	3	264	329	20	9	1	209
7	2	-	1	-	1	-	2	54	185	7	4	-	161
8	2	-	1	1	5	-	-	60	179	6	8	3	127
9	47	45	7	11	142	8	38	534	2,390	185	82	32	1,661
10	60	55	11	12	170	15	27	1,159	4,240	323	162	70	2,651
11	53	62	11	19	155	18	33	1,323	3,952	308	131	96	2,488
12	21	33	7	14	82	10	15	651	1,837	145	49	41	1,162
13	32	29	4	5	73	8	18	672	2,116	163	82	55	1,326
14	-	-	-	-	-	-	-	-	5	-	-	-	5
15	1	-	-	-	2	-	-	7	13	-	1	-	9
16	-	-	-	-	-	-	-	-	1	-	-	-	1
17	-	-	-	-	1	1	-	8	22	-	-	-	17
18	-	-	-	-	-	-	-	6	61	1	-	1	53
19	1	-	-	-	3	-	-	32	143	12	2	1	106
20	2	-	-	-	1	-	1	14	53	3	-	3	40
21	-	-	-	-	1	-	-	6	19	-	1	-	17
22	4	-	-	-	-	-	1	19	26	1	1	1	17
23	-	-	-	-	-	1	-	1	13	-	-	-	10
24	-	1	-	-	2	-	1	9	34	5	2	1	15
25	6	6	3	1	21	2	6	180	462	31	11	11	300
26	-	-	-	-	2	-	-	2	19	1	2	-	12
27	-	-	-	-	1	-	-	1	10	-	-	-	9
28	-	1	-	1	3	-	-	5	29	-	-	-	19
29	1	4	-	1	1	2	-	27	68	6	2	3	44
30	-	1	-	-	-	-	-	7	23	-	-	-	16
31	5	6	1	3	14	1	4	161	434	45	20	12	239
32	1	-	2	2	-	-	-	23	46	6	-	1	28
33	14	23	1	3	41	7	9	348	1,104	97	43	19	699
34	-	-	-	-	4	1	-	35	53	5	1	1	27
35	-	2	1	-	6	-	1	41	162	25	6	2	102
36	1	1	-	-	6	-	2	53	193	12	2	1	132
37	2	1	-	-	1	-	-	17	58	6	5	-	35
38	1	1	-	-	2	1	-	15	48	2	1	2	34
39	-	-	1	1	4	-	-	18	43	5	1	1	26
40	-	-	-	-	1	-	-	5	20	1	1	-	16
41	-	-	-	-	-	-	-	3	3	-	-	-	3
42	-	-	-	-	-	-	1	8	26	1	1	2	17
43	-	1	-	-	-	-	3	25	51	6	3	3	30
44	4	-	-	-	4	1	-	27	88	3	3	1	62
45	-	4	-	-	2	-	2	32	50	4	3	-	23
46	-	-	-	-	-	-	-	4	9	1	-	-	4
47	-	-	-	-	-	-	-	5	19	2	1	1	9
48	1	1	-	-	-	-	-	2	7	-	-	-	3
49	3	3	1	3	9	1	1	50	194	14	3	1	132
50	4	3	1	1	6	-	-	41	151	3	7	25	58
51	-	1	-	-	3	-	-	13	31	1	1	1	21
52	-	1	-	-	1	-	1	20	33	-	-	1	16
53	2	1	-	3	10	-	-	32	117	9	4	1	78
54	-	-	-	-	3	-	-	21	11	-	3	-	4
55	53	62	11	19	155	18	33	1,323	3,952	308	131	96	2,488
56	5	3	1	5	16	2	1	106	357	25	5	2	253
57	2	4	-	-	2	1	1	28	127	5	2	3	102
58	1	-	-	-	1	-	1	16	39	2	-	-	25
59	1	1	-	1	2	-	-	15	27	-	1	1	15
60	1	2	-	-	4	-	1	27	108	5	-	2	79
61	-	2	-	-	6	-	1	38	125	7	4	1	84
62	1	1	1	-	12	1	1	48	197	15	7	3	122
63	2	5	2	-	11	1	-	74	270	22	3	5	190
64	5	6	2	4	20	3	6	163	520	44	7	10	339
65	12	10	3	4	38	5	9	323	978	71	33	24	643
66	16	20	1	4	33	-	11	347	908	85	54	32	497
67	7	8	1	1	10	5	1	138	296	27	15	13	139
68	-	-	-	-	-	-	-	-	-	-	-	-	-
69	53	62	11	19	155	18	33	1,323	3,952	308	131	96	2,488

International Nos. Short List.		ANGUS COUNTY—(continued).					ARGYLL COUNTY.		Marginal Index Numbers.
		Forfar B.	Kirriemuir B.	Monifieth B.	Montrose B.	Landward.	Argyll County.	Campbeltown B.	
	Population (Estimated)* - - -	9,796	3,414	3,239	10,789	37,764	61,830	6,464	1
	Total Live Births Registered (inc. Illeg.)	456	36	30	94	422	1,032	135	2
	" " Corr. for Mother's Resid. (,,)	157	61	47	181	642	1,032	138	3
	" " " Male - - -	85	30	22	89	319	535	68	4
	" " " Female - - -	72	31	25	92	323	497	70	5
	" " " Illegitimate - - -	17	3	1	10	59	103	17	6
	Still-births Registered (inc. Illegitimate)	14	-	-	2	7	40	2	7
	" " Corr. for Mother's Residence	7	2	1	4	21	34	2	8
	Marriages Registered - - -	100	38	17	113	162	481	94	9
	Deaths Registered - - -	156	41	52	158	627	1,157	118	10
	" " Corrected for Residence - - -	153	65	46	154	511	1,100	108	11
	" " " Male - - -	65	25	25	69	256	559	57	12
	" " " Female - - -	88	40	21	85	255	541	51	13
	CAUSES OF DEATH.								
1	Typhoid fever (including Paratyphoid)	-	-	-	-	-	-	-	14
14 (1)	Cerebro-spinal fever - - -	-	-	-	-	3	4	1	15
3	Scarlet fever - - -	-	-	-	-	-	-	-	16
4	Whooping-cough - - -	1	-	-	2	2	6	-	17
5	Diphtheria - - -	-	-	-	-	6	6	2	18
6	Tuberculosis of respiratory system	4	-	-	4	14	34	3	19
7	Other forms of tuberculosis - - -	1	1	-	1	4	11	-	20
9	Syphilis - - -	-	-	-	1	-	4	1	21
10	Influenza - - -	-	2	2	1	1	24	1	22
12	Measles - - -	-	-	1	-	2	-	-	23
14 (2)	Other infect. or parasitic dis. (2, 8, 11, 13)+	1	-	-	3	7	6	-	24
15	Cancer, malignant tumours	17	10	6	15	61	129	9	25
16	Tumours, non-malignant or not defined	-	-	-	1	3	6	-	26
20 (1)	Acute rheumatism - - -	-	-	-	-	1	1	-	27
18	Diabetes mellitus - - -	2	2	-	1	5	9	2	28
20 (2)	Other general diseases (17, 19) - - -	3	-	1	3	6	23	4	29
21	Meningitis, Disease of spinal cord	3	-	-	-	4	10	-	30
22	Cerebral hæmorrhage, &c. - - -	22	10	4	22	60	122	10	31
23	Other diseases of nervous system	2	-	-	2	7	13	2	32
24	Heart disease - - -	43	14	17	34	138	294	32	33
25	Other circulatory diseases - - -	3	3	1	4	8	32	-	34
26	Bronchitis - - -	6	2	1	9	9	30	4	35
27	Pneumonia - - -	12	5	1	3	25	34	10	36
28	Other respiratory diseases - - -	1	-	1	3	7	15	1	37
32 (1)	Gastric and duodenal ulcer - - -	2	-	1	2	4	14	1	38
29	Diarrhoea (all ages) - - -	2	-	-	2	6	7	-	39
30	Appendicitis - - -	-	-	-	1	1	4	1	40
31 (1)	Cirrhosis of liver - - -	-	-	-	-	-	2	1	41
31 (2)	Other diseases of liver - - -	1	-	1	-	3	5	-	42
32 (2)	Other digestive diseases - - -	1	-	-	1	7	12	1	43
33	Nephritis, acute or chronic - - -	3	-	3	3	10	33	3	44
34	Other dis. of genito-urinary system	-	4	-	3	13	23	2	45
35	Puerperal sepsis - - -	1	1	-	-	2	5	2	46
36	Other puerperal causes - - -	-	1	1	-	4	2	-	47
37	Dis. of skin and organs of movement	-	-	-	1	3	3	1	48
38	Congen. debil., prem. birth, malform., &c.	4	2	1	7	30	31	4	49
39	Old age - - -	8	3	2	14	31	60	-	50
40	Suicide - - -	4	1	-	1	1	-	-	51
42	Road transport accidents - - -	3	-	1	1	11	9	1	52
43	Other violence (41) - - -	3	3	1	8	10	46	4	53
44	Causes ill-defined or unknown - - -	-	1	-	1	2	31	5	54
	ALL CAUSES - - -	153	65	46	154	511	1,100	108	55
	AGES AT DEATH.								
	Under 1 - - -	10	2	2	13	45	59	9	56
	1-4 - - -	3	1	-	2	9	15	3	57
	5-9 - - -	-	-	-	1	11	9	3	58
	10-14 - - -	-	-	-	1	9	11	3	59
	15-24 - - -	3	1	-	2	16	23	2	60
	25-34 - - -	5	2	-	4	18	33	6	61
	35-44 - - -	9	2	4	11	24	57	7	62
	45-54 - - -	10	-	2	5	33	79	11	63
	55-64 - - -	21	11	4	21	63	140	15	64
	65-74 - - -	43	16	14	31	103	271	15	65
	75-84 - - -	35	18	16	48	123	294	28	66
	85 and over - - -	14	12	4	15	57	101	6	67
	Not stated - - -	-	-	-	-	-	8	-	68
	ALL AGES - - -	153	65	46	154	511	1,100	108	69

* These populations are for the year 1939, as no later estimates are available in the case of Small Burghs and Landward areas.

† Including erysipelas, septicaemia, dysentery, acute poliomyelitis and lethargic encephalitis.

Marginal Index Numbers.	ARGYLL COUNTY—(continued).						AYR COUNTY.						
	Dunoon B.	Inveraray B.	Lochgilphead B.	Oban B.	Tobermory B.	Landward.	Ayr County.	Ardsrossan B.	Ayr B.	Cumnock and Holmhead B.	Darvel B.	Galston B.	Girvan B.
1	7,882	449	1,060	5,816	759	39,400	296,622	7,697	41,286	4,141	3,322	4,713	5,406
2	225	3	8	115	17	529	6,200	117	1,336	49	26	66	121
3	160	14	22	119	14	565	5,960	204	791	75	40	78	107
4	81	5	12	64	7	298	3,048	91	389	38	27	29	51
5	79	9	10	55	7	267	2,912	113	402	37	13	49	56
6	15	1	1	11	1	57	304	15	45	4	1	2	3
7	14	1	-	7	-	16	271	4	120	1	5	-	4
8	9	-	-	8	-	15	264	12	41	4	8	-	3
9	100	10	8	84	4	181	2,818	91	494	56	22	49	52
10	210	2	15	139	14	659	4,176	87	372	44	33	44	83
11	196	8	21	96	17	654	4,085	119	602	51	35	53	76
12	81	3	7	50	10	351	2,105	67	310	26	19	24	34
13	115	5	14	46	7	303	1,980	52	292	25	16	29	42
14	-	-	-	-	-	-	2	-	-	-	-	-	-
15	2	-	-	-	-	1	29	-	6	2	-	-	-
16	-	-	-	-	-	-	-	-	-	-	-	-	-
17	4	-	-	1	-	1	55	1	7	1	-	-	1
18	1	-	-	-	-	3	26	1	7	2	2	-	1
19	2	-	1	10	1	17	112	6	20	3	1	2	3
20	2	-	-	3	-	6	52	2	10	-	-	-	-
21	1	-	-	1	-	1	15	-	2	-	-	1	-
22	-	-	1	4	1	17	38	3	1	-	-	-	1
23	-	-	-	-	-	-	12	-	1	-	-	-	-
24	-	-	-	2	-	4	22	2	2	-	-	-	1
25	25	1	1	8	1	84	495	12	74	7	3	8	5
26	1	-	-	-	-	5	10	-	1	-	-	-	-
27	1	-	-	-	-	-	9	-	1	-	-	-	-
28	1	-	-	2	-	4	48	4	8	-	-	1	1
29	2	-	2	2	-	13	75	2	13	1	-	1	2
30	1	1	-	2	-	6	12	-	2	1	-	-	-
31	23	1	2	4	5	77	494	12	76	4	6	7	10
32	1	1	-	1	1	7	78	1	10	1	1	2	2
33	65	-	5	18	2	172	984	26	125	8	12	15	17
34	6	-	2	1	-	23	53	1	12	-	-	1	-
35	6	-	-	1	-	19	151	2	16	5	1	1	7
36	4	-	-	1	-	19	187	7	29	2	1	-	2
37	5	1	1	2	-	5	53	1	9	1	-	1	1
38	1	-	-	1	-	11	44	1	4	2	-	2	-
39	2	-	-	1	1	3	67	2	9	2	2	-	1
40	1	-	-	-	-	2	20	1	2	-	-	-	1
41	1	-	-	-	-	-	9	-	-	-	-	-	-
42	2	-	-	-	-	3	25	-	2	-	1	-	-
43	1	-	-	2	-	8	47	-	7	1	-	1	1
44	9	-	-	5	-	16	59	-	3	1	-	-	2
45	3	-	-	2	-	16	53	2	12	-	-	-	1
46	1	-	-	-	-	2	9	1	2	-	-	-	-
47	1	-	-	1	-	-	16	1	1	-	-	-	-
48	-	-	-	-	-	2	23	2	3	-	-	-	1
49	6	2	-	5	2	12	232	8	26	1	-	4	4
50	6	-	2	6	1	45	151	5	32	2	3	4	4
51	-	-	-	-	-	-	14	-	1	-	-	-	-
52	-	1	1	-	-	6	65	4	7	1	-	-	4
53	3	-	3	6	2	28	158	7	34	2	-	2	1
54	6	-	-	4	-	16	81	2	25	1	2	-	2
55	196	8	21	96	17	654	4,085	119	602	51	35	53	76
56	13	2	-	6	2	27	489	17	67	5	1	5	8
57	1	-	1	1	-	9	139	6	20	4	-	1	2
58	3	-	-	1	-	2	55	1	10	1	-	-	2
59	2	1	-	2	-	3	32	-	3	-	1	-	-
60	1	-	1	6	1	12	115	3	21	2	1	4	1
61	5	1	3	4	1	13	153	8	34	2	1	1	3
62	6	-	-	12	1	31	189	7	30	3	1	1	1
63	13	1	-	13	-	41	333	8	61	2	5	3	2
64	28	-	2	13	1	81	571	14	92	5	4	8	9
65	52	2	5	13	5	179	991	27	130	9	8	14	25
66	54	1	5	19	4	183	806	25	94	16	11	11	18
67	17	-	4	4	2	68	212	3	40	2	2	5	5
68	1	-	-	2	-	5	-	-	-	-	-	-	-
69	196	8	21	96	17	654	4,085	119	602	51	35	53	76

International Nos. Short List.		AYR COUNTY—(continued).							Marginal Index Numbers.
		Irvine B.	Kilmarnock B.	Kilwinning B.	Largs B.	Maybole B.	Newmilns and Greenholm B.	Prestwick B.	
	Population (Estimated) *	13,077	40,417	5,599	6,365	4,443	3,982	9,888	1
	Total Live Births Registered (inc. Illeg.)	175	936	776	62	75	32	148	2
	„ „ Corr. for Mother's Resid. (,,)	286	712	131	101	93	65	198	3
	„ „ „ Male -	143	374	62	55	47	35	95	4
	„ „ „ Female -	143	338	69	46	46	30	103	5
	„ „ „ Illegitimate	12	26	12	4	5	4	11	6
	Still-births Registered (inc. Illegitimate)	3	37	13	2	-	-	5	7
	„ „ Corr. for Mother's Residence	16	27	4	6	2	-	7	8
	Marriages Registered -	129	394	76	86	40	32	82	9
	Deaths Registered -	130	593	91	145	46	43	146	10
	„ „ Corrected for Residence -	171	496	87	152	68	64	168	11
	„ „ „ Male -	101	257	49	67	33	33	72	12
	„ „ „ Female -	70	239	38	85	35	31	96	13
	CAUSES OF DEATH.								
1	Typhoid fever (including Paratyphoid)	-	-	-	-	-	-	-	14
14 (1)	Cerebro-spinal fever -	-	3	1	-	-	-	2	15
3	Scarlet fever -	-	-	-	-	-	-	-	16
4	Whooping-cough -	3	4	4	1	1	-	-	17
5	Diphtheria -	2	-	-	1	1	-	1	18
6	Tuberculosis of respiratory system	4	16	1	2	2	1	3	19
7	Other forms of tuberculosis -	1	4	3	-	1	-	-	20
9	Syphilis -	3	1	-	-	2	-	-	21
10	Influenza -	3	6	1	2	1	-	-	22
12	Measles -	-	2	-	-	-	1	-	23
14 (2)	Other infect. or parasitic dis. (2, 8, 11, 13)†	-	1	-	1	-	-	2	24
15	Cancer, malignant tumours -	22	60	12	30	5	9	15	25
16	Tumours, non-malignant or not defined	-	4	-	-	-	-	-	26
20 (1)	Acute rheumatism -	1	1	-	-	-	-	-	27
18	Diabetes mellitus -	2	9	2	1	-	-	1	28
20 (2)	Other general diseases (17, 19) -	3	9	-	6	-	-	3	29
21	Meningitis, Disease of spinal cord	-	2	1	-	-	-	2	30
22	Cerebral hæmorrhage, &c. -	20	69	9	31	4	7	22	31
23	Other diseases of nervous system	4	9	2	2	-	1	1	32
24	Heart disease -	34	117	13	36	20	23	61	33
25	Other circulatory diseases -	1	6	-	3	1	1	5	34
26	Bronchitis -	8	21	2	2	4	3	6	35
27	Pneumonia -	8	32	4	5	4	1	6	36
28	Other respiratory diseases -	6	6	1	1	-	-	3	37
32 (1)	Gastric and duodenal ulcer -	1	4	1	1	2	2	5	38
29	Diarrhoea (all ages) -	5	2	3	1	1	1	1	39
30	Appendicitis -	1	5	-	-	-	-	-	40
31 (1)	Cirrhosis of liver -	-	3	-	-	-	1	-	41
31 (2)	Other diseases of liver -	3	6	1	-	1	-	-	42
32 (2)	Other digestive diseases -	1	7	-	2	3	-	2	43
33	Nephritis, acute or chronic	4	7	1	5	-	-	5	44
34	Other dis. of genito-urinary system	1	5	3	2	1	3	2	45
35	Puerperal sepsis -	-	1	-	-	-	-	-	46
36	Other puerperal causes -	-	4	-	-	-	-	-	47
37	Dis. of skin and organs of movement	1	3	-	1	1	1	-	48
38	Congen. debil., prem. birth, malform. &c.	7	26	6	1	8	5	7	49
39	Old age -	10	8	3	9	1	1	3	50
40	Suicide -	-	2	-	2	-	-	2	51
42	Road transport accidents -	3	5	2	1	2	-	3	52
43	Other violence (41) -	9	14	10	3	1	2	4	53
44	Causes ill-defined or unknown	-	12	1	-	1	1	1	54
	ALL CAUSES -	171	496	87	152	68	64	168	55
	AGES AT DEATH.								
	Under 1 -	28	55	16	8	13	7	12	56
	1-4 -	7	14	4	3	2	1	2	57
	5-9 -	6	6	2	-	1	-	1	58
	10-14 -	1	2	2	1	1	-	1	59
	15-24 -	7	15	3	-	-	-	2	60
	25-34 -	3	13	4	2	3	-	5	61
	35-44 -	5	27	5	3	4	1	7	62
	45-54 -	15	40	7	8	5	3	16	63
	55-64 -	25	77	16	18	10	7	22	64
	65-74 -	34	124	17	46	10	26	44	65
	75-84 -	37	95	11	52	16	14	42	66
	85 and over -	3	28	-	11	3	5	14	67
	Not stated -	-	-	-	-	-	-	-	68
	ALL AGES -	171	496	87	152	68	64	168	69

* These populations are for the year 1939, as no later estimates are available in the case of Small Burghs and Landward areas.

† Including erysipelas, septicæmia, dysentery, acute poliomyelitis and lethargic encephalitis

Marginal Index Numbers.	AYR COUNTY—(continued).				BANFF COUNTY.									
	Saltcoats B.	Stewarton B.	Troon B.	Landward.	Banff County.	Aberchirder B.	Banff B.	Buckie B.	Charlestown of Aberlour B.	Cullen B.	Dufftown B.	Findochty B.	Keith B.	Macduff B.
1	11,177	2,741	8,638	123,730	53,405	901	3,292	8,462	1,210	1,737	1,420	1,722	4,424	3,278
2	162	47	104	1,968	946	21	119	189	14	29	17	34	100	43
3	286	61	161	2,571	969	18	69	156	13	23	22	40	80	52
4	156	29	85	1,342	489	9	34	80	5	10	14	25	38	28
5	130	32	76	1,229	480	9	35	76	8	13	8	15	42	24
6	21	1	2	136	113	2	8	8	1	1	3	2	12	7
7	7	-	4	66	47	2	8	14	-	3	-	-	3	-
8	13	1	9	111	48	1	1	12	1	2	1	-	3	1
9	103	24	120	968	346	5	60	50	11	9	6	10	45	20
10	111	35	113	1,560	690	21	81	116	14	20	22	22	60	31
11	158	47	126	1,612	718	18	56	117	14	22	20	26	66	42
12	77	23	58	855	333	8	29	55	6	8	7	10	23	21
13	81	24	68	757	385	10	27	62	8	14	13	16	43	21
14	1	-	-	1	-	-	-	-	-	-	-	-	-	-
15	1	-	1	13	-	-	-	-	-	-	-	-	-	-
16	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17	4	3	-	25	3	-	-	-	-	-	-	-	1	-
18	-	-	-	8	2	-	-	-	-	-	-	-	1	-
19	7	-	2	39	14	-	3	2	-	-	2	1	-	1
20	3	2	3	23	7	-	-	2	-	1	-	-	1	-
21	-	-	-	6	1	-	-	-	-	-	-	-	-	1
22	2	-	-	18	18	-	-	2	2	-	-	2	4	-
23	-	-	-	8	2	-	-	-	-	-	-	-	1	-
24	2	-	-	11	2	-	-	1	-	-	-	-	-	-
25	18	9	21	185	79	1	8	11	4	4	-	4	7	1
26	-	-	-	5	4	-	-	-	-	-	-	-	2	-
27	-	-	2	4	1	-	-	1	-	-	-	-	-	-
28	2	-	1	16	9	-	2	3	-	-	-	-	-	2
29	-	1	2	32	12	-	3	3	-	-	-	-	1	1
30	-	-	-	4	5	-	-	1	-	-	-	2	-	-
31	18	4	15	180	74	4	6	5	1	2	1	2	6	4
32	3	3	1	35	16	1	-	5	-	1	1	2	-	2
33	27	15	35	400	170	4	13	31	4	6	9	4	10	8
34	2	-	1	19	28	-	1	5	-	-	2	-	4	1
35	4	-	3	66	28	1	1	8	1	-	-	1	1	1
36	14	2	4	66	36	1	3	7	-	2	-	2	3	1
37	1	-	-	22	7	-	-	1	-	1	-	-	-	1
38	1	1	1	16	10	-	-	-	-	-	-	-	1	-
39	7	-	-	30	6	-	-	-	-	-	-	-	-	1
40	2	1	-	7	2	-	1	-	-	-	-	-	-	-
41	2	-	-	3	3	-	-	-	-	-	-	-	1	1
42	-	1	1	9	4	-	-	-	-	-	-	-	1	-
43	2	1	1	18	13	-	1	2	-	-	-	-	1	2
44	2	-	2	27	19	1	2	2	-	-	2	-	6	3
45	2	-	2	17	15	-	-	2	-	-	1	-	3	2
46	-	-	-	5	1	-	1	-	-	-	-	-	-	-
47	2	1	1	6	7	-	1	-	-	-	-	-	1	-
48	1	-	-	9	7	-	-	1	-	1	-	-	1	-
49	9	2	7	111	32	-	4	7	-	-	-	1	4	2
50	8	1	7	50	34	1	-	7	-	3	-	2	4	5
51	1	-	1	5	5	-	-	1	-	-	-	1	-	-
52	2	-	2	29	7	-	1	1	-	-	1	-	-	1
53	8	-	4	57	20	1	1	4	2	1	-	2	1	1
54	-	-	6	27	15	3	4	2	-	-	1	-	-	-
55	158	47	126	1,612	718	18	56	117	14	22	20	26	66	42
56	24	5	10	208	68	-	7	13	-	1	-	4	7	4
57	12	3	2	56	14	1	-	2	-	-	-	-	1	1
58	5	-	-	20	7	-	-	3	-	-	-	-	-	1
59	2	-	1	17	3	-	-	-	-	-	-	-	-	-
60	6	-	3	47	21	-	-	5	-	-	-	3	-	4
61	10	2	4	58	24	1	2	3	-	1	2	2	2	2
62	1	3	6	84	33	-	4	6	-	1	2	-	5	-
63	11	9	16	122	47	2	3	6	2	1	1	1	3	4
64	15	6	14	229	80	1	6	19	2	3	1	1	9	5
65	37	8	43	389	159	6	20	25	5	4	3	5	11	6
66	26	8	23	307	182	6	11	27	1	8	6	8	16	11
67	9	3	4	75	80	1	3	8	4	3	5	-	12	4
68	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	158	47	126	1,612	718	18	56	117	14	22	20	26	66	42

International Nos. Short List.		BANFF COUNTY— (continued).			BERWICK COUNTY.				Marginal Index Numbers.
		Portknockie B.	Portsoy B.	Landward.	Berwick County.	Coldstream B.	Duns B.	Eyemouth B.	
	Population (Estimated)* - - -	1,631	1,744	23,584	26,089	1,210	1,859	2,173	1
	Total Live Births Registered (inc. Illeg.)	28	12	340	328	20	92	25	2
	„ „								

* These populations are for the year 1939, as no later estimates are available in the case of Small Burghs and Landward areas.

† Including erysipelas, septicaemia, dysentery, acute poliomyelitis and lethargic encephalitis.

Marginal Index Numbers.	BERWICK COUNTY— (continued).		BUTE COUNTY.				CAITHNESS COUNTY.				CLACKMANNAN COUNTY.		
	Lauder B.	Landward.	Bute County.	Millport B.	Rothsay B.	Landward.	Caithness County.	Thurso B.	Wick B.	Landward.	Clackmannan County.	Alloa B.	Alva B.
1	608	20,239	16,302	1,516	7,936	6,850	25,693	3,231	7,473	14,989	33,073	13,424	3,977
2	2	189	402	30	294	78	539	62	211	266	526	206	51
3	1	274	341	24	205	112	543	91	189	263	628	237	75
4	1	153	179	11	110	58	305	57	104	144	334	118	42
5	-	121	162	13	95	54	238	34	85	119	294	119	33
6	-	24	24	1	14	9	63	11	23	29	49	23	8
7	-	4	5	-	3	2	17	2	6	9	25	12	6
8	-	6	6	-	4	2	17	4	6	7	33	16	7
9	4	127	137	9	89	39	199	43	98	58	321	154	54
10	14	254	439	78	193	168	477	46	124	307	387	149	43
11	18	294	364	31	168	165	440	60	120	260	445	161	56
12	9	150	170	13	72	85	218	29	54	135	229	82	32
13	9	144	194	18	96	80	222	31	66	125	216	79	24
14	-	-	-	-	-	-	-	-	-	-	-	-	-
15	-	1	-	-	-	-	2	-	1	1	2	-	-
16	-	-	1	1	-	-	-	-	-	-	-	-	-
17	-	1	-	-	-	-	2	-	1	1	1	-	-
18	-	-	1	-	1	-	-	-	-	-	1	-	1
19	-	3	4	-	2	2	17	5	3	9	12	5	2
20	-	2	4	-	3	1	10	1	4	5	8	4	2
21	-	2	1	-	1	-	1	-	1	-	1	1	-
22	-	3	1	-	-	1	8	-	4	4	3	1	-
23	-	-	-	-	-	-	1	1	-	-	-	-	-
24	-	1	1	-	-	1	3	-	2	1	5	1	1
25	5	34	37	1	18	18	48	6	16	26	68	24	10
26	-	2	2	-	1	1	-	-	-	-	1	1	-
27	-	1	-	-	-	-	-	-	-	-	-	-	-
28	-	4	3	2	-	1	4	-	-	4	5	1	-
29	-	6	4	1	2	1	5	-	1	4	15	5	2
30	-	2	4	-	1	3	1	1	-	-	5	3	1
31	1	41	47	8	21	18	39	3	6	30	50	20	1
32	1	6	4	-	2	2	8	1	3	4	4	2	1
33	7	96	100	9	51	40	100	16	26	63	92	31	17
34	-	7	3	-	3	-	28	7	7	14	8	3	1
35	1	11	22	3	13	6	10	-	4	6	15	4	3
36	1	9	11	2	7	2	12	2	3	7	12	6	2
37	-	3	8	-	3	5	10	2	4	4	4	2	-
38	-	2	5	-	4	1	6	1	3	2	3	-	1
39	-	3	4	-	1	3	8	-	7	1	7	2	-
40	-	1	-	-	-	-	3	1	1	1	2	-	-
41	-	1	1	-	1	-	-	-	-	-	-	-	-
42	1	2	1	-	1	-	2	1	-	1	2	1	-
43	-	2	5	1	1	3	3	-	3	-	3	1	-
44	-	11	9	-	9	-	8	-	3	5	7	5	1
45	-	5	4	-	3	1	2	-	1	1	9	3	-
46	-	-	-	-	-	-	1	-	1	-	-	-	-
47	-	1	-	-	-	-	2	-	1	1	2	2	-
48	-	2	-	-	-	-	3	-	-	3	6	2	-
49	-	8	7	1	3	3	19	5	4	10	28	14	-
50	-	4	24	1	6	17	31	1	4	26	21	2	6
51	-	1	1	-	-	1	-	-	-	-	-	-	-
52	-	2	-	-	-	-	4	-	1	3	4	1	-
53	-	10	28	-	3	25	12	-	3	9	22	9	2
54	1	4	17	1	7	9	22	6	2	14	17	5	2
55	18	294	364	31	168	165	440	60	120	260	445	161	56
56	-	14	12	3	5	4	38	9	14	15	45	22	2
57	-	3	6	1	2	3	8	1	3	4	8	-	1
58	-	1	1	1	-	-	5	2	2	1	5	2	-
59	-	2	1	-	1	-	1	-	1	-	4	1	-
60	-	3	7	-	2	5	19	1	1	17	10	3	2
61	-	7	16	-	1	15	15	1	7	7	10	4	-
62	-	10	13	-	8	5	14	-	5	9	16	4	4
63	2	16	13	-	4	9	28	6	6	16	34	16	5
64	6	41	46	5	28	13	50	5	14	31	76	27	12
65	6	78	107	10	51	46	108	14	33	61	106	37	15
66	3	89	94	10	44	40	108	15	27	66	98	31	11
67	1	29	48	1	22	25	46	6	7	33	32	14	4
68	-	1	-	-	-	-	-	-	-	-	1	-	-
69	18	294	364	31	168	165	440	60	120	260	445	161	56

International Nos. Short List.		CLACKMANNAN COUNTY—(contd.).			DUNBARTON COUNTY.				Marginal Index Numbers.
		Dollar B.	Tillicoultry B.	Landward.	Dunbarton County.	Clydebank B.	Cove and Kil- creggan B.	Dunbarton B.	
	Population (Estimated)*	1,439	3,173	11,060	157,299	48,118	849	22,612	1
	Total Live Births Registered (inc. Illeg.)	9	58	202	1,833	255	5	385	2
	„ „ Corr. for Mother's Resid. („)	20	58	238	2,611	624	9	441	3
	„ „ „ Male	5	35	134	1,359	342	3	237	4
	„ „ „ Female	15	23	104	1,252	282	6	204	5
	„ „ „ Illegitimate	4	1	13	103	26	-	15	6
	Still-births Registered (inc. Illegitimate)	-	1	6	58	7	-	13	7
	„ Corr. for Mother's Residence	-	1	9	121	33	-	23	8
	Marriages Registered	16	36	61	1,348	347	3	226	9
	Deaths Registered	18	53	124	2,196	637	18	455	10
	„ Corrected for Residence	27	59	142	2,033	505	16	375	11
	„ „ „ Male	11	28	76	1,028	271	9	206	12
	„ „ „ Female	16	31	66	1,005	234	7	169	13
	CAUSES OF DEATH.								
1	Typhoid fever (including Paratyphoid)	-	-	-	-	-	-	-	14
14 (1)	Cerebro-spinal fever	-	-	2	4	2	-	-	15
3	Scarlet fever	-	-	-	2	1	-	-	16
4	Whooping-cough	-	-	1	21	5	-	5	17
5	Diphtheria	-	-	-	40	10	-	18	18
6	Tuberculosis of respiratory system	1	2	2	87	34	-	20	19
7	Other forms of tuberculosis	-	-	2	24	7	-	5	20
9	Syphilis	-	-	-	4	3	-	-	21
10	Influenza	-	-	2	22	3	-	1	22
12	Measles	-	-	-	5	-	-	1	23
14 (2)	Other infect. or parasitic dis. (2, 8, 11, 13)†	-	-	3	8	3	-	1	24
15	Cancer, malignant tumours	3	16	15	216	57	1	37	25
16	Tumours, non-malignant or not defined	-	-	-	8	4	-	1	26
20 (1)	Acute rheumatism	-	-	-	2	-	-	-	27
18	Diabetes mellitus	-	1	3	22	5	-	2	28
20 (2)	Other general diseases (17, 19)	1	4	3	33	4	2	8	29
21	Meningitis, Disease of spinal cord	-	1	-	9	2	-	4	30
22	Cerebral hæmorrhage, &c.	6	8	15	213	50	1	35	31
23	Other diseases of nervous system	-	1	-	31	4	-	9	32
24	Heart disease	5	7	32	507	122	8	74	33
25	Other circulatory diseases	-	1	3	25	6	1	6	34
26	Bronchitis	3	2	3	96	19	-	23	35
27	Pneumonia	-	2	2	110	31	-	26	36
28	Other respiratory diseases	-	-	2	35	12	-	3	37
32 (1)	Gastric and duodenal ulcer	-	1	1	28	4	-	4	38
29	Diarrhoea (all ages)	-	-	5	31	8	-	5	39
30	Appendicitis	-	-	2	9	4	-	1	40
31 (1)	Cirrhosis of liver	-	-	-	5	2	-	-	41
31 (2)	Other diseases of liver	-	-	1	5	-	-	-	42
32 (2)	Other digestive diseases	-	-	2	20	4	-	3	43
33	Nephritis, acute or chronic	1	-	-	53	6	-	15	44
34	Other dis. of genito-urinary system	-	1	5	30	3	1	5	45
35	Puerperal sepsis	-	-	-	5	2	-	1	46
36	Other puerperal causes	-	-	-	8	5	-	2	47
37	Dis. of skin and organs of movement	-	-	4	10	2	-	1	48
38	Congen. debil., prem. birth, malform. &c.	2	2	10	113	29	1	26	49
39	Old age	3	4	6	63	12	-	18	50
40	Suicide	-	-	-	12	2	1	3	51
42	Road transport accidents	-	-	3	41	13	-	7	52
43	Other violence (41)	1	4	6	57	18	-	5	53
44	Causes ill-defined or unknown	1	2	7	19	7	-	-	54
	ALL CAUSES	27	59	142	2,033	505	16	375	55
	AGES AT DEATH.								
	Under 1	2	2	17	230	59	1	53	56
	1-4	-	1	6	74	19	-	22	57
	5-9	-	1	2	33	8	-	9	58
	10-14	-	1	2	17	4	-	4	59
	15-24	-	1	4	67	21	-	18	60
	25-34	-	1	5	78	25	-	13	61
	35-44	-	3	5	102	26	1	21	62
	45-54	3	5	5	180	55	3	33	63
	55-64	4	12	21	322	38	-	57	64
	65-74	8	14	32	458	120	4	71	65
	75-84	7	14	35	380	62	7	65	66
	85 and over	3	4	7	92	18	-	9	67
	Not stated	-	-	1	-	-	-	-	68
	ALL AGES	27	59	142	2,033	505	16	375	69

* These populations are for the year 1939, as no later estimates are available in the case of Small Burghs and Landward areas.

† Including erysipelas, septicæmia, dysentery, acute poliomyelitis, and lethargic encephalitis.

Marginal Index Numbers.	DUNBARTON COUNTY— (continued).				DUMFRIES COUNTY.								
	Helensburgh B.	Kirkintilloch B.	Milngavie B.	Landward.	Dumfries County.	Annan B.	Dumfries B.	Langholm B.	Lochmaben B.	Lockerbie B.	Moffat B.	Sanquhar B.	Landward.
1	8,751	13,256	6,404	57,309	81,357	3,874	23,879	2,325	1,040	2,644	1,985	1,867	43,743
2	98	254	42	794	1,699	77	855	29	18	31	74	20	595
3	130	291	72	1,044	1,550	84	528	33	23	49	33	33	767
4	62	155	31	529	777	38	275	20	11	27	17	13	376
5	68	136	41	515	773	46	253	13	12	22	16	20	391
6	9	8	2	43	142	5	41	2	5	5	2	2	80
7	-	8	4	26	75	1	45	1	1	3	2	2	20
8	2	10	5	48	70	1	21	2	2	3	1	1	39
9	118	128	75	451	765	41	349	21	23	15	20	19	277
10	154	137	70	725	1,337	43	476	51	24	22	35	21	665
11	157	162	91	727	1,190	62	368	52	26	24	35	24	599
12	64	76	39	363	600	36	170	16	13	15	14	14	322
13	93	86	52	364	590	26	198	36	13	9	21	10	277
14	-	-	-	-	-	-	-	-	-	-	-	-	-
15	-	-	-	2	10	1	3	-	-	-	-	-	6
16	1	-	-	-	-	-	-	-	-	-	-	-	-
17	1	4	2	4	4	-	2	-	1	1	-	-	-
18	2	2	1	7	14	-	7	-	-	-	-	-	7
19	5	5	1	22	35	1	13	-	2	2	-	1	16
20	-	2	2	8	7	-	2	-	1	-	-	-	4
21	-	-	-	1	5	-	2	-	-	-	-	-	3
22	-	1	-	17	14	1	2	-	1	-	-	-	10
23	-	1	-	3	-	-	-	-	-	-	-	-	-
24	2	-	-	2	11	-	5	-	-	-	1	-	5
25	17	11	11	82	133	3	52	5	1	2	8	-	62
26	-	-	1	2	2	-	2	-	-	-	-	-	-
27	-	1	-	1	1	-	-	-	-	-	-	-	1
28	2	3	-	10	14	1	6	-	1	-	-	-	6
29	3	2	3	11	18	2	4	2	-	-	1	2	7
30	1	-	-	2	6	-	1	-	1	-	-	1	3
31	21	19	11	76	157	12	52	11	3	3	5	4	67
32	3	4	3	8	30	3	14	-	1	-	2	1	9
33	48	36	18	201	314	10	82	19	7	12	7	10	167
34	4	1	2	5	32	4	3	2	-	-	1	-	22
35	6	13	5	30	37	1	10	1	3	-	-	1	21
36	4	4	5	40	51	2	21	-	-	1	-	-	27
37	4	2	3	11	15	1	3	1	-	-	1	-	9
38	5	3	1	11	10	-	6	-	-	-	-	-	4
39	1	3	1	13	18	2	4	-	-	1	-	-	11
40	-	-	1	3	4	-	2	-	-	-	-	-	2
41	-	-	-	3	3	-	-	-	-	-	1	-	2
42	-	3	-	2	7	1	3	-	-	-	-	-	3
43	3	1	3	6	10	1	3	-	-	-	-	-	6
44	6	6	2	18	34	6	8	1	2	1	2	-	14
45	4	2	2	13	15	-	4	-	-	-	-	-	11
46	-	-	-	2	-	-	-	-	-	-	-	-	-
47	-	-	-	1	5	-	3	-	-	-	-	-	2
48	2	1	1	3	3	-	-	-	-	-	-	-	3
49	5	14	4	34	63	4	18	2	-	-	2	2	35
50	-	8	2	23	34	2	10	7	2	-	2	-	11
51	1	-	-	5	4	1	2	-	-	1	-	-	-
52	2	1	3	15	16	1	5	-	-	-	-	-	10
53	4	8	-	22	35	2	8	1	-	-	-	2	22
54	-	1	3	8	19	-	6	-	-	-	2	-	11
55	157	162	91	727	1,190	62	368	52	26	24	35	24	599
56	10	27	10	70	111	8	36	2	-	2	1	2	60
57	4	3	2	24	22	1	9	-	1	-	-	-	11
58	-	5	-	11	18	1	6	-	1	-	1	-	9
59	1	2	-	6	3	-	3	-	-	-	-	-	-
60	2	3	1	22	28	1	14	-	-	-	-	-	13
61	3	7	2	28	40	-	13	-	-	2	2	-	23
62	4	8	2	40	65	2	23	-	2	1	1	3	33
63	12	10	8	59	97	8	43	3	2	2	2	3	34
64	25	24	16	112	156	10	55	2	4	5	6	3	71
65	37	33	23	170	278	12	70	17	8	7	6	8	150
66	41	37	22	146	291	16	68	21	6	3	14	5	158
67	18	3	5	39	81	3	28	7	2	2	2	-	37
68	-	-	-	-	-	-	-	-	-	-	-	-	-
69	157	162	91	727	1,190	62	368	52	26	24	35	24	599

Marginal Index Numbers.	EAST LOTHIAN Co.—(contd.).		FIFE COUNTY.											
	Tranent B.	Landward.	Fife County.	Auchter- muchty B.	Buckhaven and Methil B.	Burntisland B.	Cowdenbeath B.	Crail B.	Calross B.	Cupar B.	Dunfermline B.	Elie and Earlsferry B.	Falkland B.	Inverkeithing B.
1	5,122	24,753	285,206	1,235	19,432	5,662	12,558	1,012	528	5,012	37,345	935	883	3,493
2	97	322	4,857	12	271	46	109	27	6	84	1,143	7	9	33
3	127	455	4,984	23	327	95	246	32	12	98	695	11	17	76
4	70	225	2,590	12	160	50	123	16	4	58	380	6	11	41
5	57	230	2,394	11	167	45	123	16	8	40	315	5	6	35
6	5	27	283	-	17	7	12	1	-	7	35	2	3	7
7	2	8	186	1	13	2	3	1	1	3	55	1	-	1
8	3	20	195	1	14	4	10	1	1	3	34	1	-	5
9	51	148	2,652	8	208	59	122	34	24	65	492	7	19	23
10	41	266	3,431	18	204	52	83	17	4	78	665	19	10	28
11	57	312	3,604	23	225	67	139	16	10	79	503	21	10	44
12	33	153	1,788	12	120	36	76	7	5	27	262	8	3	21
13	24	159	1,816	11	105	31	63	9	5	52	241	13	7	23
14	-	-	3	-	-	-	1	-	-	-	-	-	-	-
15	-	1	17	-	1	-	-	1	1	-	1	-	-	-
16	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17	-	1	23	-	2	1	-	-	-	1	-	-	-	1
18	-	-	19	-	5	-	-	-	-	-	2	-	-	-
19	2	13	70	-	5	-	4	3	-	1	12	-	-	1
20	2	2	42	-	3	2	1	-	-	1	5	-	-	2
21	-	2	5	-	-	-	-	-	-	-	2	-	-	1
22	-	5	40	-	10	2	-	-	-	-	-	-	-	-
23	1	1	-	-	-	-	-	-	-	-	-	-	-	-
24	1	-	15	-	1	-	1	-	-	-	1	-	-	-
25	7	39	467	9	23	7	18	4	2	16	59	3	2	2
26	-	-	14	-	-	-	1	-	-	1	2	-	-	-
27	1	-	7	-	1	-	-	-	-	-	1	-	-	-
28	1	3	44	-	1	2	2	-	-	-	8	-	-	-
29	1	7	59	-	5	-	3	-	-	1	5	-	-	-
30	-	1	18	-	1	-	1	-	-	3	4	-	-	-
31	5	44	444	3	21	3	12	2	-	12	63	3	-	9
32	1	3	53	-	5	2	2	-	-	2	6	-	-	1
33	19	63	927	5	36	18	35	2	-	23	140	9	1	13
34	2	11	79	-	3	1	1	3	2	1	9	1	1	2
35	1	12	160	-	12	7	10	-	-	-	23	2	2	-
36	1	12	142	-	7	7	9	-	-	3	20	1	1	1
37	2	10	60	-	4	2	3	-	1	1	9	-	-	-
38	-	3	36	-	4	-	1	-	1	-	7	-	-	1
39	4	6	37	-	5	1	3	-	-	1	4	-	-	-
40	-	1	11	1	-	1	-	-	-	-	4	-	-	-
41	-	1	5	-	-	-	-	-	-	-	-	-	-	-
42	-	2	15	-	-	-	-	-	-	-	-	1	-	-
43	-	9	39	-	4	-	1	-	-	-	6	-	-	1
44	-	7	78	1	8	-	-	-	-	1	7	1	-	-
45	-	4	63	2	3	2	4	-	-	1	12	-	-	-
46	-	2	10	-	2	-	3	-	-	-	2	-	-	-
47	-	2	20	-	-	-	1	1	-	-	2	-	1	-
48	-	1	22	1	1	1	3	-	-	-	2	-	-	-
49	4	14	186	-	17	3	9	-	1	5	28	-	-	4
50	-	9	129	1	14	1	3	-	-	3	17	-	2	3
51	-	3	17	-	1	-	1	-	-	-	1	-	-	-
52	-	8	45	-	2	-	3	-	1	-	7	-	-	-
53	2	8	136	-	14	2	2	-	1	2	18	-	-	2
54	-	2	47	-	4	2	1	-	-	-	10	-	-	-
55	57	312	3,604	23	225	67	139	16	10	79	503	21	10	44
56	9	29	326	-	28	6	17	-	1	7	49	-	3	4
57	1	3	103	1	12	2	3	-	-	3	9	-	-	3
58	1	2	34	-	3	1	1	-	-	2	6	-	-	-
59	-	2	19	-	2	-	2	-	1	-	4	1	-	-
60	3	11	94	-	7	-	5	2	3	-	9	-	1	2
61	4	13	122	-	9	2	5	1	-	-	17	-	-	-
62	1	8	166	-	17	7	5	1	-	2	25	-	-	-
63	5	29	302	4	27	7	14	-	-	6	46	-	-	6
64	9	51	558	1	31	13	26	1	1	8	74	2	-	6
65	15	82	857	9	46	13	34	1	1	19	126	5	1	10
66	8	64	787	4	37	12	25	9	2	19	109	5	4	7
67	1	18	236	4	6	4	2	1	1	13	29	8	1	6
68	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	57	312	3,604	23	225	67	139	16	10	79	503	21	10	44

International Nos. Short List.		FIFE COUNTY—(continued).								Marginal Index Numbers.
		Kilrenny and Anstruther B.	Kinghorn B.	Kirkcaldy B.	Ladybank and Monkston B.	Leslie B.	Leven B.	Lochgelly B.		
Population (Estimated)*		3,328	2,033	46,579	1,193	2,594	8,331	9,189	1	
Total Live Births Registered (inc. Illeg.)		29	32	1,139	13	23	108	86	2	
,, ,, Corr. for Mother's Resid. (,,)		41	52	722	17	33	140	123	3	
,, ,, ,, Male		23	23	375	8	13	63	59	4	
,, ,, ,, Female		18	29	347	9	20	77	64	5	
,, ,, ,, Illegitimate		3	4	29	-	1	6	10	6	
Still-births Registered (inc. Illegitimate)		1	2	44	-	-	3	5	7	
,, Corr. for Mother's Residence		3	3	31	-	-	4	8	8	
Marriages Registered		37	21	414	13	30	94	112	9	
Deaths Registered		44	20	517	13	30	64	60	10	
,, Corrected for Residence		47	29	542	18	35	88	97	11	
,, ,, ,, Male		11	15	260	9	16	40	59	12	
,, ,, ,, Female		36	14	282	9	19	48	38	13	
CAUSES OF DEATH.										
1	Typhoid fever (including Paratyphoid)	-	-	1	-	-	-	-	14	
14 (1)	Cerebro-spinal fever	-	-	2	-	-	-	2	15	
3	Scarlet fever	-	-	-	-	-	-	-	16	
4	Whooping-cough	-	-	1	-	-	-	-	17	
5	Diphtheria	-	-	4	-	-	-	-	18	
6	Tuberculosis of respiratory system	-	-	12	-	-	-	3	19	
7	Other forms of tuberculosis	1	-	5	-	-	-	1	20	
9	Syphilis	-	-	1	-	-	-	-	21	
10	Influenza	-	-	6	-	-	1	1	22	
12	Measles	-	-	-	-	-	-	-	23	
14 (2)	Other infect. or parasitic dis. (2, 8, 11, 13)†	-	-	2	-	-	-	1	24	
15	Cancer, malignant tumours	5	4	73	2	4	14	15	25	
16	Tumours, non-malignant or not defined	-	-	3	-	-	-	-	26	
20 (1)	Acute rheumatism	-	-	-	-	-	-	-	27	
18	Diabetes mellitus	2	-	5	-	2	3	-	28	
20 (2)	Other general diseases (17, 19)	-	-	8	-	-	1	2	29	
21	Meningitis, Disease of spinal cord	-	-	2	-	-	-	-	30	
22	Cerebral hæmorrhage, &c.	15	6	60	3	5	12	5	31	
23	Other diseases of nervous system	-	2	6	-	-	-	2	32	
24	Heart disease	13	9	155	10	12	16	17	33	
25	Other circulatory diseases	1	1	12	-	-	4	1	34	
26	Bronchitis	1	2	32	-	1	4	6	35	
27	Pneumonia	2	-	17	-	2	3	2	36	
28	Other respiratory diseases	-	-	11	-	2	4	1	37	
32 (1)	Gastric and duodenal ulcer	1	1	4	-	-	-	1	38	
29	Diarrhœa (all ages)	-	-	7	-	-	1	3	39	
30	Appendicitis	-	-	-	-	-	-	-	40	
31 (1)	Cirrhosis of liver	-	-	1	-	-	1	-	41	
31 (2)	Other diseases of liver	-	-	3	-	-	-	-	42	
32 (2)	Other digestive diseases	3	-	3	-	-	2	2	43	
33	Nephritis, acute or chronic	-	1	13	-	-	1	5	44	
34	Other dis. of genito-urinary system	1	-	7	1	-	4	-	45	
35	Puerperal sepsis	-	-	1	-	-	-	-	46	
36	Other puerperal causes	-	-	2	-	-	-	3	47	
37	Diseases of skin and organs of movement	-	-	1	-	-	-	1	48	
38	Congen. debil., prem. birth, malform. &c.	2	1	22	1	-	7	7	49	
39	Old age	-	1	29	1	1	2	4	50	
40	Suicide	-	-	3	-	1	2	-	51	
42	Road transport accidents	-	1	2	-	-	1	2	52	
43	Other violence (41)	-	-	23	-	3	4	9	53	
44	Causes ill-defined or unknown	-	-	3	-	2	1	1	54	
ALL CAUSES		47	29	542	18	35	88	97	55	
AGES AT DEATH.										
Under 1		3	1	40	1	-	9	11	56	
1-4		-	-	11	-	-	-	4	57	
5-9		-	-	8	-	-	-	-	58	
10-14		-	-	1	-	-	1	-	59	
15-24		-	1	12	-	1	1	4	60	
25-34		-	1	13	-	2	1	8	61	
35-44		3	1	26	-	1	3	5	62	
45-54		1	2	41	-	4	4	8	63	
55-64		8	9	97	4	5	10	11	64	
65-74		13	8	133	5	14	34	25	65	
75-84		12	3	130	4	6	17	18	66	
85 and over		7	3	30	4	2	8	3	67	
Not stated		-	-	-	-	-	-	-	68	
ALL AGES		47	29	542	18	35	88	97	69	

* These populations are for the year 1939, as no later estimates are available in the case of Small Burghs and Landward areas.

Including erysipelas septicæmia, dysentery, acute poliomyelitis, and lethargic encephalitis.

Marginal Index Numbers.	FIFE COUNTY—(continued).								INVERNESS COUNTY.				
	Markinch B.	Newburgh B.	Newport B.	Pittenweem B.	St. Andrews B.	St. Monance B.	Tayport B.	Landward.	Inverness County.	Fort-William B.	Inverness B.	Kingussie B.	Landward.
1	2,221	2,519	3,053	1,672	8,453	1,694	3,287	101,165	80,999	3,073	23,419	977	53,530
2	18	11	28	19	165	18	46	1,375	1,539	41	794	15	689
3	30	29	37	31	124	25	54	1,894	1,413	53	481	21	858
4	20	19	17	11	59	14	24	1,001	728	26	256	14	432
5	10	10	20	20	65	11	30	893	685	27	225	7	426
6	2	-	5	1	9	1	4	117	120	5	50	-	65
7	-	1	1	3	4	-	3	38	66	-	42	-	24
8	-	2	2	2	3	-	4	59	57	-	28	-	29
9	35	13	22	13	92	12	37	646	657	41	416	17	183
10	26	33	40	21	123	32	43	1,187	1,431	58	552	29	792
11	30	44	52	25	124	36	51	1,249	1,247	39	369	20	819
12	20	20	16	14	44	16	27	644	638	18	179	11	430
13	10	24	36	11	80	20	24	605	609	21	190	9	389
14	-	-	1	-	-	-	-	-	1	-	-	-	1
15	-	-	-	-	-	1	-	8	6	-	4	-	2
16	-	-	-	-	-	-	-	-	-	-	-	-	-
17	1	-	-	-	-	-	-	16	5	1	2	-	2
18	-	1	-	-	-	-	-	7	3	-	-	-	3
19	-	-	1	-	6	-	1	21	54	-	18	1	35
20	-	1	1	-	-	1	2	16	7	-	4	-	3
21	-	-	-	-	-	-	1	-	6	-	3	-	3
22	-	-	1	-	1	-	-	18	30	1	5	-	24
23	-	-	-	-	-	-	-	-	1	-	1	-	-
24	-	2	-	1	-	-	-	6	4	-	1	-	3
25	5	7	5	3	17	4	10	154	148	8	51	5	84
26	-	-	1	1	2	-	-	3	6	-	2	-	4
27	-	-	-	-	-	-	-	5	2	-	-	-	2
28	-	1	-	-	-	1	2	15	8	1	-	-	7
29	2	1	-	-	6	1	-	24	23	1	7	-	15
30	-	-	-	-	1	-	-	6	9	-	1	-	8
31	1	3	8	4	28	9	5	152	137	4	53	2	78
32	-	1	-	-	2	1	1	20	14	-	4	-	10
33	10	16	21	7	27	13	15	304	233	11	70	2	150
34	2	-	1	1	4	-	-	28	27	-	9	-	18
35	-	2	2	1	2	-	1	50	41	2	17	-	22
36	2	2	-	1	5	-	2	55	44	2	10	-	32
37	-	-	-	-	5	2	-	15	15	-	1	-	14
38	-	-	-	1	1	-	-	13	14	-	7	1	6
39	-	-	1	-	-	1	1	9	7	-	3	-	4
40	-	-	-	-	-	-	-	5	4	-	1	-	3
41	-	1	-	-	1	-	-	1	5	3	-	-	2
42	-	-	-	1	2	-	-	4	2	-	-	-	2
43	-	-	2	-	-	-	1	14	13	-	5	-	8
44	2	1	1	-	3	-	2	31	31	-	6	-	25
45	1	-	1	1	-	1	-	22	30	1	8	1	20
46	-	-	-	-	-	-	-	2	-	-	-	-	-
47	-	-	-	-	-	-	1	9	3	-	-	1	2
48	-	-	-	-	1	-	-	11	7	-	1	-	6
49	1	-	3	1	4	1	1	68	64	1	25	2	36
50	2	1	-	-	-	-	-	44	138	1	21	1	115
51	-	1	-	-	-	-	1	7	3	-	1	-	2
52	-	-	-	-	2	-	-	23	15	-	2	2	11
53	1	-	-	2	2	-	3	48	43	1	12	-	30
54	-	3	2	-	2	-	1	15	44	1	14	2	27
55	30	44	52	25	124	36	51	1,249	1,247	39	369	20	819
56	2	-	5	2	7	1	4	125	92	3	38	2	49
57	1	3	-	-	2	2	1	46	18	1	6	-	11
58	-	1	-	-	-	-	-	12	3	-	-	-	3
59	-	-	1	-	-	-	-	6	5	-	-	-	5
60	1	1	1	-	2	-	2	39	30	1	5	1	23
61	-	-	1	-	5	-	4	53	38	-	10	1	27
62	-	1	2	-	4	2	1	60	53	2	19	1	31
63	-	3	4	1	14	3	2	105	91	4	34	2	51
64	5	3	4	7	19	4	8	201	137	2	40	1	94
65	7	14	11	4	27	14	12	271	274	15	96	5	158
66	9	14	16	8	31	10	13	263	352	9	92	6	245
67	5	4	7	3	13	-	4	68	154	2	29	1	122
68	-	-	-	-	-	-	-	-	-	-	-	-	-
69	30	44	52	25	124	36	51	1,249	1,247	39	369	20	819

International Nos. Short List.		KINCARDINE COUNTY.						Marginal Index Numbers.
		Kincardine County.	Banchory B.	Inverbervie B.	Laurencekirk B.	Stonehaven B.	Landward.	
	Population (Estimated)* - - -	25,853	1,792	939	1,342	4,154	17,626	1
	Total Live Births Registered (inc. Illeg.)	348	15	6	8	62	257	2
	„ „ Corr. for Mother's Resid. („)	450	31	12	15	55	337	3
	„ „ „ Male - -	233	18	5	9	32	169	4
	„ „ „ Female - -	217	13	7	6	23	168	5
	„ „ „ Illegitimate	55	2	1	2	4	46	6
	Still-births Registered (inc. Illegitimate)	10	-	-	-	-	10	7
	„ Corr. for Mother's Residence	17	-	1	1	1	14	8
	Marriages Registered - - -	174	15	20	16	36	87	9
	Deaths Registered - - -	360	18	16	29	98	199	10
	„ Corrected for Residence - -	366	20	17	35	70	224	11
	„ „ „ Male - -	187	10	8	20	30	119	12
	„ „ „ Female - -	179	10	9	15	40	105	13
	CAUSES OF DEATH.							
1	Typhoid fever (including Paratyphoid)	-	-	-	-	-	-	14
14 (1)	Cerebro-spinal fever - - -	2	1	-	-	-	1	15
3	Scarlet fever - - -	1	-	-	-	-	1	16
4	Whooping-cough - - -	-	-	-	-	-	-	17
5	Diphtheria - - -	1	-	-	-	-	1	18
6	Tuberculosis of respiratory system -	6	2	-	1	1	2	19
7	Other forms of tuberculosis - -	3	-	-	-	-	3	20
9	Syphilis - - -	-	-	-	-	-	-	21
10	Influenza - - -	1	-	-	-	1	-	22
12	Measles - - -	1	-	-	-	-	1	23
14 (2)	Other infect. or parasitic dis. (2, 8, 11, 13)†	-	-	-	-	-	-	24
15	Cancer, malignant tumours - -	45	1	1	4	11	28	25
16	Tumours, non-malignant or not defined	-	-	-	-	-	-	26
20 (1)	Acute rheumatism - - -	1	-	1	-	-	-	27
18	Diabetes mellitus - - -	5	-	-	1	2	2	28
20 (2)	Other general diseases (17, 19) - -	3	-	-	-	-	3	29
21	Meningitis, Disease of spinal cord -	2	-	1	-	-	1	30
22	Cerebral hæmorrhage, &c. - -	42	1	2	9	15	15	31
23	Other diseases of nervous system -	3	-	-	-	1	2	32
24	Heart disease - - -	93	7	6	8	17	55	33
25	Other circulatory diseases - - -	16	-	-	2	-	14	34
26	Bronchitis - - -	10	-	-	1	3	6	35
27	Pneumonia - - -	21	1	-	3	1	16	36
28	Other respiratory diseases - - -	5	2	-	-	1	2	37
32 (1)	Gastric and duodenal ulcer - - -	2	-	-	-	-	2	38
29	Diarrhoea (all ages) - - -	6	-	1	-	2	3	39
30	Appendicitis - - -	1	-	-	-	-	1	40
31 (1)	Cirrhosis of liver - - -	-	-	-	-	-	-	41
31 (2)	Other diseases of liver - - -	1	-	-	-	-	1	42
32 (2)	Other digestive diseases - - -	6	-	-	-	2	4	43
33	Nephritis, acute or chronic - - -	8	-	1	-	1	6	44
34	Other dis. of genito-urinary system -	10	1	-	-	3	6	45
35	Puerperal sepsis - - -	-	-	-	-	-	-	46
36	Other puerperal causes - - -	2	-	-	1	-	1	47
37	Dis. of skin and organs of movement	3	-	1	-	-	2	48
38	Congen. debil., prem. birth, malform., &c.	23	2	-	3	2	16	49
39	Old age - - -	16	1	-	-	6	9	50
40	Suicide - - -	4	-	-	1	-	3	51
42	Road transport accidents - - -	5	-	-	-	-	5	52
43	Other violence (41) - - -	7	1	-	1	-	5	53
44	Causes ill-defined or unknown - -	11	-	3	-	1	7	54
	ALL CAUSES - - -	366	20	17	35	70	224	55
	AGES AT DEATH.							
	Under 1 - - -	40	2	2	6	2	28	56
	1-4 - - -	7	1	-	-	-	6	57
	5-9 - - -	6	-	1	-	-	5	58
	10-14 - - -	1	-	-	-	-	1	59
	15-24 - - -	8	2	1	1	-	4	60
	25-34 - - -	9	-	-	1	-	8	61
	35-44 - - -	11	1	-	-	2	8	62
	45-54 - - -	18	2	1	2	3	10	63
	55-64 - - -	38	1	-	4	8	25	64
	65-74 - - -	88	3	4	7	15	59	65
	75-84 - - -	102	7	7	11	28	49	66
	85 and over - - -	38	1	1	3	12	21	67
	Not stated - - -	-	-	-	-	-	-	68
	ALL AGES - - -	366	20	17	35	70	224	69

* These populations are for the year 1939, as no later estimates are available in the case of Small Burghs and Landward areas.

† Including erysipelas, septicaemia, dysentery, acute poliomyelitis and lethargic encephalitis.

Marginal Index Numbers.	KINROSS COUNTY.			KIRKCUDBRIGHT COUNTY.							LANARK COUNTY.		
	Kinross County.	Kinross B.	Landward.	Kirkcud- bright County.	Castle- Douglas B.	Dalbeattie B.	Gatehouse B.	Kirkcudbright B.	New Galloway B.	Landward.	Lanark County.	Airdrie B.	Biggar B.
1	7,029	2,427	4,602	30,202	3,168	3,179	867	2,327	328	20,333	1,638,058	28,295	1,312
2	96	36	60	523	49	71	9	29	3	362	30,803	863	19
3	132	45	87	619	50	80	15	42	3	429	30,875	609	25
4	73	27	46	322	25	43	11	21	1	221	15,781	318	10
5	59	18	41	297	25	37	4	21	2	208	15,094	291	15
6	13	2	11	62	2	11	-	2	1	46	1,787	26	3
7	5	3	2	10	1	3	-	-	-	6	1,420	28	-
8	5	3	2	12	1	4	-	-	-	7	1,380	17	1
9	58	24	34	198	25	27	4	24	1	117	17,382	317	5
10	124	27	97	390	61	28	12	33	4	252	23,751	348	11
11	100	38	62	441	46	41	14	34	4	302	22,736	349	19
12	49	22	27	231	21	24	6	12	1	167	12,218	202	11
13	51	16	35	210	25	17	8	22	3	135	10,518	147	8
14	-	-	-	-	-	-	-	-	-	-	4	-	-
15	1	1	-	3	-	-	-	-	-	-	105	1	-
16	-	-	-	-	-	-	-	-	-	3	12	-	-
17	-	-	-	3	-	1	-	-	-	2	405	8	-
18	-	-	-	1	-	-	-	-	-	1	199	1	-
19	2	2	-	7	3	1	1	1	-	1	1,413	11	-
20	-	-	-	4	-	1	-	-	-	3	453	2	-
21	-	-	-	1	1	-	-	-	-	-	84	-	-
22	-	-	-	4	-	-	-	-	-	-	179	9	-
23	1	1	-	-	-	-	-	-	-	4	25	-	-
24	-	-	-	3	-	-	1	1	-	1	107	1	-
25	14	6	8	66	8	3	1	9	-	45	2,582	35	4
26	-	-	-	1	-	-	-	-	-	1	80	2	2
27	-	-	-	2	1	1	-	-	-	-	47	-	-
28	2	-	2	5	1	1	-	-	-	3	203	4	-
29	2	1	1	7	1	-	2	-	-	4	334	3	-
30	-	-	-	4	-	2	-	-	-	2	112	2	-
31	5	1	4	61	9	3	2	5	1	41	1,956	38	2
32	2	-	2	6	-	2	-	-	-	4	380	2	-
33	25	6	19	119	14	10	4	10	1	80	4,795	86	6
34	4	3	1	7	1	-	-	-	-	6	287	7	-
35	6	3	3	18	3	2	-	-	-	13	1,290	24	-
36	5	2	3	17	-	5	-	4	1	7	1,480	12	-
37	4	1	3	4	1	2	-	-	-	1	301	8	-
38	3	2	1	8	-	2	1	1	-	4	225	3	1
39	-	-	-	3	-	-	1	-	-	2	549	5	-
40	-	-	-	2	-	-	-	-	-	2	66	-	-
41	-	-	-	1	-	-	1	-	-	-	43	-	-
42	-	-	-	-	-	-	-	-	-	-	99	1	-
43	-	-	-	4	1	-	-	-	-	3	272	3	-
44	6	1	5	5	-	-	-	-	-	5	378	5	2
45	4	4	-	10	1	-	-	2	-	7	297	4	-
46	-	-	-	1	-	-	-	-	-	1	71	-	-
47	1	1	-	1	-	-	-	-	-	1	112	5	-
48	-	-	-	1	-	-	-	-	-	1	123	3	-
49	4	1	3	20	-	2	-	-	-	18	1,404	25	-
50	3	-	3	13	-	1	-	-	1	11	553	15	-
51	2	1	1	-	-	-	-	-	-	-	94	1	-
52	2	1	1	8	-	1	-	-	-	7	389	3	-
53	2	-	2	15	1	1	-	1	-	12	741	9	1
54	-	-	-	6	-	-	-	-	-	6	487	9	1
55	100	38	62	441	46	41	14	34	4	302	22,736	349	19
56	7	2	5	36	-	8	-	-	-	28	3,173	49	-
57	1	1	-	9	1	1	-	1	-	6	902	10	-
58	-	-	-	2	-	-	-	-	-	2	321	2	-
59	-	-	-	9	-	3	1	-	-	5	214	4	-
60	1	1	-	6	-	2	-	-	-	4	914	7	-
61	4	4	-	12	2	2	1	-	-	7	960	6	2
62	7	3	4	13	3	3	2	1	-	4	1,345	16	1
63	5	1	4	31	3	1	2	5	-	24	2,123	27	2
64	21	8	13	66	8	2	1	-	-	50	3,542	59	3
65	19	9	10	105	11	8	6	9	1	70	5,005	88	7
66	27	7	20	109	12	10	-	11	2	74	3,536	63	4
67	8	2	6	43	6	1	1	6	1	28	700	18	-
68	-	-	-	-	-	-	-	-	-	-	1	-	-
69	100	38	62	441	46	41	14	34	4	302	22,736	349	19

International Nos. Short List.		LANARK COUNTY—(continued).							Marginal Index Numbers.
		Coatbridge B.	Glasgow B.	Hamilton B.	Lanark B.	Motherwell & Wishaw B.	Rutherglen B.	Landward.	
	Population (Estimated) *	45,170	1,128,473	39,194	6,046	68,137	25,419	296,012	1
	Total Live Births Registered (inc. Illeg.)	753	20,303	987	53	1,385	257	6,183	2
	„ „ Corr. for Mother's Resid. (,,)	1,024	20,363	879	90	1,382	369	6,134	3
	„ „ „ Male -	548	10,403	459	44	698	199	3,102	4
	„ „ „ Female -	476	9,960	420	46	684	170	3,032	5
	„ „ „ Illegitimate	28	1,342	48	6	51	13	270	6
	Still-births Registered (inc. Illegitimate)	36	1,005	29	2	51	9	260	7
	„ „ Corr. for Mother's Residence	50	946	35	3	49	16	262	8
	Marriages Registered -	417	12,757	410	104	660	325	2,387	9
	Deaths Registered -	534	17,903	475	85	606	211	3,578	10
	„ „ Corrected for Residence -	604	16,297	532	92	778	348	3,717	11
	„ „ „ Male -	342	8,760	285	44	434	185	1,955	12
	„ „ „ Female -	262	7,537	247	48	344	163	1,762	13
	CAUSES OF DEATH.								
1	Typhoid fever (including Paratyphoid)	-	2	-	-	1	-	1	14
14 (1)	Cerebro-spinal fever -	1	81	1	-	3	2	16	15
3	Scarlet fever -	-	6	2	-	-	-	4	16
4	Whooping-cough -	23	287	14	1	16	3	53	17
5	Diphtheria -	3	155	3	-	3	3	31	18
6	Tuberculosis of respiratory system -	28	1,132	32	2	37	14	157	19
7	Other forms of tuberculosis -	7	334	21	-	19	5	65	20
9	Syphilis -	-	69	2	-	2	2	9	21
10	Influenza -	8	107	8	-	7	1	39	22
12	Measles -	-	11	1	-	3	-	10	23
14 (2)	Other infect. or parasitic dis. (2,8,11,13)†	4	74	2	2	2	3	19	24
15	Cancer, malignant tumours -	59	1,892	50	10	77	38	417	25
16	Tumours, non-malignant or not defined	1	56	2	-	3	4	10	26
20 (1)	Acute rheumatism -	-	35	1	-	2	3	6	27
18	Diabetes mellitus -	5	134	7	-	6	6	41	28
20 (2)	Other general diseases (17, 19) -	10	220	10	1	18	9	63	29
21	Meningitis, Disease of spinal cord	6	69	4	-	5	1	25	30
22	Cerebral hæmorrhage, &c. -	52	1,381	54	12	80	25	312	31
23	Other diseases of nervous system -	19	256	14	-	11	8	70	32
24	Heart disease -	131	3,352	111	27	179	102	801	33
25	Other circulatory diseases -	14	187	5	-	11	6	57	34
26	Bronchitis -	36	960	26	5	41	12	184	35
27	Pneumonia -	36	1,150	29	2	39	23	189	36
28	Other respiratory diseases -	7	217	6	3	9	5	46	37
32 (1)	Gastric and duodenal ulcer -	3	169	2	-	9	1	37	38
29	Diarrhœa (all ages) -	16	405	15	-	22	3	83	39
30	Appendicitis -	1	41	2	-	6	4	12	40
31 (1)	Cirrhosis of liver -	4	32	-	-	1	-	6	41
31 (2)	Other diseases of liver -	7	60	2	-	4	2	23	42
32 (2)	Other digestive diseases -	5	202	5	-	8	3	46	43
33	Nephritis, acute or chronic -	8	259	11	2	13	7	71	44
34	Other dis. of genito-urinary system -	5	219	3	1	10	9	46	45
35	Puerperal sepsis -	-	52	3	-	3	-	13	46
36	Other puerperal causes -	2	69	2	-	3	1	30	47
37	Dis. of skin and organs of movement -	2	80	2	-	6	2	28	48
38	Congen. debil., prem. birth, malform., &c.	39	953	45	8	44	14	276	49
39	Old age -	23	310	12	15	21	6	151	50
40	Suicide -	5	65	2	-	3	1	17	51
42	Road transport accidents -	9	300	1	1	9	6	60	52
43	Other violence (41) -	17	547	11	-	26	7	123	53
44	Causes ill-defined or unknown -	8	367	9	-	16	7	70	54
	ALL CAUSES -	604	16,297	532	92	778	348	3,717	55
	AGES AT DEATH.								
	Under 1 -	100	2,265	99	9	101	33	517	56
	1-4 -	27	635	37	2	36	7	148	57
	5-9 -	7	223	3	-	11	3	72	58
	10-14 -	5	151	2	-	11	6	35	59
	15-24 -	18	651	40	-	42	10	146	60
	25-34 -	24	702	27	-	32	16	151	61
	35-44 -	26	1,004	22	4	41	15	216	62
	45-54 -	59	1,577	28	4	78	31	317	63
	55-64 -	90	2,574	72	17	119	61	547	64
	65-74 -	124	3,581	102	28	169	89	817	65
	75-84 -	109	2,449	85	25	119	69	613	66
	85 and over -	15	484	15	3	19	8	138	67
	Not stated -	-	1	-	-	-	-	-	68
	ALL AGES -	604	16,297	532	92	778	348	3,717	69

* These populations are for the year 1939, as no later estimates are available in the case of Small Burghs and Landward areas.

† Including erysipelas, septicæmia, dysentery, acute poliomyelitis, and lethargic encephalitis.

Marginal Index Numbers.	MIDLOTHIAN COUNTY.								MORAY COUNTY.			
	Midlothian County.	Bonnyrigg and Lasswade B.	Dalkeith B.	Edinburgh B.	Loanhead B.	Musselburgh B.	Penicuik B.	Landward.	Moray County.	Burghead B.	Elgin B.	Forres B.
1	561,738	5,412	7,665	471,897	4,170	17,643	4,244	50,707	40,911	1,329	9,157	4,309
2	9,226	72	97	8,052	72	165	106	662	917	26	181	40
3	8,541	88	141	6,934	96	274	122	886	899	31	162	96
4	4,355	31	75	3,548	42	158	57	444	451	11	80	49
5	4,186	57	66	3,386	54	116	65	442	448	20	82	47
6	590	3	5	504	6	15	6	51	118	6	18	15
7	391	2	3	363	3	2	1	17	17	2	5	-
8	334	2	5	267	4	12	5	39	19	2	5	-
9	5,634	38	87	4,882	31	192	44	360	377	15	152	59
10	8,370	47	87	7,555	38	131	34	478	672	19	174	54
11	7,550	74	86	6,545	61	189	50	545	629	24	148	65
12	8,606	36	41	3,110	20	87	25	287	306	11	65	33
13	3,944	38	45	3,435	41	102	25	258	323	13	83	32
14	4	-	-	4	-	-	-	-	-	-	-	-
15	41	2	-	36	1	1	-	1	1	-	-	-
16	5	-	2	3	-	-	-	-	1	-	1	-
17	55	1	-	44	-	2	2	6	1	-	-	-
18	32	2	-	28	-	-	-	2	1	-	-	1
19	327	2	2	301	1	8	2	11	13	2	3	2
20	96	1	4	76	2	4	1	8	4	-	2	1
21	42	-	-	40	-	-	-	2	2	-	-	-
22	67	1	-	63	-	1	-	2	5	-	2	1
23	8	-	-	7	-	-	-	1	4	-	-	-
24	54	-	-	53	-	-	-	1	4	-	1	-
25	1,061	4	14	934	9	24	5	71	39	3	20	14
26	32	1	-	30	-	-	-	1	2	-	-	-
27	12	-	-	11	-	-	-	1	3	-	1	-
28	64	1	4	49	1	2	-	7	4	1	2	-
29	140	2	1	128	-	3	-	6	12	2	2	1
30	48	2	2	40	-	2	-	2	3	-	1	-
31	329	10	7	704	6	25	13	64	84	3	17	18
32	128	1	3	113	1	2	-	8	13	1	3	1
33	1,858	15	18	1,596	17	63	9	140	136	3	35	15
34	203	1	4	183	1	2	-	12	14	-	1	2
35	321	2	7	280	2	8	2	20	19	2	2	1
36	383	3	2	351	1	4	1	21	25	2	7	2
37	144	-	2	127	1	3	-	11	4	-	1	-
38	77	1	1	68	-	-	1	6	5	-	1	1
39	99	1	-	89	2	-	-	7	-	-	-	-
40	26	1	-	22	-	-	-	3	4	-	2	-
41	21	-	1	19	-	-	-	1	5	-	2	-
42	31	-	-	28	-	1	-	1	5	1	2	-
43	119	2	-	97	4	2	1	14	12	-	2	2
44	178	3	3	142	2	7	2	19	10	1	1	-
45	122	2	2	106	-	2	2	8	10	-	1	1
46	11	-	-	9	1	1	-	-	5	-	2	-
47	13	-	-	12	-	-	-	1	2	-	-	-
48	36	-	-	30	-	1	-	5	4	-	1	-
49	267	8	1	218	4	11	3	22	32	1	6	1
50	170	2	3	151	2	-	-	12	51	-	20	1
51	57	-	-	52	-	1	-	4	3	-	-	-
52	83	-	1	67	-	1	3	11	10	1	3	-
53	234	2	1	196	1	5	3	26	18	-	4	-
54	52	1	1	38	2	3	-	7	9	1	-	-
55	7,550	74	86	6,545	61	189	50	545	629	24	148	65
56	559	10	9	461	7	17	4	51	63	2	12	7
57	173	2	5	147	2	2	-	15	7	1	2	-
58	46	1	-	42	-	1	-	2	5	-	1	-
59	62	2	4	46	1	5	2	2	4	-	1	-
60	195	2	-	165	4	7	1	16	16	-	6	1
61	226	3	1	201	1	3	-	17	16	1	4	1
62	333	3	3	294	1	10	1	21	24	1	5	-
63	656	7	6	567	8	16	4	48	53	3	16	8
64	1,263	12	12	1,127	7	25	5	75	79	7	10	13
65	1,952	17	21	1,703	15	50	14	122	140	3	38	13
66	1,625	13	19	1,403	10	37	15	128	156	5	38	18
67	460	2	6	389	5	16	4	38	62	1	15	4
68	-	-	-	-	-	-	-	-	4	-	-	-
69	7,550	74	86	6,545	61	189	50	545	629	24	148	65

International Nos. Short List.		MORAY COUNTY— (continued).				NAIRN COUNTY.			Marginal Index Numbers.
		Grantown-on-Spey B.	Lossiemouth B.	Rothies B.	Landward.	Nairn County.	Nairn B.	Landward.	
	Population (Estimated) * - - -	1,423	4,024	1,286	19,383	8,275	4,345	3,930	1
	Total Live Births Registered (inc. Illeg.)	12	119	21	518	179	32	147	2
	„ „ Corr. for Mother's Resid. (,,)	25	131	22	432	186	98	88	3
	„ „ „ Male - - -	15	64	12	220	94	49	45	4
	„ „ „ Female - - -	10	67	10	212	92	49	43	5
	„ „ „ Illegitimate - - -	3	20	3	53	18	7	11	6
	Still-births Registered (inc. Illegitimate)	-	4	1	5	7	1	6	7
	„ „ Corr. for Mother's Residence	-	4	1	7	7	2	5	8
	Marriages Registered - - -	11	45	12	83	75	56	19	9
	Deaths Registered - - -	14	57	16	338	143	56	87	10
	„ „ Corrected for Residence - -	24	61	20	287	144	71	73	11
	„ „ „ Male - - -	9	30	8	150	74	35	39	12
	„ „ „ Female - - -	15	31	12	137	70	36	34	13
	CAUSES OF DEATH.								
1	Typhoid fever (including Paratyphoid)	-	-	-	-	-	-	-	14
14 (1)	Cerebro-spinal fever - - -	-	-	-	1	-	-	-	15
3	Scarlet fever - - -	-	-	-	-	-	-	-	16
4	Whooping-cough - - -	-	-	-	1	-	-	-	17
5	Diphtheria - - -	-	-	-	-	-	-	-	18
6	Tuberculosis of respiratory system	2	1	-	3	3	1	2	19
7	Other forms of tuberculosis - - -	-	-	-	1	1	1	-	20
9	Syphilis - - -	-	1	-	1	1	1	-	21
10	Influenza - - -	-	-	-	2	1	-	1	22
12	Measles - - -	-	-	1	3	-	-	-	23
14 (2)	Other infect. or parasitic dis. (2, 8, 11, 13)+	-	-	-	3	-	-	-	24
15	Cancer, malignant tumours - - -	1	10	5	36	26	13	13	25
16	Tumours, non-malignant or not defined	-	-	-	2	2	2	-	26
20 (1)	Acute rheumatism - - -	-	-	-	2	-	-	-	27
18	Diabetes mellitus - - -	-	-	-	1	3	1	2	28
20 (2)	Other general diseases (17, 19) - -	1	2	-	4	8	3	5	29
21	Meningitis, Disease of spinal cord	-	-	-	2	-	-	-	30
22	Cerebral hæmorrhage, &c. - - -	5	9	2	30	19	14	5	31
23	Other diseases of nervous system -	-	1	-	7	3	2	1	32
24	Heart disease - - -	9	12	4	58	27	13	14	33
25	Other circulatory diseases - - -	-	3	-	8	4	1	3	34
26	Bronchitis - - -	-	-	1	13	7	3	4	35
27	Pneumonia - - -	1	2	-	11	5	3	2	36
28	Other respiratory diseases - - -	-	1	-	2	2	1	1	37
32 (1)	Gastric and duodenal ulcer - - -	-	-	-	3	2	1	1	38
29	Diarrhoea (all ages) - - -	-	-	-	-	-	-	-	39
30	Appendicitis - - -	-	1	-	1	-	-	-	40
31 (1)	Cirrhosis of liver - - -	-	-	-	3	-	-	-	41
31 (2)	Other diseases of liver - - -	-	-	-	2	1	1	-	42
32 (2)	Other digestive diseases - - -	-	-	-	8	2	1	1	43
33	Nephritis, acute or chronic - - -	2	1	-	5	2	-	2	44
34	Other dis. of genito-urinary system	1	-	-	7	2	-	2	45
35	Puerperal sepsis - - -	-	-	-	3	-	-	-	46
36	Other puerperal causes - - -	-	-	-	2	1	-	1	47
37	Dis. of skin and organs of movement	-	1	-	2	1	1	-	48
38	Congen. debil., prem. birth, malform., &c.	-	6	2	16	11	4	7	49
39	Old age - - -	2	3	2	23	7	3	4	50
40	Suicide - - -	-	-	-	3	-	-	-	51
42	Road transport accidents - - -	-	1	-	5	1	-	1	52
43	Other violence (41) - - -	-	6	2	6	2	1	1	53
44	Causes ill-defined or unknown - -	-	-	1	7	-	-	-	54
	ALL CAUSES - - -	24	61	20	287	144	71	73	55
	AGES AT DEATH.								
	Under 1 - - -	-	6	3	33	16	6	10	56
	1- 4 - - -	-	1	-	3	3	3	-	57
	5- 9 - - -	-	2	-	2	-	-	-	58
	10-14 - - -	-	-	-	3	-	-	-	59
	15-24 - - -	-	1	-	8	1	1	-	60
	25-34 - - -	1	-	-	9	2	-	2	61
	35-44 - - -	2	3	-	13	9	3	6	62
	45-54 - - -	3	7	2	14	9	7	2	63
	55-64 - - -	-	12	2	35	21	14	7	64
	65-74 - - -	7	11	4	64	36	19	17	65
	75-84 - - -	6	11	4	74	34	14	20	66
	85 and over - - -	5	3	5	29	13	4	9	67
	Not stated - - -	-	4	-	-	-	-	-	68
	ALL AGES - - -	24	61	20	287	144	71	73	69

* These populations are for the year 1939, as no later estimates are available in the case of Small Burghs and Landward areas.

† Including erysipelas, septicæmia, dysentery, acute poliomyelitis and lethargic encephalitis.

Marginal Index Numbers.	ORKNEY COUNTY.				PEEBLES COUNTY.				PERTH COUNTY.				
	Orkney County.	Kirkwall B.	Stromness B.	Landward.	Peebles County.	Innerleithen B.	Peebles B.	Landward.	Perth County.	Aberfeldy B.	Abernethy B.	Alyth B.	Auchterarder B.
1	21,641	3,726	1,558	16,357	14,121	2,182	5,827	6,112	120,137	1,469	603	1,873	2,214
2	420	93	24	303	264	15	71	178	2,166	47	3	75	10
3	430	90	24	316	214	35	84	95	2,010	26	5	33	33
4	219	43	13	163	116	21	48	47	1,052	16	1	16	19
5	211	47	11	153	98	14	36	48	958	10	4	17	14
6	44	9	5	30	4	-	3	1	190	2	-	4	2
7	13	5	2	6	8	-	3	5	64	1	-	1	1
8	13	4	2	7	9	1	6	2	65	-	-	1	3
9	228	78	24	126	110	22	53	35	1,013	13	1	21	23
10	425	120	24	281	159	18	81	60	1,867	27	7	31	44
11	383	63	32	288	186	34	82	70	1,793	25	10	39	44
12	196	36	11	149	78	15	30	33	872	10	5	19	22
13	187	27	21	139	108	19	52	37	921	15	5	20	22
14	-	-	-	-	-	-	-	-	-	-	-	-	-
15	1	1	-	-	1	-	1	-	8	-	-	-	-
16	-	-	-	-	-	-	-	-	-	-	-	-	-
17	6	1	-	5	1	-	-	1	4	-	-	-	-
18	2	-	1	1	-	-	-	-	9	-	-	-	1
19	12	-	2	10	6	-	3	3	47	-	2	5	4
20	2	-	-	2	-	-	-	-	14	-	-	-	-
21	1	-	-	1	1	-	1	-	8	-	-	-	-
22	15	4	1	10	3	-	1	2	21	-	-	-	-
23	-	-	-	-	1	-	-	1	4	-	-	-	-
24	3	-	-	3	1	-	1	-	10	-	-	-	-
25	30	3	6	21	30	5	13	12	234	1	2	4	3
26	2	-	1	1	-	-	-	-	4	-	-	-	1
27	1	1	-	-	1	1	-	-	4	-	-	-	-
28	3	-	-	3	2	1	1	-	22	-	-	1	-
29	11	1	1	9	5	1	2	2	25	-	-	1	-
30	3	1	-	2	-	-	-	-	12	-	-	-	-
31	49	9	6	34	23	6	5	12	230	1	-	3	7
32	-	-	-	-	3	-	3	-	30	1	1	1	-
33	112	22	8	82	51	6	29	16	425	9	2	12	15
34	2	-	-	2	7	-	5	2	53	-	-	2	2
35	16	-	1	15	6	1	3	2	71	3	-	1	-
36	17	4	-	13	9	3	4	2	61	1	-	2	2
37	3	-	-	3	3	1	-	2	31	-	-	1	-
38	3	2	-	1	3	1	1	1	22	-	-	-	-
39	2	-	-	2	-	-	-	-	11	-	-	-	-
40	1	-	-	1	-	-	-	-	7	-	-	-	-
41	1	-	-	1	-	-	-	-	4	-	-	-	-
42	2	1	-	1	1	-	1	-	11	-	-	1	-
43	5	1	2	2	2	-	1	1	24	1	-	1	1
44	7	1	1	5	3	-	1	2	53	-	1	1	-
45	4	-	-	4	3	1	2	-	45	1	-	-	-
46	-	-	-	-	-	-	-	-	2	-	-	-	-
47	-	-	-	-	1	-	1	-	6	-	-	1	-
48	-	-	-	-	1	-	-	1	5	-	-	-	-
49	14	4	-	10	3	-	1	2	68	2	-	-	3
50	18	2	1	15	6	3	-	3	90	3	-	1	1
51	2	-	-	2	-	-	-	-	9	-	-	-	-
52	5	1	-	4	2	1	-	1	23	-	-	-	1
53	20	3	1	16	3	2	1	-	54	-	-	1	1
54	8	1	-	7	4	1	1	2	32	2	2	-	2
55	383	63	32	288	186	34	82	70	1,793	25	10	39	44
56	24	7	1	16	7	2	1	4	123	4	-	1	4
57	5	1	-	4	1	-	-	1	28	-	-	-	1
58	5	1	1	3	2	1	-	1	23	-	-	-	-
59	-	-	-	-	-	-	-	-	7	-	-	-	-
60	10	1	-	9	3	-	2	1	37	-	1	2	2
61	16	2	1	13	5	-	3	2	44	-	-	1	-
62	18	3	1	14	6	1	4	1	60	1	1	1	-
63	32	6	4	22	13	6	4	3	113	-	2	7	4
64	42	5	6	31	27	5	13	9	236	2	2	12	6
65	82	12	7	63	59	9	27	23	452	8	1	10	8
66	97	16	8	73	46	8	19	19	497	6	3	4	17
67	51	9	3	39	17	2	9	6	173	4	-	-	2
68	1	-	-	1	-	-	-	-	-	-	-	-	-
69	383	63	32	288	186	34	82	70	1,793	25	10	39	44

International Nos. Short List.		PERTH COUNTY—(continued).								Marginal Index Numbers.
		Blairgowrie and Rattray B.	Callander B.	Coupar-Angus B.	Crieff B.	Doune B.	Dunblane B.	Perth B.	Landward.	
	Population (Estimated) *	4,851	1,477	2,059	5,275	858	2,778	36,675	60,005	1
	Total Live Births Registered (inc. Illeg.)	47	25	30	53	5	32	983	856	2
	„ „ Corr. for Mother's Resid. (,,)	99	32	36	84	5	48	644	965	3
	„ „ „ Male -	57	19	17	45	4	21	319	518	4
	„ „ „ Female -	42	13	19	39	1	27	325	447	5
	„ „ „ Illegitimate	11	-	3	7	-	5	56	100	6
	Still-births Registered (inc. Illegitimate)	1	-	1	-	-	1	44	14	7
	„ „ Corr. for Mother's Residence	5	-	2	2	1	2	22	27	8
	Marriages Registered -	45	12	17	42	23	37	485	294	9
	Deaths Registered -	105	20	19	77	7	29	736	765	10
	„ „ Corrected for Residence -	104	25	24	80	9	39	496	898	11
	„ „ „ Male -	44	11	11	39	4	14	238	455	12
	„ „ „ Female -	60	14	13	41	5	25	258	443	13
	CAUSES OF DEATH.									
1	Typhoid fever (including Paratyphoid)	-	-	-	-	-	-	-	-	14
14 (1)	Cerebro-spinal fever -	-	-	-	1	-	-	2	5	15
3	Scarlet fever -	-	-	-	-	-	-	-	-	16
4	Whooping-cough -	-	-	-	-	-	-	-	4	17
5	Diphtheria -	1	-	-	-	-	1	3	3	18
6	Tuberculosis of respiratory system -	-	-	1	-	-	2	12	21	19
7	Other forms of tuberculosis -	1	-	-	-	-	-	3	10	20
9	Syphilis -	1	-	-	-	-	1	2	4	21
10	Influenza -	-	-	-	-	-	-	7	14	22
12	Measles -	-	2	-	-	-	-	-	2	23
14 (2)	Other infect. or parasitic dis. (2, 8, 11, 13)†	-	-	-	3	-	1	3	3	24
15	Cancer, malignant tumours -	16	4	3	9	1	5	67	119	25
16	Tumours, non-malignant or not defined	1	-	-	-	-	-	2	-	26
20 (1)	Acute rheumatism -	-	-	-	1	-	-	-	3	27
18	Diabetes mellitus -	-	-	-	3	-	1	9	8	28
20 (2)	Other general diseases (17, 19) -	2	1	-	2	-	-	5	14	29
21	Meningitis, Disease of spinal cord -	-	-	-	-	-	1	3	8	30
22	Cerebral hæmorrhage, &c. -	16	3	2	9	1	9	67	112	31
23	Other diseases of nervous system -	-	-	-	2	-	-	9	16	32
24	Heart disease -	36	7	6	12	2	11	97	216	33
25	Other circulatory diseases -	2	-	-	1	-	1	10	35	34
26	Bronchitis -	1	1	2	8	-	1	24	30	35
27	Pneumonia -	3	1	1	4	-	2	16	29	36
28	Other respiratory diseases -	4	-	-	3	-	1	11	11	37
32 (1)	Gastric and duodenal ulcer -	1	-	-	-	-	-	8	13	38
29	Diarrhoea (all ages) -	-	1	1	-	-	-	5	4	39
30	Appendicitis -	1	-	-	1	-	-	1	4	40
31 (1)	Cirrhosis of liver -	-	-	-	-	-	-	2	2	41
31 (2)	Other diseases of liver -	-	1	-	1	-	-	3	5	42
32 (2)	Other digestive diseases -	-	-	-	1	-	-	6	14	43
33	Nephritis, acute or chronic -	2	2	-	-	3	1	15	28	44
34	Other dis. of genito-urinary system -	1	-	-	2	1	-	8	32	45
35	Puerperal sepsis -	-	-	-	-	-	-	1	1	46
36	Other puerperal causes -	-	-	-	-	-	-	3	2	47
37	Dis. of skin and organs of movement -	-	-	-	-	-	-	3	2	48
38	Congen. debil., prem. birth, malform., &c.	6	-	2	2	-	-	24	29	49
39	Old age -	4	2	4	10	1	-	28	36	50
40	Suicide -	-	-	-	-	-	-	4	5	51
42	Road transport accidents -	2	-	-	1	-	-	9	10	52
43	Other violence (41) -	1	-	-	3	-	1	18	29	53
44	Causes ill-defined or unknown -	2	-	2	1	-	-	6	15	54
	ALL CAUSES -	104	25	24	80	9	39	496	898	55
	AGES AT DEATH.									
	Under 1 -	9	2	3	7	-	-	42	51	56
	1-4 -	-	1	-	3	-	2	6	15	57
	5-9 -	1	-	-	-	-	-	12	10	58
	10-14 -	1	-	-	-	-	-	2	4	59
	15-24 -	1	-	1	2	-	-	7	21	60
	25-34 -	3	-	1	3	-	1	11	24	61
	35-44 -	3	-	1	2	-	1	20	30	62
	45-54 -	4	2	1	3	1	1	41	53	63
	55-64 -	10	5	1	6	1	8	77	111	64
	65-74 -	26	7	7	20	3	12	120	228	65
	75-84 -	32	6	7	26	2	13	116	259	66
	85 and over -	14	2	2	8	2	1	42	92	67
	Not stated -	-	-	-	-	-	-	-	-	68
	ALL AGES -	104	25	24	80	9	39	496	898	

* These populations are for the year 1939, as no later estimates are available in the case of Small Burghs and Landward areas.

† Including erysipelas, septicæmia, dysentery, acute poliomyelitis, and lethargic encephalitis.

Marginal Index Numbers.	RENFREW COUNTY.									ROSS AND CROMARTY COUNTY.				
	Renfrew County.	Barrhead B.	Gourock B.	Greenock B.	Johnstone B.	Paisley B.	Port-Glasgow B.	Renfrew B.	Landward.	Ross and Cromarty County.	Cromarty B.	Dingwall B.	Fortrose B.	Invergordon B.
1	322,642	12,283	9,350	81,366	14,081	92,072	20,042	16,759	76,739	61,956	793	2,776	807	1,449
2	5,705	180	79	1,464	184	1,874	379	162	1,383	912	31	87	12	18
3	5,991	227	163	1,517	311	1,885	509	303	1,076	1,019	20	68	15	33
4	3,095	116	91	766	154	975	267	158	568	530	12	33	8	17
5	2,896	111	72	751	157	910	242	145	508	489	8	35	7	16
6	263	11	9	68	13	87	22	12	41	76	3	3	3	3
7	265	7	3	67	3	95	11	6	73	30	1	2	-	-
8	283	17	6	75	9	96	22	15	43	35	-	1	-	1
9	3,035	130	96	812	144	997	224	170	462	373	7	52	3	12
10	4,766	99	96	1,403	120	1,507	281	145	1,115	994	15	38	22	19
11	4,403	155	141	1,143	198	1,370	265	195	936	1,010	17	36	19	25
12	2,286	75	70	644	89	685	148	97	478	490	8	18	8	12
13	2,117	80	71	499	109	685	117	98	458	520	9	18	11	13
14	2	-	-	1	-	-	-	-	1	1	-	-	-	-
15	19	3	-	2	1	6	-	1	6	7	-	2	-	-
16	2	1	-	1	-	-	-	-	-	-	-	-	-	-
17	42	3	1	3	1	24	-	1	9	1	-	-	-	-
18	44	2	-	5	3	21	2	8	3	3	-	-	-	-
19	271	7	4	90	19	83	16	16	36	43	-	1	-	1
20	88	3	4	24	4	31	6	7	9	12	-	1	-	-
21	8	-	1	2	1	3	1	-	-	1	-	-	-	1
22	40	2	1	14	2	7	4	-	10	12	-	-	-	-
23	4	-	-	2	2	-	-	-	-	2	-	-	-	-
24	27	1	1	9	-	5	-	1	10	4	-	-	-	-
25	534	16	21	122	25	167	23	25	135	96	1	4	2	3
26	19	2	1	7	-	3	-	1	5	4	-	-	-	-
27	4	-	-	2	-	1	-	-	1	-	-	-	-	-
28	61	5	1	13	2	22	1	2	15	8	1	-	-	-
29	68	3	3	17	3	19	6	2	15	23	-	1	1	1
30	17	1	1	2	-	4	2	-	7	5	-	-	1	-
31	434	10	17	107	19	122	19	18	122	113	2	4	3	2
32	97	4	1	28	9	24	6	2	23	12	-	-	-	-
33	919	41	31	196	39	305	38	43	226	248	5	13	5	7
34	65	4	1	19	4	13	5	3	16	26	-	-	1	3
35	167	5	3	55	7	48	8	8	33	31	-	1	1	1
36	268	8	4	75	9	88	36	11	37	32	-	1	-	-
37	57	2	2	18	1	16	1	1	16	18	1	-	-	-
38	43	-	1	13	1	8	2	1	17	10	-	-	-	-
39	88	1	1	28	3	34	11	2	8	9	-	-	-	-
40	20	-	-	7	2	8	-	1	2	5	-	-	-	-
41	6	-	-	3	-	-	-	-	3	1	-	-	-	-
42	21	-	-	6	1	6	1	-	7	6	-	-	-	-
43	61	3	4	23	1	14	4	3	9	21	-	1	1	-
44	84	1	2	25	10	20	4	5	17	23	-	1	1	2
45	53	1	3	11	2	14	2	4	16	19	-	-	-	1
46	10	-	-	2	1	4	-	-	3	-	-	-	-	-
47	23	-	2	4	2	8	3	-	4	4	-	-	-	-
48	26	-	-	6	3	10	1	-	6	6	1	1	-	1
49	270	12	6	57	11	119	26	8	31	35	1	1	-	2
50	112	5	5	39	1	16	12	4	30	90	5	2	3	-
51	23	-	3	4	1	7	-	3	5	2	-	-	-	-
52	72	2	1	16	4	20	9	3	17	9	-	-	-	-
53	171	3	12	59	4	56	10	10	17	27	-	1	-	-
54	63	4	3	26	-	14	6	1	9	41	-	1	-	-
55	4,403	155	141	1,143	198	1,370	265	195	936	1,010	17	36	19	25
56	532	20	12	137	20	219	61	15	48	58	3	3	-	2
57	166	6	1	40	11	59	12	6	31	21	-	3	-	-
58	76	4	-	12	6	30	6	8	10	10	-	-	-	-
59	42	2	1	16	3	8	2	2	8	6	-	-	-	-
60	164	11	4	55	14	47	7	7	19	27	-	-	-	1
61	189	5	5	55	7	51	15	13	38	34	-	1	-	1
62	275	5	12	74	15	79	17	16	57	36	-	1	-	-
63	414	13	11	127	11	118	27	23	84	66	1	1	-	3
64	648	16	25	161	27	203	31	23	162	103	1	7	1	4
65	952	38	26	262	44	275	41	46	220	225	5	9	8	3
66	760	31	36	168	31	233	40	27	194	292	3	10	9	7
67	183	4	8	34	9	48	6	9	65	132	4	1	1	4
68	2	-	-	2	-	-	-	-	-	-	-	-	-	-
69	4,403	155	141	1,143	198	1,370	265	195	936	1,010	17	36	19	25

International Nos. Short List.		ROSS AND CROMARTY COUNTY—(contd.).			ROXBURGH COUNTY.			Marginal Index Numbers.
		Stornoway B.	Tain B.	Landward.	Roxburgh County.	Hawick B.	Jedburgh B.	
	Population (Estimated)*	4,753	1,413	49,965	45,410	16,944	3,448	1
	Total Live Births Registered (inc. Illeg.)	80	13	671	553	272	71	2
	„ „ Corr. for Mother's Resid. (.)	58	19	806	600	218	55	3
	„ „ „ Male	30	13	417	319	103	34	4
	„ „ „ Female	28	6	389	281	115	21	5
	„ „ „ Illegitimate	3	2	59	33	9	2	6
	Still-births Registered (inc. Illegitimate)	7	-	20	25	16	2	7
	„ Corr. for Mother's Residence	3	-	30	36	19	5	8
	Marriages Registered	53	34	212	366	165	40	9
	Deaths Registered	118	15	767	623	246	37	10
	„ Corrected for Residence	71	26	816	641	264	47	11
	„ „ „ Male	33	16	395	298	121	21	12
	„ „ „ Female	38	10	421	343	143	26	13
	CAUSES OF DEATH.							
1	Typhoid fever (including Paratyphoid)	-	-	1	-	-	-	14
14 (1)	Cerebro-spinal fever	-	1	4	3	3	-	15
3	Scarlet fever	-	-	-	-	-	-	16
4	Whooping-cough	-	-	1	3	1	-	17
5	Diphtheria	-	-	3	2	1	-	18
6	Tuberculosis of respiratory system	4	1	36	13	11	-	19
7	Other forms of tuberculosis	1	-	10	3	1	-	20
9	Syphilis	-	-	-	1	1	-	21
10	Influenza	1	-	11	7	1	-	22
12	Measles	-	-	2	-	-	-	23
14 (2)	Other infect. or parasitic dis. (2, 8, 11, 13)†	1	1	2	6	3	-	24
15	Cancer, malignant tumours	7	1	78	80	37	9	25
16	Tumours, non-malignant or not defined	-	1	3	3	1	1	26
20 (1)	Acute rheumatism	-	-	-	-	-	-	27
18	Diabetes mellitus	1	-	6	11	2	2	28
20 (2)	Other general diseases (17, 19)	3	-	17	20	12	2	29
21	Meningitis, Disease of spinal cord	-	-	4	3	2	-	30
22	Cerebral hæmorrhage, &c.	10	1	91	83	34	5	31
23	Other diseases of nervous system	2	-	10	8	5	-	32
24	Heart disease	17	7	194	206	88	11	33
25	Other circulatory diseases	-	1	21	26	2	2	34
26	Bronchitis	4	-	24	20	6	4	35
27	Pneumonia	4	2	25	28	7	4	36
28	Other respiratory diseases	-	-	17	9	4	1	37
32 (1)	Gastric and duodenal ulcer	1	-	9	4	1	-	38
29	Diarrhoea (all ages)	-	-	9	5	2	1	39
30	Appendicitis	-	-	5	2	2	-	40
31 (1)	Cirrhosis of liver	-	-	1	3	1	-	41
31 (2)	Other diseases of liver	-	-	6	4	2	-	42
32 (2)	Other digestive diseases	3	2	14	6	4	-	43
33	Nephritis, acute or chronic	1	-	18	17	10	-	44
34	Other dis. of genito-urinary system	-	-	18	10	6	-	45
35	Puerperal sepsis	-	-	-	1	-	-	46
36	Other puerperal causes	-	-	4	1	-	-	47
37	Diseases of skin and organs of movement	-	-	3	2	-	-	48
38	Congen. debil., prem. birth, malform., &c.	3	-	28	15	6	3	49
39	Old age	3	4	73	9	-	1	50
40	Suicide	-	-	2	5	2	1	51
42	Road transport accidents	1	-	8	6	2	-	52
43	Other violence (41)	4	2	20	9	2	-	53
44	Causes ill-defined or unknown	-	2	38	7	2	-	54
	ALL CAUSES	71	26	816	641	264	47	55
	AGES AT DEATH.							
	Under 1	3	2	45	33	15	4	56
	1-4	1	1	16	7	1	1	57
	5-9	1	-	9	6	4	-	58
	10-14	-	-	6	2	1	-	59
	15-24	4	-	22	10	4	1	60
	25-34	3	-	29	11	7	1	61
	35-44	2	-	33	25	13	2	62
	45-54	9	3	49	48	21	6	63
	55-64	8	2	80	126	51	11	64
	65-74	16	6	178	183	65	13	65
	75-84	17	11	235	147	67	5	66
	85 and over	7	1	114	43	15	3	67
	Not stated	-	-	-	-	-	-	68
	ALL AGES	71	26	816	641	264	47	69

* These populations are for the year 1939, as no later estimates are available in the case of Small Burghs and Landward areas.

† Including erysipelas, septicæmia, dysentery, acute poliomyelitis and lethargic encephalitis.

Marginal Index Numbers.	ROXBURGH COUNTY (continued)			SELKIRK COUNTY.				STIRLING COUNTY.					
	Kelso B.	Melrose B.	Landward.	Selkirk County.	Galashiels B.	Selkirk B.	Landward.	Stirling County.	Bridge of Allan B.	Denny and Dunipace B.	Falkirk B.	Grangemouth B.	Kil-lyth B.
1	3,872	2,028	19,118	21,996	13,025	5,460	3,511	174,277	2,859	5,953	38,212	13,980	8,842
2	26	10	174	294	190	95	9	3,740	15	95	972	130	159
3	40	16	271	272	162	60	50	3,326	33	128	606	269	188
4	27	10	145	139	76	38	25	1,719	18	75	317	141	102
5	13	6	126	133	86	22	25	1,607	15	53	289	128	86
6	3	-	19	19	9	4	6	174	4	7	31	12	2
7	1	-	6	9	3	5	1	153	1	-	62	5	2
8	1	-	11	9	3	4	2	130	1	4	34	10	2
9	33	24	104	191	120	57	14	1,562	21	55	377	125	74
10	71	51	218	304	190	81	33	2,383	36	59	570	113	71
11	54	27	249	313	186	85	42	2,115	41	73	424	145	108
12	29	16	111	127	70	33	24	1,062	13	32	231	80	63
13	25	11	138	186	116	52	18	1,053	28	41	193	65	45
14	-	-	-	-	-	-	-	-	-	-	-	-	-
15	-	-	-	1	-	1	-	10	-	1	1	2	-
16	-	-	-	-	-	-	-	-	-	-	-	-	-
17	2	-	-	4	3	1	-	17	-	-	-	1	-
18	-	1	-	2	1	-	1	13	-	-	2	2	-
19	1	-	1	8	5	1	2	85	1	2	23	2	6
20	-	-	2	2	1	1	-	37	-	-	8	3	1
21	-	-	-	-	-	-	-	6	-	-	-	1	1
22	1	-	5	1	-	-	1	19	1	-	2	2	1
23	-	-	-	1	-	-	1	4	-	-	-	-	2
24	-	-	3	-	-	-	-	13	-	-	2	-	-
25	5	2	27	38	22	10	6	235	9	11	68	13	17
26	-	-	1	3	2	1	-	4	-	-	-	-	-
27	-	-	-	-	-	-	-	3	-	-	1	-	-
28	-	-	7	3	3	-	-	26	1	-	3	2	1
29	1	1	4	3	1	2	-	36	1	2	9	1	2
30	1	-	-	1	-	-	1	12	-	1	2	1	-
31	4	3	37	43	29	9	5	228	5	7	53	16	5
32	-	-	3	3	2	-	1	30	2	-	9	-	-
33	22	11	74	103	55	37	11	459	8	10	99	33	18
34	4	1	17	12	9	1	2	38	-	3	5	-	5
35	2	-	8	7	5	2	-	89	1	1	18	12	4
36	3	1	13	6	4	1	1	99	2	7	12	7	8
37	-	2	2	2	1	1	-	33	-	1	14	4	2
38	-	-	3	2	2	-	-	21	1	1	3	2	2
39	-	-	2	1	1	-	-	34	1	2	5	3	1
40	-	-	-	-	-	-	-	7	-	-	3	-	-
41	-	-	2	1	1	-	-	6	-	-	1	-	-
42	-	-	2	2	1	-	1	13	2	-	1	-	2
43	1	-	1	4	2	2	-	34	1	1	8	3	2
44	1	-	6	9	6	2	1	47	-	4	13	5	-
45	2	-	2	5	1	2	2	27	-	-	7	1	3
46	-	-	1	-	-	-	-	3	-	-	1	-	-
47	-	-	1	-	-	-	-	9	-	-	2	1	2
48	-	-	2	1	1	-	-	9	-	-	2	-	-
49	1	-	5	11	7	2	2	121	1	3	17	5	11
50	-	4	4	11	11	-	-	80	3	10	6	7	1
51	-	-	2	-	-	-	-	7	-	-	3	1	-
52	-	-	4	-	-	-	-	39	-	1	7	1	2
53	1	1	5	15	7	5	3	79	1	2	9	12	8
54	2	-	3	8	3	4	1	33	-	3	5	2	1
55	54	27	249	313	186	85	42	2,115	41	73	424	145	108
56	3	-	11	18	11	3	4	228	3	9	29	14	17
57	2	-	3	6	4	1	1	72	1	2	8	8	6
58	1	1	-	2	1	1	-	23	-	-	7	3	1
59	-	-	1	3	1	1	1	15	-	1	3	-	-
60	1	-	4	8	4	4	-	71	-	1	13	3	4
61	-	-	3	5	4	1	-	69	1	2	16	9	4
62	2	-	8	9	6	1	2	133	1	3	34	12	7
63	2	3	16	26	11	13	2	179	6	8	35	10	9
64	13	10	41	54	39	8	7	300	5	13	62	25	11
65	15	6	84	93	54	24	15	507	8	13	124	31	30
66	13	4	58	76	42	24	10	408	10	14	72	26	13
67	2	3	20	13	9	4	-	109	6	7	21	4	1
68	-	-	-	-	-	-	-	1	-	-	-	-	-
69	54	27	249	313	186	85	42	2,115	41	73	424	145	108

International Nos. Short List.		STIRLING COUNTY— (continued).		SUTHERLAND COUNTY.		WEST LOTHIAN COUNTY.			Marginal Index Numbers.	
		Stirling B.	Landward.	Sutherland County.	Dornoch B.	Landward.	West Lothian County.	Armada B.		Bathgate B.
	Population (Estimated)*	26,191	78,240	15,271	706	14,565	83,564	5,415	10,426	1
	Total Live Births Registered (inc. Illeg.)	870	1,499	229	10	219	1,333	90	155	2
	„ „ Corr. for Mother's Resid. (,,)	531	1,571	266	10	256	1,618	100	189	3
	„ „ „ Male	267	799	136	4	132	830	53	95	4
	„ „ „ Female	264	772	130	6	124	788	47	94	5
	„ „ „ Illegitimate	28	90	22	1	21	74	5	7	6
	Still-births Registered (inc. Illegitimate)	44	39	9	—	9	43	3	2	7
	„ Corr. for Mother's Residence	19	60	11	—	11	68	4	6	8
	Marriages Registered	291	619	70	3	67	689	70	99	9
	Deaths Registered	539	995	290	8	282	749	43	65	10
	„ Corrected for Residence	372	952	268	10	258	922	71	112	11
	„ „ „ Male	178	465	141	3	138	506	46	64	12
	„ „ „ Female	194	487	127	7	120	416	25	48	13
	CAUSES OF DEATH.									
1	Typhoid fever (including Paratyphoid)	—	—	—	—	—	—	—	—	14
14 (1)	Cerebro-spinal fever	1	5	1	—	1	5	—	—	15
3	Scarlet fever	—	—	—	—	—	—	—	—	16
4	Whooping-cough	8	8	—	—	—	8	1	—	17
5	Diphtheria	4	5	—	—	—	6	—	—	18
6	Tuberculosis of respiratory system	14	37	11	—	11	29	3	3	19
7	Other forms of tuberculosis	9	16	6	1	5	20	1	5	20
9	Syphilis	2	2	—	—	—	6	—	—	21
10	Influenza	1	12	2	—	2	9	3	—	22
12	Measles	1	1	—	—	—	2	—	—	23
13 (2)	Other infect. or parasitic dis. (2, 8, 11, 13)*	—	11	1	—	1	10	—	2	24
15	Cancer, malignant tumours	52	115	29	2	27	116	10	18	25
16	Tumours, non-malignant or not defined	1	3	—	—	—	3	1	1	26
20 (1)	Acute rheumatism	1	1	—	—	—	2	—	—	27
18	Diabetes mellitus	4	15	2	—	2	12	—	3	28
20 (2)	Other general diseases (17, 19)	3	18	4	—	4	18	—	4	29
21	Meningitis, Disease of spinal cord	3	5	—	—	—	9	—	1	30
22	Cerebral hæmorrhage, &c.	44	98	41	4	37	115	11	11	31
23	Other diseases of nervous system	8	11	3	—	3	19	2	1	32
24	Heart disease	80	211	57	1	56	193	13	24	33
25	Other circulatory diseases	6	19	6	—	6	13	2	3	34
26	Bronchitis	12	41	9	1	8	48	3	7	35
27	Pneumonia	14	49	3	—	3	28	3	4	36
28	Other respiratory diseases	3	9	5	—	5	14	2	1	37
32 (1)	Gastric and duodenal ulcer	3	9	5	—	5	12	1	—	38
29	Diarrhoea (all ages)	9	13	2	—	2	19	1	1	39
30	Appendicitis	2	2	1	—	1	2	—	—	40
31 (1)	Cirrhosis of liver	—	5	—	—	—	2	—	—	41
31 (2)	Other diseases of liver	1	7	—	—	—	5	—	1	42
32 (2)	Other digestive diseases	8	11	4	—	4	14	1	5	43
33	Nephritis, acute or chronic	5	20	5	—	5	18	1	—	44
34	Other dis. of genito-urinary system	6	10	5	—	5	16	3	2	45
35	Puerperal sepsis	—	2	—	—	—	3	—	—	46
36	Other puerperal causes	—	4	—	—	—	5	—	—	47
37	Dis. of skin and organs of movement	5	2	3	—	3	6	—	1	48
38	Congen. debil., prem. birth, malform., &c	21	63	14	—	14	62	7	5	49
39	Old age	22	31	30	—	30	23	1	2	50
40	Suicide	—	3	—	—	—	4	—	—	51
42	Road transport accidents	5	23	4	—	4	8	—	—	52
43	Other violence (41)	9	38	8	1	7	32	1	7	53
44	Causes ill-defined or unknown	5	17	7	—	7	6	—	—	54
	ALL CAUSES	372	952	268	10	258	922	71	112	55
	AGES AT DEATH.									
	Under 1	51	105	21	—	21	112	12	11	56
	1-4	14	33	4	1	3	31	3	2	57
	5-9	4	8	—	—	—	8	—	1	58
	10-14	5	6	1	—	1	13	—	1	59
	15-24	8	42	6	—	6	28	1	3	60
	25-34	9	28	9	—	9	48	1	7	61
	35-44	20	56	12	—	12	34	5	7	62
	45-54	30	81	16	1	15	82	8	13	63
	55-64	52	132	24	2	22	156	11	16	64
	65-74	76	225	52	2	50	232	23	28	65
	75-84	84	184	30	3	77	150	7	18	66
	85 and over	18	52	43	1	42	28	—	5	67
	Not stated	1	—	—	—	—	—	—	—	68
	ALL AGES	372	952	268	10	258	922	71	112	69

* These populations are for the year 1939, as no later estimates are available in the case of Small Burghs and Landward areas.

† Including erysipelas, septicæmia, dysentery, acute poliomyelitis, and lethargic encephalitis.

Marginal Index Numbers.	WEST LOTHIAN COUNTY— (continued).					WIGTOWN COUNTY.						ZETLAND COUNTY.			
	Bo'ness B.	Linlithgow B.	Queensferry B.	Whithorn B.	Landward.	Wigtown County.	Newton-Stewart B.	Stranraer B.	Whithorn B.	Wigtown B.	Landward.	Zetland County.	Lerwick B.	Landward.	Unallocated Deaths++
1	10,446	3,546	2,004	4,207	47,520	29,634	1,973	7,236	997	1,286	18,142	19,868	5,178	14,690	-
2	119	42	23	92	812	655	40	180	16	26	393	292	100	192	-
3	157	59	50	98	965	706	42	179	20	28	437	291	97	194	-
4	84	30	28	47	493	357	21	94	11	18	213	140	52	88	-
5	73	29	22	51	472	349	21	85	9	10	224	151	45	106	-
6	4	1	2	4	51	84	1	22	1	1	59	21	11	10	-
7	5	3	-	1	29	16	-	6	-	1	9	11	5	6	-
8	8	3	1	2	44	16	-	5	1	1	9	11	3	8	-
9	117	31	21	30	321	259	28	94	11	18	108	193	109	84	-
10	74	24	17	38	488	478	28	157	18	10	265	409	127	282	-
11	92	46	25	52	524	462	35	114	20	14	279	376	77	299	3422
12	44	27	13	31	281	233	11	51	7	11	153	158	35	123	2545
13	48	19	12	21	243	229	24	63	13	3	126	218	42	176	877
14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	1	-	-	-	4	1	-	-	-	-	1	3	1	2	12
16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
17	2	-	-	-	5	6	1	-	-	-	5	1	-	1	-
18	1	1	-	1	3	-	-	-	-	-	-	-	-	-	4
19	3	2	2	1	15	9	-	-	1	1	7	23	8	15	64
20	3	-	1	3	7	5	1	2	-	1	1	2	-	2	29
21	1	-	-	-	5	2	-	1	-	-	1	1	-	1	4
22	2	-	-	-	4	9	-	1	-	-	8	32	5	27	4
23	-	-	-	-	2	-	-	-	-	-	-	4	-	4	-
24	-	-	-	-	8	4	-	-	-	-	4	4	2	2	6
25	9	6	7	4	62	49	4	15	1	2	27	50	11	39	43
26	-	-	-	-	1	1	-	-	-	-	1	-	-	-	5
27	-	-	-	-	2	1	-	-	-	-	1	-	-	-	1
28	3	-	-	1	5	4	-	-	-	1	3	1	-	1	-
29	2	2	-	-	10	9	-	5	-	-	4	6	3	3	11
30	2	-	-	-	6	2	1	-	-	-	1	2	-	2	4
31	14	9	-	5	65	57	8	17	5	2	27	31	5	26	18
32	2	1	-	4	9	9	1	2	-	-	6	6	2	4	14
33	17	9	1	14	115	130	14	30	9	3	74	71	9	62	50
34	1	-	1	1	5	9	-	3	2	-	4	8	-	3	10
35	7	4	2	3	22	15	1	5	2	-	7	12	1	11	6
36	1	3	2	-	15	7	-	3	1	-	3	9	5	4	29
37	2	2	1	2	4	2	1	-	-	-	1	5	1	4	12
38	2	-	-	1	8	2	-	-	-	-	2	4	1	3	15
39	2	-	-	2	13	6	-	3	-	-	3	1	-	1	6
40	-	-	-	-	2	1	-	-	-	-	1	-	-	-	16
41	-	-	-	-	2	1	-	-	-	-	1	-	-	-	1
42	1	-	1	1	1	2	-	-	-	-	2	1	-	1	4
43	1	-	-	-	7	6	-	-	-	-	6	4	-	4	22
44	2	-	1	-	14	17	-	9	-	3	5	7	3	4	14
45	2	1	1	-	7	6	-	1	-	-	5	7	3	4	5
46	-	-	-	1	2	-	-	-	-	-	-	1	-	1	-
47	1	-	-	-	4	-	-	-	-	-	-	2	1	1	-
48	2	-	-	-	3	-	-	-	-	-	-	2	-	2	4
49	4	2	4	4	36	39	2	9	1	-	27	6	1	5	-
50	1	-	-	3	16	12	-	-	-	-	12	50	10	40	-
51	-	2	-	-	2	1	-	-	-	-	1	2	-	2	65
52	-	1	-	1	6	11	1	1	-	1	8	2	-	2	164
53	1	-	1	-	22	17	-	4	-	-	13	14	3	11	2769
54	-	1	-	-	5	10	-	3	-	-	7	7	2	5	10
55	92	46	25	52	524	462	35	114	20	14	279	376	77	299	3422
56	8	5	4	7	65	50	3	14	-	-	33	9	2	7	30
57	4	1	1	5	15	10	-	3	-	-	7	2	-	2	104
58	-	-	1	1	5	2	-	-	-	-	2	-	-	-	136
59	2	1	-	2	7	4	-	-	1	-	3	4	1	3	137
60	2	1	3	1	17	5	1	1	-	-	3	11	2	9	914
61	6	3	-	4	27	15	1	2	-	-	12	11	3	8	810
62	2	-	-	1	19	23	1	5	1	-	16	18	6	12	476
63	8	-	1	1	51	32	1	6	1	1	23	21	6	15	357
64	20	5	2	6	96	66	4	25	2	1	34	40	9	31	222
65	24	18	8	12	119	114	8	29	9	5	63	78	14	64	130
66	12	10	4	11	88	106	10	22	6	6	62	133	29	104	37
67	4	2	1	1	15	35	6	7	-	1	21	48	5	43	6
68	-	-	-	-	-	-	-	-	-	-	-	1	-	1	63
69	92	46	25	52	524	462	35	114	20	14	279	376	77	299	3422

; Deaths of members of the Forces from all causes, and of others from war operations.

NOTES ON METEOROLOGICAL TABLES, 1941.

Up to and including the year 1930 tables giving monthly values for a large number of individual stations were printed *in extenso*. So far as possible the tables have now been reduced to summary form. More detailed information may be obtained from the Meteorological Office, Edinburgh, and from the official publications.

The observations of pressure in Table II have been reduced to mean sea-level, and reduced for the value of gravity to Lat. 45°.

The Air Temperatures throughout are from standard thermometers exposed in the regulation "Stevenson Screen."

Averages or normals in the case of pressure and rainfall refer to the period 1881-1915. In the case of temperature and sunshine, percentages of and departures from normal are calculated with reference to the period 1906-35; all the absolute values of the District Averages given in Table I. refer to the period 1881-1915 however.

In Table II the figures, with the exception mentioned in the footnote, are extracted from the Quarterly Reports already published by the Registrar-General for Scotland and relate to the eleven towns, Glasgow, Edinburgh, Dundee, Aberdeen, Paisley, Greenock, Perth, Kirkcaldy, Kilmarnock, Ayr and Dunfermline.

TABLE I.—DISTRICT VALUES of AIR TEMPERATURE, RAINFALL and SUNSHINE.

DISTRICT.	MONTH.	AIR TEMPERATURE.			RAINFALL.		SUNSHINE.	NORMAL VALUES 1881-1915.			
		Highest.	Lowest.	Deviation from Average Daily Mean, 1901-30.	Percentage of Normal.	Number of Days Deviation from Normal.	Percentage of Average Duration, 1901-30.	Daily Mean Temperature.	Total Rainfall.	Number of Days.	Daily Sunshine.
		YEAR 1941.						YEARS 1881-1915.			
		°F.	°F.	°F.	%		%	°F.	Inch.		Hours
North Scotland.	Jan.	48	1	-5.6	34	- 9	159	38.4	5.79	23	0.84
	Feb.	54	8	-3.1	99	+ 2	92	38.3	4.57	21	1.89
	Mar.	61	17	-1.8	48	- 5	112	39.2	4.41	23	3.05
	Apl.	59	16	-1.5	71	- 4	82	42.9	3.23	19	4.55
	May	77	19	-1.5	82	- 3	96	48.1	2.80	19	5.36
	June	86	24	+0.9	31	- 6	96	52.4	2.72	16	5.17
	July	79	40	+1.1	113	- 1	78	54.7	3.35	19	4.18
	Aug.	77	35	-0.4	136	+ 3	85	54.6	4.18	21	3.69
	Sept.	64	33	+3.2	58	- 6	86	51.8	3.78	19	3.49
	Oct.	66	19	+1.0	99	+ 1	98	46.4	5.00	22	2.50
	Nov.	60	18	+0.7	111	+ 1	86	41.8	5.63	23	1.22
	Dec.	54	19	+2.3	99	0	98	39.1	6.18	24	0.61
	Year	86	1	-0.4	83	-23	84	45.6	51.64	249	3.05
East Scotland.	Jan.	48	-6	-6.5	105	0	85	37.2	2.57	17	1.37
	Feb.	55	7	-3.0	181	+ 5	89	37.4	2.24	16	2.50
	Mar.	61	14	-2.3	99	- 3	94	39.2	2.48	19	3.51
	Apl.	63	17	-2.0	91	+ 1	67	43.2	1.85	16	4.94
	May	76	24	-1.7	114	- 3	91	48.2	2.24	16	5.76
	June	85	29	+1.3	47	- 7	102	53.7	2.13	14	6.03
	July	82	38	+1.4	95	+ 2	87	56.4	2.87	17	5.09
	Aug.	78	37	-1.0	137	+ 5	98	55.8	3.15	18	4.70
	Sept.	79	31	+3.4	40	- 5	77	52.3	2.24	15	4.06
	Oct.	68	20	+0.5	147	0	92	46.5	3.27	19	2.80
	Nov.	57	15	+0.6	123	+ 3	61	41.1	3.11	19	1.73
	Dec.	59	13	+2.1	42	- 8	105	37.9	3.11	19	1.04
	Year	85	-6	-0.6	102	-10	88	45.7	31.26	205	3.63
West Scotland.	Jan.	46	1	-6.6	23	-11	118	39.4	4.57	20	1.17
	Feb.	54	11	-2.6	106	0	116	39.3	3.94	18	2.10
	Mar.	60	17	-1.5	88	- 4	99	40.7	3.58	19	3.51
	Apl.	61	21	-1.8	67	- 2	71	44.7	2.76	16	5.15
	May	82	22	-1.4	93	- 2	93	49.7	2.91	16	6.16
	June	89	30	+1.4	39	- 7	102	55.0	2.87	15	6.32
	July	85	37	+0.5	100	0	101	57.1	3.46	17	5.73
	Aug.	82	37	-1.0	118	+ 3	104	56.6	4.41	18	4.99
	Sept.	76	37	+3.8	58	6	73	53.5	3.66	16	4.24
	Oct.	68	24	+1.5	113	- 3	111	47.9	4.69	19	2.68
	Nov.	57	22	+0.6	92	0	95	43.2	5.16	19	1.59
	Dec.	57	20	+1.9	51	- 4	92	40.6	5.63	22	0.96
	Year	89	1	-0.5	80	34	95	47.3	47.64	215	3.67

TABLE II.—SUMMARY TABLE of mean Values of Air Pressure, Air Temperature and Wind Direction at the Principal Towns, together with extremes of temperature for Scotland as a whole and generalized figures for Rain in the British Isles.*

1941.	Air Pressure at 32° F. and Mean Sea Level.		AIR TEMPERATURE.							
			Means of		Mean of A and B.	Difference of Mean from Normal.	Daily Range.		Absolute Extremes.	
	Mean.	Difference from Normal.	A	B			Mean = A-B.	Difference from Normal.	Highest.	Lowest.
			Maximum.	Minimum.						
	In.	In.	°F.	°F.	°F.	°F.	°F.	°F.	°F.	°F.
January ...	29·978	+0·081	36·2	26·9	31·5	-7·6	9·3	+0·4	48	-6
February ...	29·514	-0·358	41·6	31·7	36·6	-2·7	9·9	+0·4	55	7
March ...	29·907	+0·077	44·6	33·0	38·8	-2·2	11·6	+0·3	61	14
April ...	30·012	+0·093	48·0	36·9	42·5	-2·1	11·1	-2·5	63	16
May ...	29·963	-0·014	56·0	40·9	48·5	-1·4	15·1	+0·7	82	15
June ...	30·076	+0·078	64·3	48·2	56·2	+1·2	16·1	+0·8	89	24
July ...	29·911	-0·018	66·7	52·9	59·8	+1·5	13·8	-0·5	85	37
August ...	29·701	-0·187	63·7	49·8	56·8	-0·7	13·9	+0·6	82	35
September ...	30·199	+0·222	64·3	51·1	57·7	+4·2	13·2	0·0	79	31
October ...	30·101	+0·224	55·3	43·2	49·3	+1·1	12·1	+0·8	68	19
November ...	29·865	+0·015	48·3	36·9	42·6	+0·8	11·4	+1·5	60	15
December ...	30·043	+0·272	46·8	36·8	41·8	+2·0	10·0	+1·3	59	13
Means ...	29·939	+0·040	53·0	40·7	46·8	-0·5	12·3	+0·3	89	-6

1941.	RAIN.				WIND.								
	Percentage of Normal.				No. of Observations—Total = 730.								
	Scotland.	England and Wales.	Northern Ireland.	British Isles.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	Calm.
January ...	56	127	67	Not available.	5	10	15	6	1	2	7	9	7
February ...	122	164	113		3	7	7	4	5	8	9	9	4
March ...	85	137	126		4	16	8	4	4	7	5	7	7
April ...	80	76	75		3	16	14	4	2	8	8	3	2
May ...	89	106	90		4	11	13	4	4	7	9	7	3
June ...	47	52	21		2	8	10	5	4	9	14	6	2
July ...	98	96	111		2	3	6	3	6	14	19	7	2
August ...	133	145	108		2	1	4	2	4	15	20	10	4
September ...	57	33	54		1	6	9	5	5	9	10	8	7
October ...	123	80	149		4	6	8	3	3	11	13	9	5
November ...	103	99	121		2	8	9	9	6	7	8	6	5
December ...	62	53	53		3	1	1	1	3	21	21	9	2
Year ...	88	97	93		35	93	104	50	47	118	143	90	50

* In this Table Air Pressure and Wind Observations are based on records at seven towns and the means of Air Temperature and Daily Range of Temperature on records at eleven towns. The Absolute Extremes of Temperature refer to Scotland as a whole. The generalized figures for Rain are based on a large number of observations and are extracted from the Monthly Weather Report of the Meteorological Office.

TABLE III.—NUMBER OF HOURS BRIGHT SUNSHINE.


1941.	NUMBER OF HOURS.												YEAR
	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total. Hours.
NORTH SCOTLAND—													
Lerwick ...	38	56	114	114	148	154	104	122	75	70	18	13	1026
Kirkwall ...	39	53	130	91	152	131	115	127	80	71	29	19	1037
Stornoway ...	44	58	133	146	202	176	119	84	90	94	49	15	1210
Skye, Duntuiln ...	45	72	148	163	233	188	140	99	89	79	57	9	1322
Fortrose ...	56	44	117	98	156	170	113	101	109	74	36	32	1106
Dalwhinnie ...	47	33	104	103	132	211	111	96	85	64	37	21	1044
Fort Augustus ...	44	34	93	95	131	156	85	80	100	65	41	19	943
Fort-William ...	27	35	109	114	164	186	105	76	83	72	40	2	1013
Inverness ...	50	43	110	101	139	146	106	94	114	75	34	28	1040
Onich ...	52	56	107	112	162	167	116	87	77	78	51	12	1077
EAST SCOTLAND—													
Nairn ...	56	48	122	100	151	185	118	106	123	87	40	34	1170
Forres ...	61	56	133	90	155	195	114	125	124	92	35	39	1219
Gordon Castle ...	45	46	130	91	136	182	125	106	105	84	38	35	1123
Banff ...	39	52	137	83	144	161	115	136	97	77	29	41	1111
Aberdeen ...	31	62	120	78	166	197	124	139	75	85	19	51	1147
Braemar ...	18	36	96	82	129	216	104	91	89	55	18	18	952
Craibstone ...	36	61	123	85	172	211	145	153	89	97	23	61	1256
Stonehaven ...	39	66	108	78	168	207	146	145	81	87	29	54	1208
Arbroath ...	38	77	100	103	172	198	161	164	98	87	41	44	1283
Carnoustie ...	40	80	91	114	182	204	175	180	112	104	42	43	1367
Dundee ...	41	67	84	91	151	180	145	140	94	92	46	42	1173
Longforgan ...	51	72	88	92	165	198	152	158	92	92	46	47	1253
Perth ...	27	59	85	95	149	209	151	135	83	87	34	38	1152
Dunfermline ...	32	58	99	95	148	183	151	149	88	97	38	38	1176
Kirkcaldy ...	37	69	92	93	152	164	181	173	101	104	40	47	1253
Leuchars ...	35	69	80	101	152	177	151	138	95	96	48	43	1185
Lundin Links ...	35	64	72	88	161	198	163	137	96	90	42	41	1187
St. Andrews ...	39	72	84	99	159	183	159	161	94	95	44	38	1227
Balerno ...	50	54	86	78	150	196	152	149	91	86	47	35	1174
Boghall ...	47	57	84	64	127	172	124	108	83	87	41	39	1033
Edinburgh ...	43	71	99	85	146	191	158	156	98	85	41	46	1219
Dunbar ...	30	64	73	106	157	173	169	159	106	88	46	53	1224
North Berwick ...	28	53	72	96	148	161	147	137	99	86	37	17	1081
Marchmont ...	29	58	85	94	144	191	143	148	86	79	32	32	1121
WEST SCOTLAND—													
Dunoon (Ben More) ...	34	51	89	86	144	153	125	114	68	70	36	19	989
Dunoon ...	50	59	98	88	156	176	143	128	70	89	49	23	1129
Oban ...	23	51	109	127	194	200	132	120	94	44	23	3	1120
Tirree ...	67	87	159	156	244	210	160	155	101	82	66	21	1508
Rothsay ...	47	69	100	104	180	195	151	142	81	88	50	26	1233
Cardross ...	34	51	94	84	124	176	144	127	71	86	36	23	1050
Helensburgh ...	48	56	107	95	161	181	147	120	78	78	51	27	1149
Stirling ...	41	45	86	99	127	184	142	132	55	71	44	42	1068
Greenock ...	19	45	83	90	151	189	141	136	74	79	26	14	1047
Paisley ...	24	59	82	88	139	183	146	146	76	82	26	23	1074
Renfrew (Abbots- inch) ...	27	53	90	90	141	189	144	137	75	88	23	27	1084
Carlisle ...	58	59	93	86	145	170	134	131	90	92	45	34	1137
Glasgow ...	14	40	97	96	150	185	131	122	73	92	26	9	1035
Auchincruive ...	43	55	117	116	168	204	149	123	92	95	52	28	1242
Ayr ...	52	53	115	118	173	207	154	116	86	96	51	19	1240
Kilmarnock ...	56	64	106	114	167	202	148	131	85	95	46	22	1236
Prestwick ...	59	64	116	124	169	203	150	117	91	97	49	23	1262
Troon ...	55	69	107	121	158	218	173	127	80	94	50	22	1274
Dumfries ...	29	63	94	97	157	203	174	139	96	101	50	33	1236
Eskdalemuir ...	44	54	82	83	137	177	153	129	84	95	56	36	1130
Ruthwell ...	22	47	98	94	163	191	164	123	110	92	44	21	1169

TABLE IV.—MONTHLY and ANNUAL AMOUNTS of RAINFALL and
Number of Days of RAIN at Selected Stations.

1941.	AMOUNTS.													Number of Days of Rain exceeding ·01 inch.
	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Year.	
NORTH SCOTLAND—														
Lerwick ...	1·12	3·52	1·56	1·56	1·74	1·02	2·49	2·20	2·53	2·74	5·59	5·06	31·13	228
Kirkwall ...	1·58	3·08	1·03	1·67	1·24	0·31	3·15	3·60	2·21	3·07	4·35	4·05	29·34	218
Barra, Skallary...	1·18	3·48	2·11	1·59	1·01	1·04	3·46	6·02	1·57	4·11	3·50	3·18	32·25	232
Stornoway ...	3·13	4·09	1·39	1·54	0·98	0·57	3·86	5·19	1·71	3·91	4·30	4·17	34·84	239
Duntuilm ...	1·69	4·07	2·78	2·52	0·86	1·59	4·95	5·26	2·68	4·75	4·78	4·32	40·25	229
Wick ...	1·17	2·72	1·51	1·44	0·91	0·50	1·98	4·13	1·56	3·47	3·21	2·07	24·67	218
Cape Wrath ...	2·02	3·31	1·93	3·22	2·40	0·85	2·87	4·86	2·21	4·40	2·42	5·12	35·61	229
Achnashellach ...	2·50	6·05	2·63	5·00	1·73	2·71	5·85	10·00	3·74	7·97	8·50	10·12	66·80	233
Fortrose ...	1·13	2·20	1·78	1·10	2·39	0·30	2·31	4·49	1·02	3·89	2·74	2·35	25·70	217
Dalwhinnie ...	0·62	3·70	1·19	1·36	2·33	0·76	2·69	4·85	1·32	5·07	6·80	6·18	36·87	205
Fort Augustus ...	0·49	4·19	1·66	2·25	1·82	0·84	3·22	5·02	1·74	4·72	6·10	5·88	37·93	203
Fort-William ...	0·34	6·24	1·96	3·74	1·18	1·61	6·03	8·03	3·78	7·53	6·83	8·50	55·77	211
Inverness ...	0·74	2·03	1·59	1·11	2·80	0·33	2·26	5·23	0·83	3·66	2·71	3·31	26·60	169
Onich ...	0·41	5·02	2·67	3·49	1·68	2·15	7·49	9·58	3·44	7·87	6·73	7·18	57·71	216
EAST SCOTLAND—														
Nairn ...	0·76	1·81	1·69	0·84	2·31	0·32	1·99	5·70	0·70	3·98	2·16	2·07	24·33	185
Forres ...	1·44	3·06	1·82	1·14	3·21	0·33	3·07	6·65	0·91	4·40	2·41	2·27	30·71	172
Gordon Castle ...	2·94	4·47	2·18	1·55	2·44	1·10	3·47	6·27	1·15	4·79	3·56	1·60	35·52	174
Banff ...	2·56	2·72	1·54	1·55	1·91	1·00	4·30	4·19	1·28	3·80	4·71	1·20	30·76	204
Aberdeen ...	2·52	3·83	1·19	2·16	1·94	0·98	2·76	4·81	0·55	4·85	5·72	0·84	32·15	193
Balmoral ...	4·17	2·69	0·95	1·59	2·79	0·27	3·18	3·27	1·34	3·76	5·15	1·84	31·00	212
Braemar...	3·51	3·60	0·90	1·56	2·78	0·31	2·42	3·82	1·51	4·02	6·76	2·69	33·88	202
Craibstone ...	3·01	4·29	2·07	2·88	2·41	0·95	3·18	5·61	0·66	6·22	6·03	0·99	38·30	193
Stonehaven ...	2·46	3·56	1·60	2·72	2·21	1·10	1·38	3·61	0·47	5·34	4·69	0·91	30·05	201
Arbroath ...	2·37	4·24	1·93	1·96	2·04	1·29	2·47	3·35	0·42	3·87	3·42	0·77	28·13	161
Buddon Ness ...	2·59	4·43	2·15	2·10	1·95	0·86	2·41	3·05	0·76	3·56	3·45	0·61	27·92	185
Carnoustie ...	2·17	4·51	1·94	1·71	1·89	1·09	2·76	3·10	0·61	3·43	3·21	0·56	26·98	183
Dundee ...	2·74	4·37	1·98	1·90	2·49	1·13	3·17	2·86	1·42	4·59	3·55	0·84	31·04	180
Kettins ...	2·92	5·14	1·81	1·31	2·89	0·81	2·50	2·11	1·08	3·28	3·72	1·67	29·24	181
Longforgan ...	3·16	3·88	1·77	1·32	2·77	1·14	3·04	3·42	0·99	3·50	3·01	1·17	29·17	183
Perth ...	3·02	4·04	2·20	1·47	3·19	0·89	3·25	3·03	0·98	2·80	2·54	1·52	28·93	166
Cupar ...	2·95	5·28	2·48	2·03	2·73	0·74	2·39	2·98	1·07	3·37	3·26	1·50	30·78	183
Dunfermline ...	2·23	2·75	2·58	1·32	3·18	0·85	3·74	3·23	0·77	3·04	1·92	1·17	26·78	163
Kirkcaldy ...	1·94	2·96	1·98	0·96	2·25	0·38	2·55	3·69	0·99	2·87	2·49	0·98	24·04	140
Leuchars ...	2·72	4·13	2·09	1·52	2·05	0·87	2·19	2·81	0·93	3·09	3·08	1·13	26·61	182
Lundin Links ...	2·89	3·40	2·37	1·48	1·93	0·60	2·32	2·58	0·96	3·21	2·66	0·89	25·29	170
St. Andrews ...	2·46	5·13	2·17	1·23	1·99	0·87	1·83	2·20	0·80	3·01	3·48	1·00	26·17	170
Balerno ...	2·08	5·49	3·03	1·80	4·41	0·71	3·55	3·43	0·84	3·61	2·39	2·02	33·36	192
Boghall ...	1·97	3·80	3·27	1·99	3·46	0·99	2·96	3·87	0·93	3·81	2·32	1·57	30·94	210
Edinburgh ...	1·53	2·83	2·83	1·18	3·04	0·91	2·98	2·91	0·96	3·20	1·89	0·86	25·12	193
Dunbar ...	1·89	2·46	2·35	0·86	1·46	0·78	2·81	2·06	0·69	3·07	2·43	0·44	21·30	158
North Berwick ...	2·30	2·48	3·05	1·01	2·14	1·15	2·81	2·82	0·92	2·97	2·17	0·50	24·32	174
Marchmont ...	3·25	4·29	2·72	1·75	2·11	1·14	2·23	3·21	0·59	4·16	2·84	0·54	28·83	195
St. Abbs Head,...	2·41	4·44	2·43	1·09	1·27	1·91	1·72	3·35	0·59	3·67	3·18	0·46	26·52	175
West Linton ...	1·39	3·22	2·77	1·66	3·83	0·94	2·81	4·07	1·13	3·53	2·54	2·08	29·97	197
Kelso (Broom-lands) ...	3·25	3·01	2·42	1·52	1·90	0·70	2·02	3·25	0·53	3·53	2·50	0·53	25·16	194
Wolfelee ...	2·48	4·10	2·39	1·48	2·55	1·31	1·20	5·35	0·87	4·35	3·57	1·38	31·03	187

TABLE IV.—MONTHLY and ANNUAL AMOUNTS of RAINFALL and Number of Days of RAIN at Selected Stations—*continued*.

1941.	AMOUNTS.													Number of Days of Rain exceeding '01 inch.
	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Year.	YEAR.
WEST SCOTLAND—														
Ardtornish ...	0·90	7·95	2·90	3·15	1·95	0·86	4·53	9·55	4·59	7·61	9·20	6·97	60·16	192
Colonsay ...	0·62	2·56	3·63	1·91	1·55	1·71	3·05	5·53	3·37	5·70	4·41	3·05	37·09	213
Dunoon ...	0·90	4·51	3·60	2·59	2·45	1·69	3·70	6·74	2·73	7·96	6·01	5·83	48·71	185
Dunoon (Ben More)	1·50	7·29	4·21	4·62	3·39	1·68	5·34	8·12	4·32	8·50	10·61	7·80	67·38	189
Glenbranter ...	1·51	8·57	4·03	4·61	2·74	1·85	4·20	8·08	3·94	8·85	11·88	7·14	67·40	174
Oban ...	0·25	3·63	2·37	2·50	1·43	1·54	4·07	5·74	3·12	4·68	5·06	3·56	37·95	192
Rothsay ...	0·62	4·50	2·70	2·19	2·07	1·78	3·47	5·33	2·04	5·33	4·46	3·07	37·56	185
Tiree ...	0·59	3·24	1·93	0·68	0·85	0·82	3·34	3·45	1·65	4·01	4·54	2·68	27·78	193
Cardross...	1·34	3·94	2·12	2·11	3·16	0·59	2·72	5·00	2·03	5·77	4·22	3·32	36·32	185
Helensburgh ...	1·35	5·27	3·28	2·57	3·48	1·23	3·58	5·73	1·85	6·14	5·29	3·79	43·56	198
Balfron ...	1·69	5·37	2·66	1·89	2·68	0·71	3·39	4·71	1·66	5·79	4·69	3·56	38·80	189
Stirling ...	1·19	3·50	2·20	1·27	2·98	0·78	2·81	2·96	1·66	4·40	4·43	2·78	30·96	142
Greenock ...	0·90	5·70	3·01	2·73	2·21	1·30	3·65	5·19	1·92	7·03	6·60	4·04	44·28	177
Paisley ...	1·05	3·66	3·36	1·56	3·03	0·59	2·55	4·56	1·47	3·74	3·24	2·39	31·20	169
Abbotsinch ...	0·87	3·37	3·03	1·52	3·39	0·62	2·74	3·98	1·49	3·74	3·35	2·52	30·62	168
Dungavel ...	1·23	3·47	3·01	2·05	3·70	0·75	3·92	7·78	1·60	4·48	3·09	3·26	38·34	207
Carluke ...	0·73	2·56	2·54	0·99	4·83	0·52	2·76	3·41	0·61	2·55	1·92	1·50	24·92	171
Glasgow ...	0·76	3·17	3·46	1·98	3·28	1·23	3·60	5·09	1·72	4·13	3·01	1·91	33·34	204
Auchincruive ...	0·53	1·84	2·60	1·25	3·50	1·25	3·75	5·28	1·57	3·73	2·19	2·03	29·52	191
Ayr ...	0·44	1·79	2·64	1·42	2·68	1·08	3·19	4·31	1·73	3·52	1·87	1·66	26·33	154
Colmonell ...	0·67	3·95	2·34	1·74	2·40	0·72	2·84	4·53	2·28	4·86	4·66	1·90	32·89	192
Kilmarnock ...	0·66	2·17	3·02	1·61	3·36	1·23	4·66	5·13	1·84	3·96	2·34	2·07	32·05	195
Prestwick ...	0·57	1·41	2·61	1·18	2·39	0·82	3·13	3·93	1·48	3·10	1·79	1·59	24·00	162
Troon ...	0·64	1·12	2·30	1·16	2·29	1·15	3·18	3·40	1·61	3·44	1·75	1·76	23·80	155
Dumfries ...	0·98	4·33	3·00	1·67	2·81	0·39	3·34	5·76	1·76	4·69	3·48	1·70	33·91	160
Eskdalemuir ...	1·65	4·00	4·56	2·93	3·76	1·98	4·67	7·16	2·62	6·43	5·28	3·35	48·39	211
Ruthwell ...	0·94	3·87	3·32	1·69	2·92	0·73	3·24	5·09	1·85	4·76	2·76	1·84	33·01	162
Glenlee ...	1·15	4·31	4·19	2·03	3·12	0·96	2·83	6·32	3·17	5·41	5·62	3·37	42·48	189
Tongland ...	1·45	3·14	3·88	2·19	3·88	0·48	4·15	6·45	2·70	5·42	2·98	2·39	39·11	140
Newton Stewart	1·58	4·34	3·51	1·69	3·75	1·06	3·54	6·60	3·55	5·81	3·74	2·32	41·49	185





Note— The line ... indicates the boundaries of the Districts
named in Meteorological Tables I, III, & IV.

Ordnance Survey, 1936.
S.O. Code No. 49-150-0-41

